by means of optical pumping, researchers at the University of Sheffield (UK) have observed a striking consequence of nuclear spin control. Alexander Tartakovskii showed that in the presence of an external magnetic field counteracting the Overhauser field, the nuclear spin polarization is bistable and can be switched between an almost random configuration to a strongly polarized one just by tuning the optical pumping power. One could imagine that this effect could be used to initialize the nuclear spin configuration for its use as quantum bit(s).

The results reported give a taste of future applications of confined electron–nuclei interaction in quantum dots. The unique possibility of setting and reading out a small local nuclear spin system gives a tool for transferring the spin from the optically controllable electron to the long-lived nuclear spin, which could be used as spin memory device in spintronics or quantum computing architectures. The research is now headed towards a simplification of the complex many-particle nuclear spin system. Ultimately only a few nuclear spins should be manipulated, similarly to the control of a single ^{13}C nucleus demonstrated in a nitrogen defect centre in diamond⁵. The decrease in the number of participating nuclear spins can be achieved by a decrease in the electron confinement volume. Furthermore, one can use materials with a large natural abundance of atoms with zero nuclear spin, such as II–VI materials like ZnTe. In this way, the coherent control of a defined set of nuclear spins in a single electrically addressable semiconductor quantum dot is within reach.

REFERENCES

1. Kroutvar, M. *et al.* *Nature* **432**, 81–84 (2004).
2. Merkulov, I. A., Efros, A. L. & Rosen, M. *Phys. Rev. B* **65**, 205309 (2002).
3. Braun, P. F. *et al.* *Phys. Rev. Lett.* **94**, 116601 (2005).
4. Lai, C. W., Maletinsky, P., Badolato, A. & Imamoglu, A. *Phys. Rev. Lett.* **96**, 167403 (2006).
5. Jelezko, F. *et al.* *Phys. Rev. Lett.* **93**, 130501 (2004).

MATERIAL WITNESS

Platinum sales

We all know that platinum is a precious metal, but paying close to \$3 million for a few grams of it seems excessive. Yet a private art collector has done just that.

The high price stems from how the metal is arranged: as tiny black particles scattered on gummed paper, portraying an image of the moon rising over a pond on Long Island in 1904. This is, in other words, a photograph, defined in platinum rather than silver. It was taken by the American photographer Edward Steichen, and in February it sold at Sotheby's of New York for \$2,928,000 — a record-breaking figure for a photo.

At the same sale, a photo of Georgia O'Keeffe's hands recorded in a palladium print by Alfred Stieglitz in 1918 went for nearly \$1.5 million (*Platinum Met. Rev.* **50**, 78; 2006). Evidently these platinum-group images have become collector's items.

The platinotype process was developed (excuse the pun) in the nineteenth century to address some of the shortcomings of silver prints. In particular, although silver salts have the high photosensitivity needed to record an image 'instantly', the metal fades to brown over time because of its conversion to sulphide by reaction with atmospheric sulphur gases. That frustrated John Herschel, one of the early pioneers of photography, who confessed in 1839 that "I was on the point of abandoning the use of silver in the enquiry altogether and having recourse to Gold or Platina".

Herschel did go on to create a kind of gold photography, called chrysotype. But it wasn't until the 1870s that a reliable method for making platinum prints was devised. The technique was created by the Englishman William Willis, and it became the preferred method for high-quality photography for 30 years. A solution of iron oxalate and chloroplatinate was spread onto a sheet coated with gum arabic or starch and exposed to light through the photographic negative. As the platinum was photochemically reduced to the finely divided metal, the image appeared in a velvety black that, because of platinum's inertness, did not fade or discolour. "The tones of the pictures thus produced are most excellent, and the latter possess a charm and brilliancy we have never seen in a silver print", said the *British Journal of Photography* approvingly.

To enrich his moonlit scene, Steichen added a chromium salt to the mix. This was trapped in the gum as a greenish pigment, giving a tinted, painterly image evoking night scenes painted by James McNeill Whistler. Steichen and Stieglitz helped to secure the status of photography as a serious art form in the USA.

Stieglitz's use of palladium rather than platinum in 1918 marks the demise of the platinotype. The metal was used as a catalyst in manufacturing high explosives in World War I, so it could not be spared for so frivolous a pursuit: making shells took precedence over making art.

Philip Ball