

NEWS & VIEWS

Open Access

Revolutionizing solid-state single-photon sources with multifunctional metalenses

Fei Ding ¹✉

Abstract

Ultrathin multifunctional metalenses are demonstrated to control the multiple degrees of freedom of a single-photon source in hexagonal boron nitride.

Quantum photonics, a pivotal field in the quantum realm, leverages the unique properties of light at the quantum level¹. Central to this domain are deterministic single-photon sources, which emit individual photons sequentially from spontaneous emission², a cornerstone for quantum communication, computing, and secure encryption. However, the interaction between light and solid-state single-photon emitters (SPEs, such as quantum dots, color centers in diamonds, and defects in two-dimensional materials) under ambient conditions is fundamentally weak and difficult to control. Therefore, the resulting single-photon sources exhibit several issues, such as low collection efficiency, lack of directionality, and poor polarization/phase properties. To create complex quantum light states and make full use of multiple degrees of freedom (DoFs) of single photons, such as polarization and orbital angular momentum, one should set up a complicated optical system with a set of discrete components (polarizers, wave plates, lenses, spatial light modulators, etc.), an approach that is inherently cumbersome suffering from bulky configurations, alignment challenges, instability, losses, and limited functionalities. Optical metasurfaces, extremely thin nanoantennas arranged in a well-considered pattern, have unprecedented capabilities in manipulating all properties of classical and nonclassical light, hereby making a unique promising platform for quantum nanophotonics^{3–6}. In particular, they provide a platform for generating and

manipulating the quantum states of photons^{7–10}, facilitating novel ways to control quantum light for integrated quantum photonic devices.

The paper “Arbitrarily structured quantum emission with multifunctional metalens” published in *eLight* is a testament to the rapid advancements in quantum photonics¹¹. The research team, led by Dr. Chi Li and Dr. Haoran Ren from Monash University, Prof. Junsuk Rho from Pohang University of Science and Technology, and Prof. Igor Aharonovich from the University of Technology Sydney, introduces a novel multifunctional metalens that redefines the control of quantum emission from SPEs in hexagonal boron nitride (hBN) at room temperature. This designed metalens enables simultaneous mapping of quantum emission from ultra-bright defects in hBN and imprinting of an arbitrary wavefront onto orthogonal polarization states of the sources, owing to its capability of molding the directionality, polarization, and OAM DoFs simultaneously. As such, this hybrid quantum metalens system enables simultaneous manipulation of multiple DoFs of a quantum light source, as shown in Fig. 1. In the design, the authors utilized low-loss hydrogenated amorphous silicon as the material to build the metalens unit cells, which has a negligible extinction coefficient in the emission spectrum of hBN SPEs, leading to a reasonably high collection efficiency of 0.3. Capitalizing on the design, three different polarization-splitting metalenses have been fabricated and measured with SPEs to validate their capabilities to control the directionality and polarization of single-photon emission at the same time. Furthermore, the authors implemented more complicated


Correspondence: Fei Ding (feid@mci.sdu.dk)

¹Centre for Nano Optics, University of Southern Denmark, Campusvej 55, Odense M DK-5230, Denmark

© The Author(s) 2024



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.



metalens that encode different helical phase fronts (OAM modes) in addition to the directionality and polarization.

The study showcases the metalens's ability to manipulate quantum emission from hBN defects, imprinting arbitrary wavefronts onto orthogonal polarization states. The multifunctional nature of these metalenses provides a crucial stepping stone towards advanced quantum computing, secure communication, and enhanced quantum sensing capabilities. We believe that such quantum metasurfaces will be growing rapidly as a unique and enabling platform for generating, routing, and manipulating quantum light states, due to their superior capability to simultaneously control multiple DoFs of photons in an independent and simultaneous fashion. Despite the groundbreaking nature of this research, the multifunctional metalenses that have been employed to manipulate single-photon emission from hBN SPEs are still external components, i.e., separated from the photon

sources. Although directly integrating hBN SPEs to metalenses could be possible by the addition of a transparent spacer⁸, adapting device architectures and aligning approaches are nontrivial and need further investigation. Meanwhile, integrated quantum metasurface chips that simultaneously generate photon-state and conduct high-dimensional quantum entanglement are still to be developed. Furthermore, the static nature of the demonstrated quantum metasurfaces so far severely limits the range of available functionalities, calling thus for the development of spatiotemporal quantum metasurfaces with new research avenues and breakthroughs in flat quantum photonics^{6,12}.

Acknowledgements

The authors acknowledge the support of the Independent Research Fund Denmark (Grant no. 1134-00010B) and Villum Fonden (Grant no. 37372).

Conflict of interest

The authors declare no competing interests.

Published online: 17 January 2024

References

- O'Brien, J. L., Furusawa, A. & Vuckovic, J. Photonic quantum technologies. *Nat. Photonics* **3**, 687–695 (2009).
- Aharonovich, I., Englund, D. & Toth, M. Solid-state single-photon emitters. *Nat. Photonics* **10**, 631–641 (2016).
- Solntsev, A. S., Agarwal, G. S. & Kivshar, Y. S. Metasurfaces for quantum photonics. *Nat. Photonics* **15**, 327–336 (2021).
- Liu, J. et al. Quantum photonics based on metasurfaces. *Opto-Electron. Adv.* **4**, 200092 (2021).
- Wang, K., Chekhova, M. & Kivshar, Y. Metasurfaces for quantum technologies. *Phys. Today* **75**, 38–44 (2022).
- Ding, F. & Bozhevolnyi, S. I. Advances in quantum meta-optics. *Mater. Today* **71**, 63–72 (2023).
- Kan, Y. H. et al. Metasurface-enabled generation of circularly polarized single photons. *Adv. Mater.* **32**, 1907832 (2020).
- Bao, Y. J. et al. On-demand spin-state manipulation of single-photon emission from quantum dot integrated with metasurface. *Sci. Adv.* **6**, eaba8761 (2020).
- Wu, C. et al. Room-temperature on-chip orbital angular momentum single-photon sources. *Sci. Adv.* **8**, eabk3075 (2022).
- Komisar, D. et al. Multiple channelling single-photon emission with scattering holography designed metasurfaces. *Nat. Commun.* **14**, 6253 (2023).
- Li, C. et al. Arbitrarily structured quantum emission with a multifunctional metalens. *eLight* **3**, 19 (2023).
- Kort-Kamp, W. J. M., Azad, A. K. & Dalvit, D. A. R. Space-time quantum metasurfaces. *Phys. Rev. Lett.* **127**, 043603 (2021).