CORRESPONDENCE

Lunar Conductivity

Sir.—Your geomagnetism correspondent1 commented on the problem of lunar conductivity where he reviewed the current status of the problem of inversion of lunar magnetometer data into a profile of the bulk electrical conductivity. His statements tend to centre only on the recent work of Hobbs2 where the uniqueness of lunar data is discussed in terms of the Backus-Gilbert resolution criterion3-5. Both the comments in Nature and those of Hobbs are based on our very first preliminary report6, now over two years old, of the lunar transfer (response) function and the inversion resulting from these data. Thus, the comments in Nature completely bypass our later reports^{7,8} which extend the data both in accuracy and bandwidth as well as making use of a theory in the inversion which includes higher magnetic multipoles of the fields. The discussion in Nature and that by Hobbs, both of historical interest only, unfortunately do not give the background upon which our publication of the conductivity spike was based. In that work, there was some evidence that the transfer function "rolled over" beyond a frequency of about 0.01 Hz. In addition, the basalt lunar rock conductivity work published by Nagata et al.9, when used together with published values of typical ultrabasic rock conductivity, provided a smooth temperature profile. The latter must be regarded as a key element in our early conclusion since the existence of the "rollover" phenomenon forced our solutions towards a "spike" irrespective of a variety of starting conditions in the iteration. The importance of this can best be understood when it is noted that in Hobbs's calculations the iterations and resolution tests are restricted to an upper bandwidth limit of 0.01 Hz, exactly where difficulty ensues in fitting a monotonic conductivity function to the data. The spike can thus be avoided by the use of dipole (or long wavelength) theory, and the combination of ultrabasic and Nagata-basalt conductivity functions which led to the conclusion that a conductivity "spike" exists in the lunar mantle.

If Hobbs had used our later data, published well before his paper and over the full frequency range, he should have reproduced our results showing that higher order magnetic multipoles are responsible for the prominent "rollover" in the lunar transfer function, that the higher order theory is indeed required in iteration, and that we had already produced models which are the Backus-Gilbert bounded by criterion.

The latter is no panacea for testing the uniqueness of lunar magnetometer data. Indeed, for the very limited resolution presently available, a strong argument can be made that better intuitive physical insight is gained by considering a spectrum of electrically equivalent models, just as we did. Further, Backus-Gilbert calculations carried out by us even earlier than the generation of our present model spectrum (unpublished) show no disparity with the set consisting of two-layer, three-layer, four-layer, coreplus-current layer, and two-current layer models as determined by the residual mean square error difference between model forward calculations and the data, and the mean square average noise in the data itself7,8.

The Backus-Gilbert criterion, exquisite though it is, provides no intrinsic measure of confidence in the models beyond what we already have calculated, considering the overall quality of the data, and perhaps even more critical, the "goodness" of the theory which will always remain an external constraint upon the final model attained. A more careful reading of the literature would show that, though the time for use of the Backus-Gilbert criterion may be fast approaching, there is still considerable work to be done to improve the inversion by inclusion of the full higherorder theory arising from cavity asymmetry, short wavelengths in the solar wind, separation of data according to propagation vector direction, and a host of smaller but nevertheless still germane problems. In short, Backus-Gilbert tests are not required to show that the "spike", though still with us, is non-unique. Finally, the Kuckes two-layer model¹⁰, or indeed any two-layer model, has already been shown by us to lie outside the error tolerance of the data8.

Yours faithfully,

C. P. SONETT

Lunar and Planetary Laboratory, University of Arizona, Tucson, Arizona 85721

Anonymous, Nature, 243, 265 (1973).
 Hobbs, B. A., Earth Planet. Sci. Letters, 17, 380 (1973).

Backus, G. E., and Gilbert, J. F., *Geophys J.*, 13, 247 (1967).
 Backus, G. E., and Gilbert, J. F., *Geophys*.

Backus, G. E., and Gilbert, J. F., Geophys. J., 16, 169 (1968).
Bachus, G. E., and Gilbert, J. F., Phil. Trans. Roy. Soc., A, 266, 123 (1970).
Sonett, C. P., Colburn, D. S., Dyal, P., Parkin, C. W., Smith, B. F., Schubert, G., and Schwartz, K., Nature, 230, 359

G., and Schwartz, K., *Nature*, 230, 335 (1971).

Sonett, C. P., Schubert, G., Smith, B. F., Schwartz, K., and Colburn, D. S., in *Proc. Second Lunar Sci. Conf.* (edit. by Levinson, A. A.), 3, 2415 (MIT Press, Cambridge, Massachusetts, 1971).

Sonett, C. P., Smith, B. F., Colburn, D. S., Schubert, G., and Schwartz, K., in *Proc. Third Lunar Sci. Conf.* (edit. by Heymann, D.), 3, 2309 (MIT Press, 1972)

1972).

Nagata, T., Rikitake, T., and Kono, M., COSPAR, 10 (1970).
 Kuckes, A. F., Nature, 232, 249 (1971).

Missing Magnitudes

SIR,—The recent article on polypeptide configurational kinetics entitled "The Missing Magnitudes" (Nature, 243, 186; 1973) is, we feel, premature in its conclusions. An explanation, based on sample polydispersity, of differences between the two ranges of molecular times inferred from experiments is inadequate. One of us has recently fractionated poly-y-benzyl-L-glutamate (J. B. Milstein and J. A. Ferretti, Biopolymers, in the press). The n.m.r. spectra of sharp fractions exhibit a C-H proton peak doubling, in direct contradiction of results by Nagayama and Wada (Chem. Phys. Lett., 16, 50; 1972; and Biopolymers, in the press). the problem remains unresolved.

We assert that an explanation based on polydispersity cannot logically be extended to comprehend the experimental chain length dependence of the double peaks. Therefore, we would still maintain that the origin of the n.m.r. double peaks lies in the existence of a slow nucleation time; in terms of our models this is the time for forming an initial α-helix from an all random coil mole-

Even if this is not the finally accepted explanation of the n.m.r, behaviour, a treatment of helix nucleation in chain molecules is requisite to a detailed understanding of conformational kinetics. Theories developed by Miller (Macromolecules, 6, 100; 1973) and by Jernigan, Weiss and Ferretti (Macromolecules, in the press) should have applications to time dependent properties other than n.m.r. behaviour. organization in proteins may possibly be understood through more developed versions of such theories.

Yours faithfully.

JAMES A. FERRETTI ROBERT L. JERNIGAN

Physical Sciences Laboratory, Division of Computer Research and Technology. National Institutes of Health, Bethesda, Maryland 20014

W. G. MILLER

Department of Chemistry, University of Minnesota, Minneapolis, Minnesota 55455

Announcements

Miscellaneous

Professor J. R. Vane, Royal College of Surgeons, has been appointed a director of the Wellcome Foundation.

Errata

In the article "Distance Measurements across the Heimaey Eruptive Fissure" by J. Brander and G. Wadge (Nature, 244, 496; 1973), line 6, paragraph 4, should read "... lines, we found that $E_1 = 336$ p.p.m. and $E_2 = -420$ p.p.m., . . ."

In the article "Accurate Position of GX5-1 from Lunar Occultations", by J. A. Hoffman, P. J. N. Davison and L. V. Morrison (Nature, 244, 347; 1973) the list of authors should have read in alphabetical order.

Reports and Publications

not included in the Monthly Books Supplement

Great Britain and Ireland

SI: The International System of Units. Edited by Chester H. Page and Paul Vigoureux. (Translation approved by the International Bureau of Weights and Measurements of its publication "Le Systeme International d'Unites".) (Department of Trade and Industry: National Physical Laboratory.) Pp. ix+47. (London: HMSO, 1973.) 63p net. [256]

Pp. ix+47. (London: HMSO, 1973.) 657 Energy Policy, Vol. 1, No. 1, June 1973. Edited by Dr. John A. G. Thomas, Pp. 1-88. Published quarterly. Annual subscription (four issues) £14; \$36.40. (Guildford, Surrey: IPC Science and Technology Press, Ltd., 32 High Street, 1973.) [256 Philosophical Transactions of the Royal Society of London. B: Biological Sciences. Vol. 265, No. 871: The Ordovician Fossil Lagynocystis pyramidalis (Barrande) and the Ancestry of Amphioxis. By R. P. S. Jeffries. Pp. 409-469+plates 37-46. (London: The Royal Society, 1973). £3.30: \$9.25.

(London: The Royal Society, 1973.) £3.30; \$9.25.

Department of Education and Science. Provincial Museums and Galleries. (A Report of a Committee appointed by the Paymaster General.) Pp. vii+92. (London: HMSO, 1973.) £1 net. [256 Ministry of Agriculture, Fisheries and Food. Fisheries Laboratory, Lowestoft. Report of the Director of Marine Fishery Research for the years 1969–1971. Pp. 81. (Lowestoft, Suffolk: Ministry of Agriculture, Fisheries and Food, Fisheries Laboratory, 1973.)

Department of the Environment. Fourteenth Progress Report of the Standing Technical Committee on Synthetic Detergents. Pp. v+29. (London: HMSO, 1973.) 30p net. [266 A Maturing Democracy: The Role of Broadcasting. By Charles Curran. (Speech given to the National Liberal Club, London, 14 March 1973.) Pp. 23. (London: BBC, 1973.) [266 Department of Trade and Industry. National Physical Laboratory—Materials Group Research 1972. [267 The Cotton Silk and Manymade Fibres Research

The Cotton Silk and Man-made Fibres Research Association, Shirley Institute. Report and Accounts, 1971/1972. Pp. 35. (Manchester: Shirley Institute, 1276)

1971/1972. Pp. 35. (Manchester: Shirley Institute, 1973.)

Cancer Research Campaign. 50th Annual Report, 1972. Pp. 148. (London: Cancer Research Campaign, 2 Carlton House Terrace, 1973.)

Centenary of the Huxley Building: Personalities and Events in the History of Imperial College. By Dr. C. J. Whitrow. Pp. 23. (London: Publications Officer, Imperial College, 1973.)

Groceedings of the Royal Irish Academy. Vol. 73. Section B. No. 7: The Effects of Contraction and Ischaemia on Creatine Phosphate and Adenosine Triphosphate in M. Semitendinosus of the Pig. By J. V. McLoughlin, P. J. V. Tarrant and M. G. Harrington. Pp. 95-108. 21p. No. 8: The Sub-Old Red Sandstone Surface in Southern Ireland. By R. J. P. Doran, C. H. Holland and A. A. Jackson. Pp. 109-128+plates 9 and 10. 39p. (Dublin: Royal Irish Academy, 1973.)

Courtaulds. Report and Accounts 1972/1973. Pp. 24. (London: Courtaulds Ltd., 1973.) [296 Republic of Ireland. Annual Report of the National Drugs Advisory Board, 1973.) [25p.

Smith Kline and French Foundation. Tenth Annual Report, 1972. Pp. 8. (Welwyn Garden City, Herts: Smith Kline and French Foundation, 1973.)

1973.)
The Lister Institute of Preventive Medicine.
Report of the Governing Body 1973. Pp. 49.
(London: The Lister Institute of Preventive Medicine,
Chelsca Bridge Road, 1973.)

Other Countries

Académie Royale de Belgique, Annuaire 1973, p. 334. (Bruxelles: Académie Royale de Belgique, [256] 1973.) [256] World Health Organization. Application of the International Classification of Diseases to Dentistry and Stomatology (ICD-DA). Pp. 114. (Geneva: WHO; London: HMSO, 1973.) 16 Sw. francs; 22;

and Stomatology (ICD-DA). Pp. 114. (Geneva: WHO; London: HMSO, 1973.) 16 Sw. francs; £2; \$4.80. [256]
Beyond Conflict or Compromise: Human Progress, Environmental Protection and the United Nations Development Programme. Pp. 38. (New York: UNDP, United Nations, 1973.) \$2. [256]
Publications du Centre National pour l'Exploitation des Oceans. Serie: Rapport Scientifiques et Techniques. No. 14: l'Exploitation de la Coquille Saint-Jacques au Japon. Par Arnaud Muller-Feuga et Joel Querellou. Pp. 85. (Paris: Centre National pour l'Exploitation des Oceans, 1973.) [256]
Science Council of Canada. Report No. 20: Canada, Science and International Affairs. Pp. 66. (Ottawa: Information Canada, 1973.) \$1.25. [266]
Australia: Commonwealth Scientific and Industrial Research Organization. Annual Report of the Division of Fisheries and Oceanography, 1970/1971. Pp. 69. (Cronulla, NSW: CSIRO, 1973.) [266]
United Nations: Centre for Economic and Social Information. Youth and Population. (Report of the Working Party on Youth and Population, United Nations, 1973.) [276]
Unesco. Monographs on Oceanographic Methodology No. 3: A Guide to the Measurement of Marine Primary Production Under Some Special Conditions. Pp. 73. (Paris: Unesco, 1973.) 12 francs; £1; \$3. [276]
National Geographic Society. Research Reports: Abstracts and Reviews of Research and Exploration authorized under Grants from the National Geographic Society during the year 1966. Edited by Paul H. Oehser, under the direction of the Committee for Research and Exploration. Pp. x+321. (Washington, DC: National Geographic Society, 1973.) [296]
Smithsonian Contributions to Zoology, No. 125:

In Research and Exploration. Pp. x+321. (Washington, DC: National Geographic Society, 1973.)

Smithsonian Contributions to Zoology, No. 125: Behavior and Ecology of the Asiatic Elephant in Southeastern Ceylon. By George M. McKay. Pp. iv+113. (Washington, DC: Smithsonian Institution Press, 1973. For sale by US Government Printing Office.) \$1.75. [296

United States Department of the Interior: Geological Survey. Professional Paper 789: Geochemistry of Lower Eocene Sandstones in the Rocky Mountain Region. By James D. Vine and Elizabeth B. Tourtelot. With a section on Direct-Reader Spectrometric Analyses by Raymond G. Havens and Alfred T. Myers. Pp. iv+36. 55 cents. Water-Supply Paper 1873-D: Measurement of Salt-Wedge Excursion Distance in the Duwamish River Estuary, by Means of the Dissolved-Oxygen Gradient. By W. A. Dawson and L. J. Tiller. Pp. iii+27. 25 cents. (Washington, DC: Government Printing Office, 1972 and 1973.) [296

NORDITA: Nordisk Institut for Teoretisk Atomfysik. Virksomhedsberetning Juli 1971—December 1972. (NORDITA, 1973.) [296

HOW TO BUY NATURE

The cost of one year's subscription to NATURE is:

UK & elsewhere US & Canada Nature (Friday) £16 £20 Nature & Nature Physical Science or Nature New Biology £24 £33 Nature New Biology or Nature **Physical Science** £10 £15 All three editions £29.50 £44 Index (1972) £1 £1.50

(Charges for delivery by air mail on application). Subscribers in North America may be able to claim a tax rebate against their NATURE subscription.

Editorial, Advertising and Publishing Offices of NATURE MACMILLAN JOURNALS LIMITED 4 LITTLE ESSEX STREET, LONDON WC2R 3LF Telephone Number: 01-836 6633. Telegrams: Phusis London WC2R 3LF Telex 262024

> MACMILLAN JOURNALS LIMITED 711 NATIONAL PRESS BUILDING WASHINGTON DC 20004

Telephone Number: 202-737 2355. Telex 64280

Advertisement Department MACMILLAN JOURNALS LIMITED 4 LITTLE ESSEX STREET, LONDON WC2R 3LF Telephone Numbers: UK 01-836 6633. USA 202-737 2355

Subscription Department MACMILLAN JOURNALS LIMITED BRUNEL ROAD, BASINGSTOKE, HANTS RG21 2XS Telephone Number: Basingstoke 29242

Classified advertisements T. G. SCOTT & SON, LIMITED 1 CLEMENT'S INN, LONDON WC2A 2ED Telephone Number: 01-242 6264/01-405 4743 Telegrams: Textualist London WC2A 2ED Registered as a newspaper at the Post Office

© Copyright Macmillan Journals Limited, September 7 1973