on this concept. It represents a great step forward in our understanding of disease and it seems probable that we have still not gathered the full harvest of the discoveries made by Gajdusek. These discoveries, moreover, may well prove to be of more than mere biological interest, because traditionally microbiology has moved from the recognition of an infectious aetiology to the development of a vaccine and thus to the prevention of the disease.

The agents responsible for kuru, Creutzfeldt Jacob disease and scrapie pose major problems for the investigator. All assays and tests depend on the lengthy incubation period in experimental animals and it may take more than a year to learn the result of a single experiment. Other microbiologists would have shied away but Gajdusek's insight, patience and persistence have ensured that the infectious origin of kuru was discovered and the

disease given an important place in our understanding. He has been the pioneer and the central authority in this area of biomedical research. His encyclopaedic memory, his familiarity with strange places and primitive peoples have generated many legends. He is the sort of man one might have expected to win a Nobel prize and at the same time it is both a surprise and a pleasure to find such a gentle and likeable man behind the legends. □

... encounters

A Special Correspondent describes the discovery made by Baruch Blumberg, 'one of the success stories of the century'

SURPRISE, suspense and success are the three indispensable ingredients in a good detective story, and none of them is absent from the events which led up to the discovery and evaluation of Australia antigen, now usually known as hepatitis B antigen, or HB antigen.

The story starts nearly 20 years ago, when Dr Baruch Blumberg, one of the recipients of the 1976 Nobel Prize for Medicine, was at work on proteins in the blood. It is well known that humans show individual variation in the antigens, or blood group substances, on their red blood cells. Blumberg set out to detect and compare comparable substances in the plasma as opposed to those on the cells. Using as antisera specimens from patients who had received many transfusions, a reacting antigen was found in an Australian aborigine.

The surprises began when this was found to be widely, if unevenly, distributed in human blood throughout the world. The United States, where Dr Blumberg was working, was in fact relatively free from it, although a survey of patients revealed that cases of leukaemia, Down's syndrome (mongolism) and hepatitis figured among those who were positive. The question began to be asked: was this in fact not a simple protein antigen but a human leukaemia virus?

The possibility of being able to detect and study such a virus opened wide horizons—but it was now that the suspense began, because it quickly became unlikely that it was, in fact, a leukaemia virus. A common factor in leukaemia and Down's syndrome is altered cellular immunity; in addition, patients with leukaemia have many transfusions with a concomitant oppor-

tunity for acquiring hepatitis, and children with Down's syndrome (at least, those of them in institutions) are notoriously prone to hepatitis.

It was about this time that hepatitis B infection, acquired from transfused blood, broke upon the haemodialysis trade. The transmission of hepatitis B virus, undetectable by any means except the production of the disease in a patient, had always been a problem in blood transfusion and the use of blood products, but the disasters which overtook staff and patients in dialysis units had made it doubly urgent to find a means of recognition, a serological marker for the presence of the agent.

It is now well known how, during the late 1960s, it became clear that Australia antigen was such a marker—but was it, in fact, the hepatitis B virus? When examined by negative staining it did, so to speak, come to life, and at least some of the particles could be seen to be acceptable as virus. By now it has been possible to purify these particles, and to determine that they have double-stranded DNA and a DNA polymerase, and in fact to do many things with them except grow them in a laboratory system.

Many medical microbiologists must have hoped that this would give a clue to growing hepatitis B virus in a cell culture system, but so far they have been disappointed. However, this has not prevented the use of HB antigen to study the natural history of hepatitis B virus, to detect carriers, and, to detect antibodies in human serum, and this is where the third ingredient, a successful conclusion, comes in.

As a corollary, it is possible to prevent many cases of hepatitis B (post-transfusion and otherwise) and hence to make haemodialysis, blood transfusion,

Sorry, for copyright reasons some images on this page may not be available online

Baruch Blumberg

and the use of blood products infinitely safer. Unfortunately, there is still no conventional small laboratory animal, but the chimpanzee serves as a possible, if expensive, source and host. Even a vaccine has been prepared from HB-antigen-positive human blood, and even though its worth has yet to be assessed, there is little doubt about the effectiveness of the passive immunity conferred by the injection of concentrated, purified, specific anti-HB immunoglobulin.

Although the final evaluation of HB antigen involved, in the end, many laboratories, the work all springs from the researches of one principal and primary investigator. Even if, by hindsight, the connection between the molecular genetics of polymorphism and the prevention of hepatitis B in haemodialysis units all over the world seems to involve a series of knight's moves in chess, the consequences of Blumberg's discovery, judged as a piece of preventive medicine, must rank as one of the success stories of the century. Perhaps in this respect it is as near as any previous award to Alfred Nobel's desire to reward those whose discoveries have been of benefit to mankind. □