

## INDEX OF SUBJECTS

- aceto-carmine, 302
- acriflavine, 109
- acyanic plants, 67, 69
- adaptation, 212
- adaptive character, 203, 219
- additive gene action, 281
- adenine resistance, 467-468
- alien species, 623-624
- allele, 67, 109
  - histocompatibility, 152
  - multiple, 95, 96, 109, 411
  - neutral, 152
  - non-stabilising, 68
  - unstable, 67
  - wild-type, 109
- allelic frequency, 424, 425, 426, 427, 428
- allelomorph, 263
- allopatric divergence, 214, 215
- allopolyploid, 19
  - segmental, 19
- amphibian oocyte, 39, 45
- anastomosis, 449, 450
- androgenesis, 629
- aneuploidy, 328
- anthocyanin, 67
- antibody structure, 626
- anticodon, 166, 167
- antigen, 49
  - red cell, 49, 50, 57, 65
  - synthesis, 165
- area effects, 169, 182
- arginine inhibited revertants, 168
- artificial insemination, 49, 50
- association, 193, 194
- assortative mating, 192, 388
  - negative, 1, 15
  - positive, 192
- autopolyploid, 19
- autoradiographic study, 39
- autotetraploid, 19, 20, 301, 302, 304, 306, 309
  - colchicine-induced, 37, 139-141
- auxotrophic marker, 111, 112, 113
- average fitness, 555
  
- bacteria, 472, 476
- bacterial proline auxotrophs, 168
- bacteriophage, 476
  - RNA, 472
- barley, 135, 136, 339
- base analogue, 247
- base specific chemicals, 247-256
- B chromosome, 164, 592
- behaviour-genetic analysis, 460-463
- biochemical genetics, 457
  
- bivalent, 302-309
  - non-interchange, 74
- bivalve mollusc, 485-491
- brassica, 220
- breeding, 227
  - random, 227
  - system, 219, 220, 225
- brussels sprout, 120-125
  
- cabbage, 119-125
- capture-recapture, 172, 181
- catabolism of deoxynucleosides, 470-471
- cattle, 49-66
  - blood groups, 49-66
  - differential fertility, 53
  - differential viability, 63
  - heterozygous superiority, 53, 58, 65
  - incomplete family data, 49-66
  - maternal-foetal incompatibility, 53, 57
  - population studies, 49-66
  - selection studies, 49-66
  - transferrins, 49-66
- cauliflower, 124
- centromere, 78, 79, 200
  - location, 73, 629
- chemical variant, 162
- cherry, 140
- chiasma, 73
  - formation, 625
  - frequency, 302-307, 309, 607-611
  - localisation, 73
  - terminalisation, 73, 78
- chlorophyll, spectrophotometric determination, 369
- chromatid, 199
  - recombinant, 199
- chromosome, 25, 46, 199, 200, 201, 247, 301, 308
  - aberration, 333
  - abnormalities, 159
  - acrocentric, 146, 147, 149
  - attenuated, 40
  - complement, 37
  - configuration, 37
  - counts, 93, 96
  - frequency, 94, 96
  - heterochromatic segment, 602
  - homologous, 254, 271, 272, 303, 309, 600
  - lampbrush, 39, 44, 45, 46
  - length, 37, 199, 200, 601
  - lethal, 200
  - non-homologous, 203, 600
  - number, 604
  - pairing, 74, 144, 145, 302, 303

- chromosome (*contd.*)  
   polytene, 39, 44, 45, 46  
   replication, 473  
   rigidity, 73, 79  
   salivary, gland, 200  
   satellite, 74, 146-149  
   sex, 119, 261, 262  
   size, 37, 600, 603  
   somatic, 25  
   strands, 43  
   volume, 200  
   wild, 200  
 chromosome practice, primer of, 621  
 chromosome segment, duplication of, 601  
   supernumerary, 630  
 cline, 522  
   latitudinal, 485-491  
 coefficient of inbreeding, 142  
 coefficient of variation, 422  
 colchicine, 301  
 colicin, 471  
 combining ability, general, 358, 574  
   specific, 574  
 compatibility, 119-125, 207  
   levels of, 119-125  
   self, 220  
 complementary gene action, 382  
 complementation, 251, 254  
   interallelic, 115  
 computer simulation, 235, 236, 237, 411,  
   515, 555, 558, 560  
 conditioning, 301  
 contagion, 414  
 copper tolerance, 99-108, 522  
   index of, 102, 103  
 corn, 477  
 corn oil sensitivity, 477-483  
 correlated gene distribution, 403  
 correlation, 4, 123  
   matrix, 4  
   parent/offspring, 333  
 cotton, 205, 263, 412, 413, 418, 587  
 crop development, 1-23  
 cross-compatibility, 279-300  
 crossing over, 89, 199, 201-204, 261, 268,  
   270, 273  
   potential, 74, 75  
   reciprocal, 89  
   somatic, 203  
   suppression, 199, 202, 203  
 crossing potential, 446, 447  
 currant moth, 263  
 cytochrome C reductase, 627  
 cytological preparation, thermo-electric cool-  
   ing, 149-151  
 cytoplasmic determinant, 476  
   segregation, 398  
  
 Dark repair system, 163  
 de Finetti diagram, 163  
 deletion, 327, 584, 586, 587, 604  
 density function, 421, 422  
  
 deterministic model, 425  
 developmental canalisation, 86  
 developmental stability, 574  
 differential viability, 69  
 dikaryon, 111, 113, 114  
 dipteran larva, 39, 45  
 disease resistance, 623-624  
 dispersion, 412  
 disruptive selection, 1-23  
 dissociation, 202  
 divergence, 214  
 DNA, 25-39, 45, 255  
   base ratios, 591  
   hybridisation, 628  
   nuclear, 301, 309, 591-605  
   mitochondrial, 473  
   replication, 476  
   studies, 626  
   synthesis, 472, 476, 625  
   temperature sensitive synthesis, 476  
 dominance, 281, 283, 288, 292, 299, 380  
   ambidirectional, 297, 300, 382, 385  
   directional, 286, 288, 292, 297, 299, 300,  
     376, 381, 382  
   modification, 586  
   relationship, 72  
   variation, 370  
 drift, 50, 441  
   genetic, 50  
 drug resistance, 163-164  
 drugs, 314-315  
 duplicate genes, 292, 569  
 duplication, 327, 584, 586, 603, 604  
  
 Eastern cotton wood, 239-245  
 ecological, 16, 187  
   boundary, 214  
   habitat, 20  
   isolation, 187  
   niche, 16  
 ecotype, 104, 106, 212, 213, 216, 364,  
   365  
 effective factor, 534  
 effective population size, 49  
 egg hatchability, 568  
 egg plant, 412, 414, 587  
 electrophoresis pattern, 487  
 elementary genetics, 311-312  
 endocrine genetics, 313-314  
 endploidy, 140  
 environmental heterogeneity, 507  
   stress, 127-141  
   variability, 387  
 episome, 309  
 epistasis, 281, 504, 505, 578  
 epitroph, 32, 33, 37, 38  
 equilibrium, genotypic, 411  
   stable, 411, 412, 420, 423, 429, 557, 558,  
   559  
 equilinear inheritance, 25  
 ethyl methane sulphonate, 110, 116  
 eukaryotes, segregation in, 473-474

- evolution, 99-108, 205-218, 317  
   in adjacent populations, 99-108, 205-218,  
     219-238, 507-524  
   of cultivated plants, 466  
   of dominance, 263-278, 517, 521, 522,  
     523  
   of species, 411  
 expressivity, 247, 257-260  
 extra-nuclear component, 367  
 eye defect, 157
- fatty acids, 480, 482, 483  
   saturated, 481, 483  
   unsaturated, 481
- Feulgen photometry, 25, 27, 38, 593  
 fish, 629  
 Fisher's *k*-statistics, 412  
 fitness, 433, 436, 440, 441  
   relative, 151, 152  
   maximum, 434, 441  
 flax, 25-38, 301, 309  
 fowl, 257-262  
 foxtail millet, 414, 417
- Galton ratio, 155-156  
 gametic gene ratio, 52, 59-62  
 gene, 49, 203  
   action, 468  
   associated, 299  
   asymmetry, 283, 288, 292, 297, 371, 373,  
     374, 381  
   complementary, 299  
   control, 67  
   conversion, 45, 474-475  
   correlated, 283  
   cytoplasm interaction, 299, 385  
   dominance modifier, 517  
   dominant, 299  
   duplicate, 299  
   flow, 1-14, 15, 18-20, 99-101, 103, 107,  
     108, 180, 185, 187, 219, 220, 227, 229,  
     230, 233-237, 489, 507, 508  
   frequency, 49-53, 59, 61, 62, 64, 65, 93,  
     96, 231, 233, 423  
   grass dwarf, 623  
   interaction, 283, 292, 411, 570  
   major, 263, 271, 275, 277  
   mimic, 252  
   modifier, 72, 258, 263, 274, 275  
   self fertility, 231  
   sex linked recessive, 257, 262  
   stabiliser, 68, 69, 71, 72  
 genetic analysis, 254, 623, 628  
   architecture, 333, 335, 404, 407, 408, 522,  
     570, 571, 586  
   control, 263-278  
   deterioration, 471  
   isolate, 628  
   load, 230, 231, 471, 514  
   organisation, 347-368  
   potential, 239  
   genetic analysis (*contd*)  
     recombination, 505  
     replication, 471  
     system, 202, 203, 263  
     variance, 191, 239, 266, 279-300, 329,  
       369-386, 387-402  
       additive, 191, 198, 283, 288, 292, 358,  
       493  
 genotroph, 25-38, 301, 304, 306, 309,  
   310  
 genotype-environmental interaction, 127-  
   141, 339-356, 495  
   in crosses, 339-356  
   in inbred lines, 339-356  
   linear function of, 339-356  
   non-linear interactions, 525-535  
 geographical clines, 450  
 giant puff, 44  
 glyoxylate cycle, 469  
 grouse locust, 96  
 gynogenesis, 629
- haemoglobin, 485-491  
   polymorphism, 485-489  
 Hardy-Weinberg, 50, 420, 487, 490  
   equation, 448  
   equilibrium, 50-54, 59-65, 91-97  
 hatchability, 259  
 heritability, 99, 189, 191, 192, 193, 194, 195,  
   198, 223, 239-245, 266, 407  
   broad, 222, 243, 244  
   realised, 503  
 heterokaryon, 109, 110, 111, 113  
 heterokaryon incompatibility, 443-452  
 heterokaryosis, 443, 450  
 heterosis, 129, 135, 136, 288, 292, 297, 373,  
   563-572  
   temperature dependant, 135  
 heterothallism, relative, 448  
 heterozygosity, 288, 299, 380, 509, 512, 516,  
   517, 518, 554, 569, 570, 577  
 heterozygote, 95  
   advantage, 63, 64, 127-141, 412, 420,  
     429, 522, 523  
   double, 95  
   frequency, 513  
 HNO<sub>2</sub>, 109  
 homograft compatibility, 468  
 homokaryon, 109, 110, 111, 114  
 homologous loci, 255  
 homologue, 202, 203, 599  
 hormones, 468  
 human radiation, 458-459  
 hybrid index, 4-17, 20  
 hybrid swarm, 15
- immunological mechanism, 57  
   reaction, 151, 152  
 inbreeding depression, 123-125, 223, 226,  
   234, 236, 494  
   system, 142-143

- incompatibility, 207, 216, 217  
   barrier, 207  
   factors, 387-402  
   heterokaryon, 443-452  
   locus, 109  
   system, 109-117  
 induced chromosomal changes, 301-310  
   heritable changes, 25  
 inheritance of shell size, 189-198  
 instability, 398, 400  
   PAL locus, 67-72  
 interracial crosses, 158  
 interallelic complementation, 115  
 interchange, 73, 78, 74, 600  
   heterozygote, 73  
   interstitial, 74  
   multiple, 73-79  
   quadrivalent, 74  
 interchange orientation, alternate, 73, 74,  
   75, 76, 77, 78, 79  
   adjacent, 73, 78, 79  
 interferometry, 31  
 inter-varietal substitution, 623  
 introgression, 2, 9, 16, 17, 18, 19, 20  
 inversion, 199, 202, 203  
   chromosomal, 202, 203, 204  
   heterozygous, 199, 200, 202, 203, 204  
   median, 201  
   pericentric, 200  
 inverted segment, 199, 202  
 irradiation, accumulated ancestral, 630  
   isoenzyme, 628  
 isolating mechanism, 18, 212, 214, 216, 523  
 isolation, 205-217  
   reproductive, 1, 15
- kale, 122, 123, 121, 124, 125  
   curled, 119  
   marrow stem, 119  
 karyotype analysis, 25  
 kohlrabi, 121-125  
 kurtosis, 412, 423, 430
- lead tolerance, 522  
 leptokurtosis, 419  
 lethal deletion, 626-627  
 lima bean, 418  
 linear regression, deviations from, 526, 535  
 linkage, 411, 504  
   disequilibrium, 406  
   distance, 264  
   coupling, 406  
 linseed, 27  
 locus, histocompatibility, 151  
 lysenkoism, 312
- maize, 18-21, 71, 72, 339, 364, 477, 584, 586,  
   587  
 man, 146-149, 159, 463, 468  
 map distance, 271, 273
- Markov chain, 421  
 maternal control, 563-572  
 maternal effect, 193, 194, 198, 268, 281,  
   357, 358, 364, 577  
 mating preference, 15  
 mating-type determination, 388  
   factors, 392-401  
 matrilinear inheritance, 364  
 Mendelian ratio, 153-156  
 metachromatic staining, 40, 41  
 metal mine, 205  
   boundary, 205, 220  
 metal tolerance, 99, 206, 207, 216, 220,  
   236  
 millet, 412  
 mitochondrial genetics, 163, 164  
 mitosis, regulation of, 164  
 mitotic instability, 626  
 mixed selfing, 411-432  
 modifier, 274, 275  
   distance, 271  
   dominance, 275  
   gene, 72, 258, 263  
 molecular genetics, 465-466  
 morphogenetic substance, 275  
 mouse, 151, 387, 629  
 multiple orientation, 76  
 multiple tests, simultaneous, 614-617  
 multivalent, 73, 602  
   association, 600  
   chain, 73  
   ring, 73  
 mutagen, 247, 249, 254, 255, 256, 469  
   chemical, 247, 252-256, 587  
   specificity, 168  
 mutant, auxotrophic, 448  
   recessive, 252, 255  
   resistant to chlorinated nitrobenzene, 164  
   temperature sensitive, 471, 476  
   UV sensitive, 469-470  
 mutation, 109-117  
   analysis, 247-256  
   base change, 470  
   cytoplasmic, 577  
   frequency of, 67-72, 254  
   induced, 247, 249, 251, 252, 253, 457-458  
   major gene, 322, 331, 333  
   radiation induced polygenic, 573-589  
   rate, 203, 254, 255  
   recessive lethal, 200  
   recurrent, 558-587  
   spectrum, 252, 254  
   spontaneous, 252, 328, 330  
   to prototrophy, 166  
   UV induced, 167
- nebennucleoli, 39-41, 44, 46  
 nitrate reductase, 627  
   mutational form of, 627  
 nitrogen fixation, 537, 548, 550  
 nodule formation, 551  
   time of, 544

- nodule number, 541, 544  
   size, 541, 545  
 non-allelic interaction, 288, 321, 335, 380,  
   403, 493, 565, 567, 569  
 nuclear body, 39-41, 44, 46  
 nuclear changes, 25-38  
   cytoplasmic interaction of, 373, 385  
   in dry mass, 31, 37, 38  
   migration, 110  
   in volume, 31, 32, 37, 38  
 nucleolus, 31, 40-46  
   organising region, 43, 44  
   size, 44
- oats, 587  
 outcrossing, parameter, 411-432  
   rate, 411-428  
 overdispersion, 412, 414, 418, 419, 430  
 overdominance, 283, 286, 299, 429, 519-523,  
   553, 569-571
- panmictic index, 142  
 papillary patterns, 460  
 parasexual cycle, 443  
 parasexuality, 450  
 peach, 140  
 penetrance, 257-260, 262  
 phenetics, 611-614  
 phenylketonuria, 478  
 phenotypic plasticity, 366  
 physiological genetics, 315  
 physiology,  
   animal, 315  
 plasmogamy, 450  
 plasmon, 362, 364, 366, 367  
 plastid, 621-622  
 pleiotropy, 235, 332, 334, 335  
 pollen dispersal, 523  
   flow, 509  
 polycross, 99  
 polygenes, 275, 276, 277  
 polygenic control, 274  
 polygenic mutation, 321-337  
   radiation-induced, 321-337  
 polymorphic form, 186  
 polymorphism, 1, 18, 49, 50, 63, 81-98, 176,  
   180, 186, 202, 411, 429-431, 485, 515,  
   517, 522  
   balanced, 56, 151, 152, 558  
   biochemical, 485, 312, 313  
   chromosomal, 202  
   chromosomal inversion, 204  
   cyanogenic, 453-455  
   histocompatible, 151, 152  
   morphological, 485  
   protein, 49  
   shell, 189  
   transient, 558  
   in W. African snails, 81-98  
 polynemy, 37, 309, 603  
 polyploid, 19, 20, 139  
   series, 592  
 polyploidy, 19, 21, 140, 328, 603, 604  
   induced, 139  
 polysomy, 603  
 polytene cell, 44  
 population, 18, 205  
   allopatric, 205  
   closely adjacent, 205-218  
   genetics, 90  
   geographically limited, 319  
   divergence, 99, 100, 107, 108  
   metal non-tolerant, 99, 103, 108  
   metal tolerant, 99, 103, 108, 220, 515  
   mine, 206, 207, 212, 214-217, 220, 223,  
     226, 234-237  
   natural, 611-614  
   polymorphic, 18, 186  
   size, 187  
   sympatric, 205  
 porphyria, 464  
 poultry, 136  
 predation, bird, 172, 177, 180, 185, 187  
 predator-prey system, 430  
 premetaphase stretch, 73, 78, 79  
 primate immunology, 465-466  
 protein, 45, 475  
   synthesis, 45  
 prototrophic mutants, 468  
 pseudocompatibility, 120
- quadrivalent, 73, 302-309  
   chain, 73, 74, 78  
   ring, 73, 74, 78  
 quercetin-3-glucoside, 72
- radiation, 143  
   fractionated doses of, 143  
   <sup>60</sup>Co gamma, 322  
 random fluctuation, 411  
 random mating, 411-432  
 raspberry, 139-141  
 reciprocal cross, 207, 266, 302, 305, 309, 396,  
   398  
 reciprocal difference, 257, 281, 283, 288, 292,  
   366, 371, 373, 374, 380-382, 385, 564  
 reciprocal effect, 300, 373  
 reciprocal hybrid, 583  
 reciprocal matings, 56, 63, 264  
 recombination, 143, 162-163, 199-204, 261,  
   271, 399, 471  
   fraction, 82, 96, 407, 555  
   frequency of, 143, 144  
   intrafactor, 399  
   parasexual, 443  
   rate, 203  
   sexual, 443  
 recurrence equation, 229, 509  
 red clover, nodulated, 537-551  
 regression coefficient, 178  
 replication, 472, 476  
 reproductive isolation, 1, 15  
 repulsion, 271

- ribonucleoprotein structure, 39-47  
 RNA, 39, 40, 43, 44  
   hybridisation, 628  
   nuclear, 39  
   nucleolar, 43, 44  
   ribosomal, 625  
   structure, 45  
   synthesis, 44, 45  
   transfer, 166-167  
 Robertson effect, 51, 52, 63, 65  
 rodent predation, 177, 178, 179, 185, 187  
 rye, 74, 76, 78, 139, 164  
 ryegrass, 357, 364, 365, 367, 587
- seed flow, 509, 523  
 seedling characters, 279-300  
 segmental interchange, 600  
 segments, 74  
   interchanged, 74  
   interstitial, 74  
 segregation, 264  
 selection, 14, 50, 97, 125, 235, 507, 508  
   artificial, 123, 263, 266, 387  
   asymmetry of response to, 332, 494  
   coefficient of, 104, 152, 230, 510, 512, 513, 516, 518  
   differential, 500, 501, 503  
   directional, 14, 198, 334, 430, 493, 563, 570, 571  
   disruptive, 205  
   flowering time, 321-337  
   heterozygous, 63  
   human, 14, 15  
   intensity, 120, 123, 124, 187, 230, 234, 509  
   line, 32, 33  
   mass, 119  
   natural, 14-16, 107, 163, 169-188, 199, 216, 333, 387, 403, 437, 439-441  
   parameter, 411-432  
   phenotypic, 32  
   physiological, 186  
   pressure, 14, 15, 96, 97, 99, 106-108, 180, 185, 207, 225, 226, 231, 236, 237, 419, 508, 509, 511, 512, 515, 521  
   response to, 266, 272, 273, 324-326, 328-330, 332, 387, 391, 399, 495, 563  
   reverse, 399-401  
   short term, 493-506  
   somatic, 367  
   stabilising, 198, 299, 334, 382, 433-442, 553-561, 617-620  
 selective advantage, 115, 151, 152, 297, 485, 489, 519, 554, 560  
 selective disadvantage, 276, 299  
 selective eating, 453  
 selective force, 49, 176, 178, 185, 186  
 selective mechanism, 45  
 selective value, 198, 418, 419, 421, 428, 429  
 self-compatibility, 121-125  
 self-fertility, 219-238  
 self-incompatibility, 120-125  
   sporophytic, 119, 120  
   senescence, 475  
     in fungi, 475  
   shell banding, 173-175  
     cline, 173-177, 184-187  
   significance level, 614-617  
   simulation of models, 411-432  
   simulation study of genealogies, 628  
   skewness, 412  
   slime mould, 474  
   somatic crossing over, 140  
 sorghum, 587  
 speciation, 205, 214, 216, 217  
   sympatric, 217  
 spotted, 69  
 sprouting broccoli, 119, 120, 122, 123, 125  
 stability, 399  
   phenotypic, 127, 131-137, 399  
 sternopleural chaeta, 571  
 stochastic process, 495, 496, 504, 505  
 stochastic variation, 411-432  
 Student's test, 178  
 subchromatid, 148  
 subterranean clover, 587  
 super-gene, 81, 96, 186  
 survival rate, 16  
 symbiotic effectiveness, 537-551  
 symmetrical development, 270  
 sympatric speciation, 217  
 synizetic knot, 40, 41, 44  
 Syrian hamster cell, 162
- temperature gradient, 489  
 teosinte, 18, 19, 21  
 tetraploid, 1, 19, 20, 37  
 tobacco, 587  
 tomato, 412, 414, 416  
 translocation, genetic analysis, 165  
   intercrosses, 629  
 trivalent, 302  
 tuber-skin colour, 625
- univalent, 302
- variation, 403-409  
   additive, 403-409  
   dominance, 403-409  
   epistatic, 403-409  
 variegated position effect, 165  
 vernalisation, 283  
 viability, variation in, 630
- Wahlund effect, 51, 52, 63, 64, 65  
 wheat, 623, 623-4  
 winglessness, 257-262  
   sex-linked, 257-262
- yeast, 469-470, 473, 475, 476