2. Significant differences in mean chiasma frequency were found among seven age-groups each consisting of five insects. As the age of the grasshoppers increases so the chiasma frequency systematically falls.

Acknowledgment.-I am indebted to Dr Gareth Jones for his helpful advice and wish to acknowledge the receipt of an S.R.C. Advanced Course Studentship.

5. References

HENDERSON, S. A., AND EDWARDS, R. G. 1968. Chiasma frequency and maternal age in mammals. Nature, 218, 22-28.

MORIARTY, F. 1969. The laboratory breeding and embryonic development of Chorthippus brunneus Thunberg (Orthoptera: Acrididae). Proc. R. ent. Soc. Lond. (A), 44, 25-34.

REES, H., AND NAYLOR, B. 1960. Developmental variation in chromosome behaviour. Heredity, 15, 17-27.

REES, H., AND THOMPSON, J. B. 1956. Genotypic control of chromosome behaviour in rye. 3. Chiasma frequency in homozygotes and heterozygotes. Heredity, 10, 409-424.

BOOKS RECEIVED

THE GENETICS OF THE MIMETIC BUTTERFLY PAPILIO POLYTES L. C. A.Clarke and P. M. Sheppard. Published by Royal Society (in Phil. Trans.), 1972. Pp. 26. £1.50.
COLD SPRING HARBOR SYMPOSIA ON QUANTITATIVE BIOLOGY, Vol. XXXVI 1971---STRUCTURE AND FUNCTION OF PROTEINS AT THE THREE-DIMENSIONAL LEVEL. Cold Spring Harbor Laboratory, 1972. Pp. 592. \$30.
THE ANALYSIS OF BIOLOGICAL POPULATIONS. Mark Williamson. Edward Arnold, 1972. Pp. 180. £4.00.
CHARLES DARWIN: THE YEARS OF CONTROVERSY. Peter J. Vorzimmer. Univ. of London Press 1972. Pp. 300. £4.40.

London Press, 1972. Pp. 300. £4-40. THEORETICAL ASPECTS OF POPULATION GENETICS. Motoo Kimura and Tomoko Ohta. Princeton U.P., 1972. Pp. 219. £6-00.