

ARTICLE

Received 29 Jul 2010 | Accepted 6 Sep 2010 | Published 5 Oct 2010

DOI:10.1038/ncomms1084

Two-dimensional superconductivity at a Mott insulator/band insulator interface LaTiO₃/SrTiO₃

J. Biscaras¹, N. Bergeal¹, A. Kushwaha², T. Wolf¹, A. Rastogi², R.C. Budhani^{2,3} & J. Lesueur¹

Transition metal oxides show a great variety of quantum electronic behaviours where correlations often have an important role. The achievement of high-quality epitaxial interfaces involving such materials gives a unique opportunity to engineer artificial structures where new electronic orders take place. One of the most striking result in this area is the recent observation of a two-dimensional electron gas at the interface between a strongly correlated Mott insulator $LaTiO_3$ and a band insulator $SrTiO_3$. The mechanism responsible for such a behaviour is still under debate. In particular, the influence of the nature of the insulator has to be clarified. In this article, we show that despite the expected electronic correlations, $LaTiO_3/SrTiO_3$ heterostructures undergo a superconducting transition at a critical temperature T_c^{onset} 300 mK. We have found that the superconducting electron gas is confined over a typical thickness of 12 nm and is located mostly on the $SrTiO_3$ substrate.

¹ Laboratoire de Physique et d'Etude des Matériaux, UMR8213/CNRS, ESPCI ParisTech, 10 rue Vauquelin, Paris 75005, France. ² Condensed Matter, Low Dimensional Systems Laboratory, Department of Physics, Indian Institute of Technology Kanpur, Kanpur 208016, India. ³ National Physical Laboratory, New Delhi 110012, India. Correspondence and requests for materials should be addressed to N.B. (email: nicolas.bergeal@espci.fr).

erovskites-based structures including transition metal oxides have attracted much attention in the past decades, with the discovery of high-T_c superconductivity and colossal magnetoresistance¹. More generally, these compounds exhibit various electronic orders, going from the canonical anti-ferromagnetic (AF) Mott insulator when the onsite repulsion is maximum because of strong electronic interactions, to Fermi liquid-like metals when carrier doping is such that screening prevents the system from localization. Depending on the cations and the doping level involved, charge, spin and orbital orders can appear in the ground state together with metallic and even superconducting phases. Transitions between these states can be tuned by temperature, magnetic or electric fields². All these compounds can be seen as stacks of oxide layers where the charge neutrality is conserved in the unit cell (u.c.), but not necessarily in each layer. Therefore, the translation symmetry is locally broken at the interface and charge imbalance can develop. Like in band-gap engineering with semiconductors, it is possible to create artificial interface materials by growing thin layers of a transition metal oxide on top of another one. Recently, the observation of two-dimensional (2D) superconductivity³ and magnetic correlations4 at the interface between the two band insulators LaAlO3 and SrTiO₃ has drawn a lot of attention. Another particularly interesting candidate is the homo-metallic structure LaTiO₃/SrTiO₃ that uses TiO_2 plans as a building block^{5,6}. Titanium is in the $3d^0$ state in the SrTiO₃ layer which is a band insulator of 3.2 eV bandgap, whereas it is $3d^1$ in the LaTiO₃ one which is therefore an AF Mott insulator due to strong correlations⁷. Providing the interface layer is TiO₂, an extra electron is left in the structure every 2 u.c. 8,9. As shown by photoemission¹⁰ and optical studies¹¹, a two-dimensionnal electron gas (2-DEG) develops and extends a few u.c. beyond the interface.

Several theoretical approaches pointed out that an electronic reconstruction leads to an increase of the electronic density at the LaTiO₃/SrTiO₃ interface^{8,9,12,13}. Okamoto and Millis⁸ proposed a phase diagram where different orbital and magnetic states occur as a function of the thickness of the LaTiO3 layer and the strength of the Mott-Hubbard parameter *U/t* (*U* is the Coulomb onsite repulsion energy, and t the hopping term between neighbour Ti sites). Fully polarized ferromagnetic metallic sub-bands are expected to form for thickness below 5 u.c. and U/t~8-10. However, Kancharla and Dagotto,14 taking into account both local and long-range Coulomb interactions, showed that strong AF fluctuations reminiscent of the magnetic order of the bulk compound persist in the metallic phase. As suggested by Larson¹⁵ and Okamoto¹⁶, lattice relaxation at the interface strongly modifies the band configuration, and may enhance the electronic correlations in the 2-DEG12. In this context, it is clear that the LaTiO₃/SrTiO₃ interface layer appears to be a unique system to study the physics of a 2-DEG influenced by strong electronic correlations. In this study, we show that this heterostructure undergoes a superconducting transition and we are able to characterize the 2-DEG as extending mostly towards the SrTiO₃ side of the interface.

Results

Low-temperature transport measurements. We have grown epitaxial layers of LaTiO₃ using pulsed laser deposition (PLD) on single crystal substrates of SrTiO₃ cut along (100) and (110) crystallographic directions. The details of the growth conditions and X-ray characterizations are given in Methods section and in Supplementary Figures S1 and S2. In this study, we focus mainly on two LaTiO₃/(100)SrTiO₃ heterostructures whose thickness of 40 and 60 Å correspond to 10 and 15 u.c. respectively. The sheet resistance measured in a Van der Pauw geometry decreases with temperature, indicating a metallic behaviour of the interface (Fig. 1). At temperatures lower than 20 K the two samples exhibit an increase of resistance characteristic of weak localization in disordered 2D films. The heterostructures undergo a superconducting transition

at $T_c^{\rm onset} \approx 310\,\mathrm{mK}$ for the 10 u.c. sample and at $T_c^{\rm onset} \approx 260\,\mathrm{mK}$ for the 15 u.c. sample (inset, Fig. 1). Thinner 5 u.c. (100) films and 20 to 100 u.c. thicker (100) films as well as (110) oriented films are not metallic at low temperature.

In Figure 2, we show the current–voltage characteristics of the 10 u. c. sample measured at different temperatures. At low temperature, the I(V) curves show a clear critical current I_c of $5\,\mu\rm A$ corresponding to a critical current per unit width of $16.7\,\mu\rm A$ cm $^{-1}$. For current much higher than I_c , the I(V) curves merge together on a linear Ohmic law with a resistance corresponding to the normal resistance. In the case of the $15\, \rm u.c.$ sample, the critical current per unit width is found to be $14\,\mu\rm A$ cm $^{-1}$. Figure 3a shows the sheet resistance of the $10\, \rm u.c.$ sample as a function of temperature measured for different values of a magnetic field applied perpendicularly to the sample. The magnetic field induces a transition from a superconducting state to a nonsuperconducting one. The dependence of the critical field as a function of temperature is linear close to T_c , which is consistent with the




Figure 1 | Sheet resistance of the hererostructures. Sheet resistance a of the 10 u.c. (black dots, left axis) and 15 u.c. (blue dots, right axis) LaTiO $_3$ /SrTiO $_3$ samples in an intermediate range of temperature. The red lines correspond to quadratic fits of the form $R(T) = AT^2 + R_0$. (Inset) Sheet resistance as a function of temperature showing the superconducting transitions at $T_c^{onset} = 310$ mK for the 10 u.c. (black dots) and $T_c^{onset} = 260$ mK for the 15 u.c. (blue dots), where T_c^{onset} is defined by a 10% drop of the resistance.





Figure 2 | Current-voltage characteristics of the 10 u.c. sample. The critical current at low temperature is $5 \,\mu\text{A}$ corresponding to a critical current per unit width of $16.7 \,\mu\text{A}\,\text{cm}^{-1}$.



field. (a) Sheet resistance of the 10 u.c. sample as a function of temperature for different values of the perpendicular magnetic field. (b) Temperature dependence of the perpendicular critical field, defined as the magnetic field that suppresses 90% of the resistance drop. The red line indicates the linear dependence of the critical field with temperature close to T_c . (c) Conductivity of the 15 u.c. sample as a function of temperature for a perpendicular magnetic field corresponding to the critical field. The red line corresponds to the expression $\sigma_{2D}(T) = \sigma_0 + (pe^2/\pi h) \ln(T/T_0)$ with p = 0.97 indicating that phase coherence is limited by electron–electron scattering $(p = 1)^{19}$.

form $H(T) = \Phi_0/2\pi\xi_{\parallel}^2(T)$ taking into account a Landau–Ginsburg in-plane coherence length $\xi_{\parallel} \propto (T_c - T)^{-1/2}$ (Fig. 3b). The critical field extrapolated at T=0 is $H_{\perp}^{c} \approx 220$ mT for the 10 u.c. sample and $H_{\perp}^{c} \approx 210$ mT for the 15 u.c. sample (see Supplementary Fig. S3). At T=0, we found $\xi_{||}^{10\text{u.c.}}(T=0) \approx 38 \text{ nm}$ and $\xi_{||}^{15\text{u.c.}}(T=0) \approx 42 \text{ nm}$. Measurements performed in a parallel magnetic field geometry give $H_{\parallel}^c = \sqrt{3}\Phi_0 / \pi d\xi_{\parallel}(T=0) \approx 2.15 \,\text{T}$ for the 10 u.c sample and $H_{\parallel}^{c} = 2.2 \,\mathrm{T}$ for the 15 u.c sample. We thus extract the thickness of the 2D superconducting electron gas $d^{15\text{u.c.}} \approx 12 \text{ nm}$ and $d^{15\text{u.c.}} \approx 13.5 \text{ nm}$. Note that this is an upper bound given the precision of the sample alignment in the parallel magnetic field. These values are close to the ones reported in LaAlO₃/SrTiO₃ heterostructures^{17,18}. In disordered electronic system, weak localization produces a decrease of conductivity that can be experimentally revealed by varying the temperature. In the particular case of a 2D system, the conductivity takes the remarkable logarithmic dependence with temperature $\sigma_{2D}(T) = \sigma_0 + (pe^2/\pi h)\ln(T/T_0)$, where p depends on the process that limits the phase coherence; p=3 for electron– phonon scattering and p = 1 for electron–electron scattering in the dirty limit¹⁹. Such logarithmic temperature dependence is observed on our samples (see Fig. 3c), thus confirming the 2D nature of the electron gas. The fit gives $p = 0.97 \pm 0.05$ showing that the phase coherence is limited mainly by electron-electron scattering.

Hall effect measurements. To investigate the density and mobility of charge carriers, we performed Hall measurements at low temperature (Fig. 4). The experiment confirms that the sign of the hall coefficient $R_H = V_H / IB$ is negative for both samples, indicating that




Figure 4 | Hall effect. Hall voltage V_H divided by the current I as a function of magnetic field for the 10 u. c. (black dots) and 15 u.c. (blue dots) LaTiO $_3$ /SrTiO $_3$ samples, measured at 100 mK. Red solid lines correspond to linear fits. (Inset) T_c as a function of doping for SrTiO $_3$ single crystals taken from reference 27 (black open circles). The two red dots correspond to LaTiO $_3$ /SrTiO $_3$ samples taking the thickness $d^{10 \text{ u.c.}} = 12 \text{ nm}$, $d^{15 \text{ u.c.}} = 13.5 \text{ nm}$. Here, we have defined T_c as the temperature at which the resistance reaches zero as this definition is more appropriate for comparison with the magnetic definition of the T_c used in reference 27 . Errors bars represent the uncertainty in the comparison of the two definitions of T_c .

electron-like charge carriers dominate the transport. The sheet carrier density $n_S = 1/eR_H$ was found to be 2×10^{14} cm² for the 10 u.c. sample and 2.7×10^{13} cm² for the 15 u.c. one. Taking the sheet resistance measured previously, we obtained a Hall mobility $\mu = 1/eR_s n_s$ of $52 \, \text{cm}^2 \, \text{V}^{-1} \text{s}^{-1}$ for the 10 u.c. sample and $210 \, \text{cm}^2 \, \text{V}^{-1} \text{s}^{-1}$ for the 15 u.c. one. In an ideal picture, the interface between SrTiO₃ and LaTiO₃ can be observed as a Ti ions network, in the 4⁺ state in SrTiO₃ and in the 3⁺ one in LaTiO₃. Therefore, one electron is left every two cells on average at the interface, which corresponds to an areal density of approximately $3 \times 10^{14} \text{ cm}^{-2}$ (refs 8, 9). This is approximatively the electron density measured through Hall effect in the 10 u.c. sample $(2 \times 10^{14} \text{ cm}^{-2})$, consistent with the value observed in LaTiO₃/SrTiO₃ superlattices⁶ by measuring the number of Ti^{3+} in the vicinity of the interface. Optical studies confirm that free carriers with densities of approximately 3×10^{14} cm⁻² do exist in similar superlattices, with a typical mobility of 35 cm² V⁻¹s⁻¹ and an effective mass $m^* \approx 2m_e^{-11}$. The mobility that we measured on the 10 u.c. sample (52 cm² V⁻¹s⁻¹) is close to this value, which supports an effective mass close to $2m_e$. The 15 u.c. has a lower sheet density of 2.7×10^{13} cm⁻² and a T_c^{onset} of only 260 mK.

Discussion

It is known that LaTiO₃ itself can be oxygen²⁰⁻²¹ or Sr doped²³, and thus becomes metallic. The key question is therefore: does superconductivity take place within a doped Mott insulator layer, namely oxygen- or Sr-doped LaTiO₃, or within a 2-DEG formed at the LaTiO₃/SrTiO₃ interface, which extends mostly within the band insulator SrTiO₃ (ref. 8)? And conversely, do the electronic correlations, which are known to be strong in the former case and moderate in the latter one¹⁶, have a role in that context? The recent works on LaTiO₃/SrTiO₃ superlattices^{6,11,24} clearly indicate that under proper growth conditions, the interface is abrupt, with no sizable Sr diffusion for deposition temperatures below 1,000 °C¹⁰ Optical spectroscopy confirms that the carrier properties in superlattices are different from the ones in La_{1-x}Sr_xTiO₃ compounds¹¹. Moreover, the low-temperature transport properties are different

Table 1 | Comparison of A parameters (given in Ω cm/ K^2) measured in the 10 u.c. and 15 u.c. LaTiO₃/SrTiO₃ samples (taking the thickness $d^{10u.c.}$ =12 nm, $d^{15u.c.}$ =13.5 nm), with data obtained from literature on thin films and crystals for similar doping.

Compound	$A(\Omega cm/K^2)$
Ox. LaTiO ₃ *	8×10 ⁻⁹
Sr. LaTiO ₃ †	2×10 ⁻⁹
LaTiO ₃ (10 u.c.)/SrTiO ₃	3.6×10 ⁻⁷
LaTiO ₃ (15 u.c.)/SrTiO ₃	1.3×10 ⁻⁷
La. STO‡	5×10 ⁻⁷
La. STO‡	3×10 ⁻⁸
*Oxygen-doped LaTiO ₃ by Taguchi <i>et al</i> ²⁰ .	
†Sr-doped LaTiO₃ by Tokura et al²³.	
‡Two La-doped SrTiO $_3$ by Okuda et al^{26} .	

in conducting doped LaTiO3 and doped SrTiO3. In both cases, electron-electron collisions dominate the scattering events according to the Fermi liquid picture. Figure 1 shows that, in an intermediate regime temperature, the temperature dependence of the resistance is well fitted by a quadratic law $R(T) = AT^2 + R_0$ where the coefficient A depends on the Landau parameters, and therefore on the carrier density and the effective mass m*25. We obtained $A = 0.27\Omega/\Box K^2$ for the 10 u.c. sample and $A = 0.11\Omega/\Box K^2$ for the 15 u.c. sample. In Table 1, we summarize the different values of A found in the literature for doped LaTiO₃ and doped SrTiO₃ thin films and crystals and compare them to the values extracted from our experiment. The largest values of A reported in doped LaTiO₃ are on the order of $1\times10^{-9}\Omega$ cm/ K^2 before the system becomes insulating at low temperature ($\partial R/\partial T < 0$ for T < 100 K), whereas it is two orders of magnitude higher for doped SrTiO₃. From the comparison, we see that the LaTiO₃/SrTiO₃ interface layer behave more like doped SrTiO₃ than doped LaTiO₃. These observations are consistent with an electronic reconstruction of the LaTiO₃/SrTiO₃ interface, leading to the formation of a few unit cells thick 2-DEG in the SrTiO₃ that projects mostly towards the SrTiO₃ substrate and makes it conducting layer^{8,15,16}. As shown in Figure 4 inset, our data are consistent with the dependence of T_c with the carrier density of doped SrTiO₃ reported in the literature²⁷.

In summary, we have measured the electronic transport properties of LaTiO₃/SrTiO₃ heterostructures. The samples show a metallic behaviour and a superconducting transition is observed at low temperature. Our analysis shows that a 2-DEG is formed at the interface which is located mostly on the SrTiO₃ substrate, in agreement with the electronic reconstruction scenario⁸. This discovery opens the possibility to study the interplay between superconductivity and different electronic orders predicted to take place with ultra-thin LaTiO₃ films on SrTiO₃. According to our results in terms of carrier density, mobility and gas thickness, it should be possible to modulate significantly the behaviour of the 2-DEG by adjusting the number of charge carriers with an electrostatic gate.

Methods

Growth of LaTiO₃/SrTiO₃ heterostructures. We have grown epitaxial layers of LaTiO₃ using excimer laser-based PLD on commercially available (Crystal) single-crystal substrates of SrTiO₃ cut along (100) and (110) crystallographic directions. Although the (100) subtrates were given a buffered HF treatment to expose TiO₂-terminated surface, the (110) plane has Sr, Ti and oxygen ions on one plane and hence HF treatment is irrelevant in this case. The substrates were glued to the heater block of the PLD system and heated in oxygen pressure of 200 mtorr in the temperature range of 850–950 °C for 1 h to realize surface reconstruction. This process has been used routinely to grow epitaxial films and heterostructures of YBa₂Cu₃O_{6+x} and hole-doped manganites. The source of LaTiO₃ is a stoichiometric sintered target of 22 mm in diameter that was

ablated in oxygen partial pressure of 1×10^{-4} torr with energy fluence of ~1 J cm⁻² per pulse at a repetition rate of 3 Hz to realize a gowth rate of 0.12 Å s⁻¹.

X-ray characterizations. The X-ray diffraction pattern of LaTiO₃ films deposited on (100)*SrTiO*₃ substrate is shown in Supplementary Figure S1. After subtracting the contribution of the substrate, the lattice parameter of the film is found to be 3.956 Å (inset), in good agreement with previous studies²⁸ and close to the one reported in bulk LaTiO₃ (3.928 Å)²⁹. The X-ray diffraction pattern (θ –2 θ scan) around 32° of LaTiO₃ films deposited on SrTiO₃(110) is shown in panel a of Supplementary Figure S2. The (110) peak of the film is observed at 2θ =32.193°, close to the (110) peak of the substrate, which corresponds to a LaTiO₃ lattice parameter of 3.928 Å. As shown in panel b of Supplementary Figure S2, the typical width of the rocking curve of the (110) peak is about 0.1° indicating a very good out-of-plane orientation of the layers.

References

- Dagotto, E. Complexity in strongly correlated electronic systems. Science 309, 257 (2005).
- Imada, M., Fujimori, A. & Tokura, Y. Metal-insulator transitions. Rev. Mod. Phys. 70, 1039–1263 (1998).
- 3. Reyren, N. *et al.* Superconducting interfaces between insulating oxides. *Science* **317**, 1196–1199 (2007).
- Brinkman, et al. Magnetic effects at the interface between non-magnetic oxides. Nat. Mater 6, 493–496 (2007).
- Ohtomo, A. & Hwang, H. Y. A high-mobility electron gas at the LaAlO₃/ SrTiO₃. Nature 427, 423–426 (2004).
- Ohtomo, A., Muller, D. A., Grazul, J. L. & Hwang, H. Y. Artificial chargemodulation in atomic-scale perovskite titanate superlattices. *Nature* 419, 378–380 (2002).
- Tokura Fillingness dependence of electronic-structures in strongly correlated electron-systems—titanates and vanadates. *J. Phys. Chem. Solids* 53, 1619–1625 (1992).
- Okamoto, S. & Millis, A. J. Electronic reconstruction at an interface between a Mott insulator and a band insulator. *Nature* 428, 630–633 (2004).
- Okamoto, S. & Millis, A. J. Spatial inhomogeneity and strong correlation physics: a dynamical mean-field study of a model Mott-insulator-bandinsulator heterostructure. *Phys. Rev. B* 70, 241104 (2004).
- Takizawa, M. Photoemission from buried interfaces in SrTiO₃/LaTiO₃/ superlattices. *Phys. Rev. Lett.* 97, 057601 (2006).
- Seo, S. S. et al. Optical study of the free-carrier response of LaTiO₃/SrTiO₃ superlattices. Phys. Rev. Lett. 99, 266801 (2007).
- Ishida, H. & Liebsch, A. Origin of metallicity of LaTiO₃/SrTiO₃ heterostructures. *Phys. Rev.* 77, 115350 (2008).
- Popovic, Z., Satpathy, S. & Martin, R. M. Origin of the two-dimensional electron gas carrier density at the on SrTiO₃ interface. *Phys. Rev. Lett.* 101, 256801 (2008).
- 14. Kancharla, S. S. & Dagotto, E. Metallic interface at the boundary between band and Mott insulators. *Phys. Rev. B* **74**, 195427 (2006).
- Larson, P., Popović, Z. & Satpathy, S. Lattice relaxation effects on the interface electron states in the perovskite oxide: LaTiO₃ monolayer embedded in SrTiO₃. *Phys. Rev. B* 77, 245122 (2008).
- Okamoto, S., Millis, A. J. & Spaldin, N. A. Lattice relaxation in oxide heterostructures: LaTiO₃/SrTiO₃ superlattices. *Phys. Rev. Lett.* 97, 056802 (2006).
- 17. Basletic, M. Mapping the spatial distribution of charge carriers in LaTiO₃/SrTiO₃. *Nat. Mater* **7**, 621–625 (2008).
- Copie, O. et al. Towards two-dimensional metallic behavior at LaTiO₃/SrTiO₃ interfaces. Phys. Rev. Lett. 102, 216804 (2009).
- Lee, P. A. & Ramakrishnan, T. V. Disordered electronic systems. Rev. Mod. Phys. 57, 287–3317 (1985).
- Taguchi, Y. et al. Critical behavior in LaTiO_{3+8/2} in the vicinity of antiferromagnetic instability. Phys. Rev. B 59, 7917–7924 (1999).
- Wang, F., Li, J., Wang, P., Zhu, X. & Zhang, M. Effect of oxygen content on the transport properties of LaTiO_{3+8/2} thin films. *J. Phys. Condens. Matter* 18, 5835–5847 (2006).
- 22. Gariglio, S., Seo, J. W., Fompeyrine, J., Locquet, J. -P. & Triscone, J. -M. Transport properties in doped Mott insulator epitaxial $La_{1-y}TiO_{3+}\delta$ thin films. *Phys. Rev. B* **63**, 161103 (2001).
- Tokura, Y., Taguchi, Y., Okada, Y., Fujishima, Y., Arima, T., Kumagai, K. & Iye, Y. Filling dependence of electronic properties on the verge of metal-Mottinsulator transition in Sr_{1-x}La_xTiO₃. Phys. Rev. Lett. 70, 2126–2129 (1993).
- Shibuya, K., Ohnishi, T., Kawasaki, M., Koinuma, H. & Lippmaa, M. Metallic LaTiO₃/SrTiO₃ superlattice films on the SrTiO₃. *Jpn. J. Appl. Phys.* 43, L1178– L1180 (2004).
- 25. Nozières, P. & Pines, D. The Theory of Quantum Liquids (Perseus Books, 1999).
- Okuda, T., Nakanishi, K., Miyasaka, S. & Tokura, Y. Large thermoelectric response of metallic perovskites: Sr_{1-x}La_xTiO₃. Phys. Rev. B 63, 113104 (2001).
- Koonce, C. S., Cohen, M. L., Schooley, J. F., Hosler, W. R. & Pfeiffer, E. R. Superconducting transition temperatures of semiconducting SrTiO₃. *Phys. Rev.* 163, 380–390 (1967).

- 28. Havelia, S., Balasubramaniam, K. R., Spurgeon, S., Cormack, F. & Salvador, P. A. Growth of La(2)Ti(2)O(7)and LaTiO₃ thin films using pulsed laser deposition. *J. Crystal Growth* **310**, 1985–1990 (2008)
- 29. Kestigian, M. & Ward, R. The preparation of lanthanum titanium oxide, LaTiO₃, J. Am. Chem. Soc. **76**, 6027 (1954).

Acknowledgments

We acknowledge L. Benfatto, M. Grilli, S. Caprara, C. Castellani, C. Di Castro for useful discussions and L. Dumoulin for technical support. This work was supported by the Région Ile-de-France in the framework of CNano IdF and Sesame program. CNano IdF is the nanoscience competence centre of Paris Region, supported by CNRS, CEA, MESR and Region Ile-de-France. Research in India was funded by the Department of Information Technology, Government of India.

Author contributions

A.K., A.R. and R.C.B. prepared the samples and the X-ray analysis. J.B. and N.B. performed the measurements, assisted by T.W. J.B., N.B., R.C.B. and J.L. carried out the analysis of the results and written the article.

Additional information

Supplementary Information accompanies this paper on http://www.nature.com/naturecommunications

Competing financial interests: The authors declare no competing financial interests.

Reprints and permission information is available online at http://npg.nature.com/reprintsandpermissions/

How to cite this article: Biscaras, J. *et al.* Two-dimensional superconductivity at a Mott insulator/band insulator interface LaTiO₃/SrTiO₃. *Nat. Commun.* 1:89 doi: 10.1038/ncomms1084 (2010).