

**AUTHOR CORRECTION** **OPEN**

Author Correction: Angiotensin type 2 receptor activation promotes browning of white adipose tissue and brown adipogenesis

Aung Than¹, Shaohai Xu^{1,2}, Ru Li¹, Melvin Khee-Shing Leow³, Lei Sun² and Peng Chen¹

Signal Transduction and Targeted Therapy (2018)3:10 <https://doi.org/10.1038/s41392-018-0014-9>

Correction to: *Signal Transduction and Targeted Therapy* <https://doi.org/10.1038/sigtrans.2017.22>; published online 23 June 2017

The original version of this article contained an error in author names, which was incorrectly given as 'MelvinKhee-Shing Leow', the correct name of the author is Melvin Khee-Shing Leow and the initials should be Leow MK.

This error has now been corrected in the HTML and PDF versions of the article.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

¹School of Chemical and Biomedical Engineering, Nanyang Technological University, Singapore, Singapore; ²Duke-NUS Graduate Medical School, Singapore, Singapore and ³Endocrine and Diabetes, Tan Tock Seng Hospital, Singapore, Singapore
Correspondence: Peng Chen (chenpeng@ntu.edu.sg)

Published online: 19 April 2018