

SCIENTIFIC REPORTS

OPEN

Author Correction: Artificial controlled model of blood circulation system for adhesive evaluation

Sang-Myung Jung, Goo Yong Chung & Hwa Sung Shin

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-017-16814-3>, published online 01 December 2017

This Article contains errors in Reference 3 which was incorrectly given as:

Wojciech, W., Agnieszka, S.-P., Magdalena, B. & Tomasz, G. Experimental Comparison of Efficiency of First Aid Dressings in Burning White Phosphorus on Bacon Model. *Med Sci Monit.* **21**, 2361–2366 (2015).

The correct reference is listed below:

Witkowski, W., Surowiecka-Pastewka, A., Biesaga, M., Gierczak, T. Experimental Comparison of Efficiency of First Aid Dressings in Burning White Phosphorus on Bacon Model. *Med Sci Monit.* **21**, 2361–2366 (2015).



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2018

Department of Biological Engineering, Inha University, Incheon, 402-751, Korea. Correspondence and requests for materials should be addressed to H.S.S. (email: hsshin@inha.ac.kr)