

Corrigendum

Plasmablastic lymphomas and plasmablastic plasma cell myelomas have nearly identical immunophenotypic profiles

Francisco Vega¹, Chung-Che Chang², L Jeffrey Medeiros³, Mark M Udden⁴, Jeong Hee Cho-Vega⁵, Ching-Ching Lau⁶, Chris J Finch¹, Regis A Vilchez^{4,7}, David McGregor¹ and Jeffrey L Jorgensen³

¹Department of Pathology, Baylor College of Medicine, Houston, TX, USA; ²Department of Pathology, The Methodist Hospital, Weil Medical College of Cornell University, Houston, TX, USA; ³Department of Hematopathology, University of Texas MD Anderson Cancer Center, Houston, TX, USA; ⁴Department of Medicine, Baylor College of Medicine, Houston, TX, USA; ⁵Department of Molecular Pathology, University of Texas MD Anderson Cancer Center, Houston, TX, USA; ⁶Department of Pediatrics, Baylor College of Medicine, Houston, TX, USA and ⁷Department of Molecular Virology and Microbiology, Baylor College of Medicine, Houston, TX, USA

Modern Pathology (2005) **18**, 873. doi:10.1038/modpathol.3800430

Correction to: *Modern Pathology* (2005) **18**, 806–815. doi:10.1038/modpathol.3800355

authors and in the affiliations. The correct authors' names and affiliations are above.

Following the online publication of the above paper, errors were identified in the name of one of the