

to undergo repair during the intervals of darkness. The æsthetic superiority of the analytic colours over black, white, and grey is explained by considerations analogous to those which have just been mentioned in the case of musical tones and noises; while harmony of colours is treated in the same way as harmony of sounds. A somewhat curious speculation is ventured to explain the apparent deficiency of the red-perceiving elements. "It is clearly desirable that the eyes of the frugivorous animals should be *pleasurably* stimulated by reds, oranges, and purples; and the simplest contrivance for effecting this end would be to give the greatest possible rest to such elements as answer to stimulations of these orders. Accordingly, they ought only to be excited by comparatively powerful stimulations of their proper kinds."

Adopting Mr. Spencer's view¹ as to the ideal being a faint central stimulation of such nerve-fibres as would receive strong peripheral stimulation by the reality, Mr. Allan carries his analysis to the limit where "Physiological Æsthetics" must end, and where Psychological Æsthetics ought only to begin. Space, however, will not allow us to follow him into this division of his subject. Enough has been said to show that his work deserves the attention of psychologists; and it may be added that as he throughout clearly explains both the physics and the physiology of his subject, his entertaining little treatise will prove instructive to any general readers who may be desirous of observing the intimacy of those relations between psychology and the lower sciences, which the magnificent generalisations of recent years are now every day bringing into clearer prominence.

GEORGE J. ROMANES

OUR BOOK SHELF

Select Plants readily Eligible for Industrial Culture or Naturalisation in Victoria, with Indications of their Native Countries and some of their Uses. By Baron F. von Mueller, C.M.G., F.R.S., &c. (Melbourne: McCarron, Bird, and Co.)

THIS is another form of Baron Mueller's numerous and widely-spread contributions to the Acclimatisation Society of Victoria—numerous we say, because the Baron's pen is always at work upon botanical matters, the consideration of useful plants being apparently one of his favourite themes, and widely spread, because these papers on "select plants" seem to have been freely distributed not only in Australia and in this country, but also in America, where indeed some portion, if not all, have been republished. The present issue, Baron Mueller tells us, is a rearranged and largely supplemented form, which has been taken up by the Government of Victoria, and published under their authority. The book, which numbers some 293 pages octavo, contains references to an immense number of plants, the information attached to each being brief but withal accurate. The generic and specific names are arranged alphabetically from beginning to end, and this arrangement is perhaps the best for general use. After the scientific name, the vernacular name is given, then the geographical distribution or habitat, followed by a note as to the nature of the plant, whether a tree, shrub, or what not, and finally a brief description of its properties and uses. As a proof that Baron Mueller

¹ Here, as indeed in most other places, Mr. Allan does not express his obligations. Doubtless, having a psychological public in view, he thought it superfluous to state the sources from which such well-known conceptions have sprung; but as his work is in all other respects adapted to badly-informed readers, it would have been desirable, on their account, to have supplied these ommissions.

has corrected this latest issue of his papers, down quite to the present time we may mention that under *Nicotiana tabacum*, Lattakia tobacco is included, and it is only within a comparatively recent date that Mr. Thiselton Dyer has shown this to be right, nearly all previous writers having attributed it to *N. rustica*. At the conclusion of the book a very good plan is adopted of classifying the plants mentioned under distinct heads referring to their uses; thus, under alimentary plants, the generic names of all such are placed; the same under dye plants, fibrous plants, and so on. A good index is given of vernacular names only, which is quite sufficient when it is remembered that the scientific names are arranged alphabetically throughout the book.

Notes on the Ancient Glaciers of New Zealand. With Map. By J. C. Russell. Reprinted from the "Annals of the Lyceum of Natural History." (New York: November, 1876.)

MR. RUSSELL was attached to the U.S. Transit of Venus Expedition, and finding himself stationed on the shores of Lake Wakatipu among the snow-fields and glaciers of the South Island of New Zealand he read what had been written on the ice-work of that region and supplemented his reading by the personal observations recorded in these notes. Though he does not add any important new fact to our previous knowledge he gives an interesting *résumé* of the physical geography of the glacier region, pointing out the evidence for the former greater extension of the ice-fields of New Zealand, and dwelling especially on the proofs of enormous erosion shown by the valleys and lake-basins.

LETTERS TO THE EDITOR

[The Editor does not hold himself responsible for opinions expressed by his correspondents. Neither can he undertake to return, or to correspond with the writers of, rejected manuscripts. No notice is taken of anonymous communications.]

The Editor urgently requests correspondents to keep their letters as short as possible. The pressure on his space is so great that it is impossible otherwise to ensure the appearance even of communications containing interesting and novel facts.]

Nectar-secreting Glands

I HAVE briefly described in vol. xv. of the Linnean Society's *Journal*, the nectar-glands found at the base of the fronds of the brake fern (*Pteris aquilina*) which are visited by ants for the sake of their sweet secretion. This case seemed to me to show in a striking manner that extra-floral nectar-glands are not necessarily protective in function, because the fern has, in England at least, extremely few enemies. The following extract of a letter lately received from Fritz Müller (of St. Catharina, Brazil) is of considerable interest in relation to this subject. He states that "the honey-glands on our *Pteris aquilina* serve, without doubt, to protect the ferns from the depredations of the leaf-cutting ants (*Ecodoma*), as is the case with *Passiflora*, *Luffa*, and many other plants. The glands of the *Pteris* are eagerly visited by a small black ant, *Crematogaster*, of which the *Ecodoma* seems to stand in great dread. On the other hand, when no protecting ants are present, I have seen *Ecodoma* gnawing the young fronds; here, as in other cases, it is only the young leaves that stand in need of protection, the older ones not being attacked by the leaf-cutting ants." This fact might, no doubt, be used as an argument by those who believe that all nectar-glands were originally developed as protective organs, and this argument would have great force if it could be shown that *Pteris aquilina* is a form which has arisen in countries where protection is needed; but even in that case there would remain the difficulty of accounting for the continued functional activity of the glands in districts where no such protection is required. Or it may be said that in past ages the glands on our European *Pteris* served as a protection against enemies which have now become extinct. But here we are again met by the difficulty of accounting for the continued activity of the glands. It is characteristic of evolution that great changes occur in the functions of organs, and I think that it will generally be allowed that even the most beauti-