in sections, apparently fastened together, but in fact disconnected and with bad earth contact.

A disastrous result followed the use of a similar conductor in the case of Mr. Osbaldiston's house near Sheffield, in the storm of Tuesday, the 5th instant, when his house was completely wrecked.

Here the flash, after coming partly down the tube and breaking the worse than useless insulators, left the conductor about nine feet above the ground, and passed through a thick wall to the gas-pipe, behind the drawing-room mirror, which it smashed to atoms, broke some Sèvres vases on the mantelpiece, melted the gas-pipe and set fire to the gas, destroyed the gilded ceiling and cornice, ripped up the floor above, destroyed the furniture, and in short did damage estimated at about 500*l*.

In this case the lightning having left the conductor to go to the gas-pipe shows that the corrugated tube contained too little metal—though it was seven-eighths of an inch in outside diameter, and that the earth contact of the tube was not so good as the gas-pipe.

The next case which I have had examined was Mr. Tomes's house at Caterham, which was struck on Wednesday, May 28, about 10 o'clock P.M. The supposed conductor here was a woven band about an inch wide, made of twelve small copper wires, with two zinc wires interwoven! forming a worse conductor than the copper tube. The top terminal appears to be made of a soft alloy of tin and zinc, with a small steel wire in the centre! This was fastened on to a thin copper tube measuring half an inch outside and about six feet long.

To the lower end of the tube the band was attached, and here again the abominable glass insulators were used. The tube was fixed to a chimney and the band carried over the roof, coming in contact with the iron water spout on its way down. The end of the band was simply struck into the chalky soil to a depth of about a foot, so that it formed a very bad earth contact.

The lightning struck the point (the alloy round the steel has been melted or broken off some time ago, for the steel point is rusty), and passed down the band to the iron water-spout, which went round the eaves of the roof till it came to some lead flushing on the other side of the house away from the conductor; it then went up the lead, which it partially fused, and entered a small water-cistern in the attic, which luckily was connected by an iron pipe leading to a large iron tank under the ground, which thus formed an admirable earth contact. The distance to the conductor to the top water-cistern was about fifteen feet.

The damage done in this case was limited to little more than breaking two panes of glass and the glass insulators, and it proved that the band did not form an efficient conductor.

The third case which I have to report occurred on the same afternoon as that at Sheffield. The church of Saint Marie, Rugby, was struck, and might have been burned to the ground, had not the workmen employed in repairing the spire taken shelter in the church from the coming storm. They had been on the top and saw a dense black cloud approaching, and luckily came down, and had not been long in the church which, at 3 P.M. was so dark that they could scarcely see each other at a distance of a couple of yards, when a terrific crash was heard, and as suddenly the gas under the organ loft was lighted and the woodwork began to blaze. The men got the fire extinguished, and found that the lightning had melted the soft metal gas-pipes at a T-piece joint.

The spire is 212 feet high, and when it was built a conductor of copper-wire rope half an inch in diameter had been fixed. This has been repaired at the top by the present contractor attaching to it about fifty feet of rope of seven-eighths diameter. No insulators had been used, and so far as could be ascertained by a short inspection, the conductor appeared complete.

About half way up the spire there is a peal of eight bells. These have iron wires about one-eighth of an inch diameter leading from the clappers down to the back of the organ loft, but terminating in the spire a short distance from an iron gas-pipe about one inch in diameter fixed against the wall of the organ loft.

In this case I think that the rope conductor carried off part of the flash, and that part came down the bell-wires and went through the wall to the gas-pipe, for part of the stone wall next the organ, about a foot in diameter, was exploded off and thrown into the organ loft. The flash then partly ran along the iron pipe and melted the soft metal pipe, which is three-quarters of an inch diameter and a sixteenth thick, and set fire to the gas, and the remainder of the flash went to earth.

It was fortunate that no one was working the chimes, for if he had he would certainly have formed part of the circuit and been killed. The church, however, escaped with very slight damage.

R. S. NEWALL

Bud-Variation in Bananas

IN my garden there is a large plant (planted about eleven years ago) of a variety of banana, distinguished by purplish stems and petioles, red fruits, and by a very peculiar flavour of the latter. From the centre of this plant, covered by the rotten stems of former years, there are now growing green stems, with green petioles; one of them has already produced fruits, which were green when immature, and yellow when ripe, and the flavour of which I found to be but slightly altered. All the young stems growing from the circumference of the plant are purplish.

May not many of the varieties of bananas have been produced by bud-variation?

FRITZ MÜLLER

Itajahy, April 7

Fertilization of *Erica carnea*

ALL our *Vacciniæ* and *Ericaceæ*, with tubular corolla, as far as hitherto known, are adapted to cross fertilization by Apidæ; for instance, *Vaccinium myrtillus* and *Vitis idæa*, *Arctostaphylos uva ursi* and *Erica tetralix*. I was, therefore, much struck yesterday by the observation that *Erica carnea* is abundantly visited and cross fertilized by a butterfly, *Vanessa cardui*, but not by a single bee. And, indeed, the colour and structure of this flower corresponds far more to the taste and habits of butterflies than of Apidæ. Like all other alpine flowers adapted to butterflies (*Saponaria ocyroides*, *Silene acaulis*, species of *Dianthus*, etc.), *Erica carnea* is also of a gay red (pink) colour, and its inclined tubular corolla is so narrowed downwards that its small opening is almost completely occupied by the anthers projecting from it. Hence butterflies which are most distinctly attracted by the colour of this flower, as also by its structure, are alone able easily to insert their thin proboscis into its corolla and to reach its honey.

Wherever in a sunny place of the Albula Valley *Erica carnea* is in full flower, and I observed more than thirty such places yesterday and to-day, *Vanessa cardui* is frequently found visiting and fertilizing it—so frequently that sometimes five or six specimens are visible at the same time.

HERMANN MÜLLER

Bergün, in the Albula Valley, June 3

Early Sun-Spot Records

TO the very small number of non-Chinese observations of solar spots prior to the invention of the telescope we may add one, which I find in the voyages of Henry Hudson, published by the Hackluyt Society. He appears to have noticed such a phenomenon on March 21, 1609. Hudson says, "Then we observed the sunne, having a slake, and found our heigh to bee 70 deg. 30 min." A note says, the word slake, as a substantive, seems to be a north country word, meaning according to Brocket "an accumulation of mud or slime from slijck, cenum, lutum." It will be remembered that there is a paper by Mr. Williams, the late Secretary of the R.A.S., on Chinese observations of solar spots in the monthly notices for April 1873. Mr. Williams's translation records forty-five such between the years A.D. 301 and 1205 inclusive. It will be seen that this list does not correspond with that given in Mr. Hosie's communication to NATURE of June 5. In the above interval Mr. Hosie records twenty-four spots not mentioned in Mr. Williams's paper; and in the latter there are nine recorded that do not occur in the longer list of Mr. Hosie. The number of naked eye records of sun-spots that may be brought to light will never be sufficient to carry back Dr. Wolf's sun-spot periods previous to the introduction of the telescope. There is, however, another Chinese record that it would be interesting to see translated. Mr. Williams, in the paper referred to, says, "these observations are continued in the supplement to Ma Twan Lin's Encyclopædia," and that he had found in the history of the Ming dynasty many observations of solar spots, the latest being November 29, 1638.

SAMUEL J. JOHNSON

Upton Helions Rectory, Crediton, June 9