out the characters in which the fossils agreed with, and those in which they differed from, Balana, asserted that in those particular respects the animal to which the remains belonged agreed with a genus of whales which he had just described under the name of *Maclayius*, from a specimen in the Australian Museum in Sydney. Perhaps Prof. Flower regards these vertebre as not those of a cetacean at all; but if he agrees with the authorities just named on that point, the case seems to resolve itself into this, viz. either this whale lived in Mesozoic times, or its remains have come from some Tertiary formation. If the former, and particularly if its age is, as regarded by Prof. Sedgwick and Prof. Seeley, Jurassic, Prof. Flower's hypothesis of the evolution of the Cetacea from the Ungulates is hardly probable, when we consider the known facts as to the development of that group during the Tertiary period, even if we allow for whatever weight Stereognathus may alford of an approach to an Ungulate type in from some older Tertiary formation, it follows that such a for mation has, though no traces of it are now to be found, once existed in the area between Ely and the eastern watershed of the Pennine, because the whole of the material of the clay in which the remains were found is made up of the wreck of formations from that area alone. SEARLES V. WOOD

Martlesham, near Woodbridge, December 6

"Cosmic Dust"

THE report on Baron Nordenskjöld's expedition to Greenland this year, recently given in NATURE, undoubtedly contains important results as to the physical geography of that country. Its statements, of course, will require a more detailed explanation than this preliminary report can give; one statement especially, on account of its significance, induces me to call the reader's attention to a fact which it will be necessary to take into consideration in discussing the question.

The statement is contained in the following words at the end of the article :-- "I hope when this (viz. the dust found on the inland ice) has been exhaustively analysed, to be able to furnish fresh proofs in support of the theory that this deposit is, at all events partly, of cosmic origin, and thereby contribute further materials for the theory of the formation of the earth."

The fact to which I have alluded is this : Next to the observations furnished by travelling over the inland ice, it appears to me that an examination of the fresh and pure fragments of it from the very interior of the country, which are pushed out in the shape of icebergs, must give the best key to the solution of the problem. We know that the mass of which these bergs are fragments is formed of snow accumulated during hundreds of years, and it has taken hundreds of years for the ice thus formed in the central regions to travel to the seashore. Consequently the dust which during the lapse of centuries has fallen upon the surface of the glacier must have been mixed up with the snow, and thereby spread over or embedded in the chief mass that constitutes the bergs.

As to my own observations, I have always found the chief mass that constitutes the large bergs to exhibit the appearance of perfectly pure ice, only permeated with thin air-bubbles, and the earthy matters of the bergs distinctly confined to isolated dykes, layers, conglomerates, or even to entire smaller bergs issuing from certain fjords. But I confess that my attention never was directed to a more minute investigation of the chief berg ice, and still less to the problem here mentioned. do not remember to have seen anything mentioned by my friends Steenstrup, Helland, and Hammer that could throw sufficient light upon this question. I therefore here present it to your readers who are experienced in Arctic researches and may feel inclined to communicate their opinions upon it.

Christiania, Norway, December 5 HENRY RINK

On the Incubation Period of Scientific Links

THE length of the dormant period during which a certain class of scientific discoveries has to remain unrecognised before they are made available is a subject that may form an interesting chapter in the history of science. I will cite one or two examples, in one of which I am personally interested, as illustrating my meaning, particularly as I think they will enable me to point out the cause of this strange anomaly at a time when so much attention is being given to original research, and yet which will leave the results of original research to lie dormant for

years after they have been realised. As illustrating the fact that most important laws may remain for many years dormant, I have but to cite the law of Avogadro, which remained unnoticed for fifty years, until the investigations of Dumas proved it to be a most important aid in chemical research. The law of Dulong and Petit on the connection between the specific heat and the atomic weight of the elements had to pass through a dormant period of more than twenty years before it was resuscitated by the experiments of Regnault. More than forty years ago I announced a new law connecting the physiological reactions of inorganic substances with their isomorphous relations. law, although founded on an extensive series of experiments, and since verified by the investigation of the action of the compounds of more than forty of the elements, has up to the present time remained entirely dormant, not having been noticed, as far as I am aware, by any writer on physiology. A French chemist, M. Rabuteau, has recently very cavalierly consigned it *aux baggages du passé*, apparently under the idea that it is a revival of the hypothesis that connected the action of poisons with the more or less acute angles of their crystals. Now, however, the important part played by these inorganic substances as physio-logical reagents is beginning to be recognised (see Ringer,

Journal of Physiology, January and August, 1883; Brunton and Cash, Proc. Roy. Soc., vol. xxxv.). The question presents itself as to what there is peculiar in these laws which distinguishes them from those which find an immediate recognition by men of science. I think the distinc-tion will be found in the fact that there there have a supertion will be found in the fact that these hibernating laws generally form connecting links between two branches of science which had not, up to the time of the discovery of these laws, been of much mutual assistance. The law of Avogadro, for example, established a new link between chemistry and physics, and for its application the chemist had to be familiar with the manipulations required for the determination of the density of vapours and gases, a subject scarcely alluded to in treatises on chemistry at the beginning of the century. The law of Dulong and Petit forms another link between chemistry and physics, requiring for its verification methods which, at the time of its discovery, were almost exclusively in the hands of physicists. As for the law connecting the physiological action of a substance with its isomorphous relations, when it was first published the distance between chemistry and physiology was greater than that between physics and chemistry at the time of the discovery of Avogadro, and should the sub-ject be already attracting the attention of physiologists, after a latent period of but forty-four years, this fact affords evidence that science is now advancing at a more rapid rate than formerly. The question is an interesting one as to the possibility of something being done to shorten the period during which these linking laws remain unrecognised. Offering, as they generally do, important aids for the advancement of science, it certainly is desirable that some means might be taken to prevent their being shelved amongst *les baggages du passé*, so that at some future period the whole subject has to be gone over de novo. In the case of physiological discoveries, it certainly would seem to be the duty of the Antivivisection Society to see that the many experiments which had been performed to verify them were made available, so that a great deal of vivisection might thus be avoided without the progress of science being retarded. JAMES BLAKE

San Francisco, November 13

Meteor

THIS afternoon, at 5.27 p.m., I observed here a meteor of great brilliancy, a note of which may be worth publishing. The moon, within three days of being full, was shining unclouded, and the western sky was still glowing with the fading tints of another gorgeous cloud-glow, when a bright light caused me to look up. It was due to a bright meteor a few degrees south of and below the moon. Its path was about 20° in length between south-east and south, inclined at an angle, roughly speaking, of south-east and south, inclined at an angle, roughly speaking, or ro^o to the horizon, its mean altitude being probably 20^o. Three minutes later, at 5.30 p.m., I heard a low, distant, rumbling sound, which was not improbably the report of its explosion. G. M. WHIPPLE

Kew Observatory, Richmond, Surrey, December 11

Physical Society, November 10

UNDER the above heading in NATURE of Nov. 15, p. 71, I notice it is stated that I have found the velocity of sound in air