FIREBALLS IN JANUARY.

A PART from the rich shower directed from the region of Bode's asterism Quadrans, or northern limits of Boötes, on the opening nights of January, the meteors visible in this month have usually attracted little attention. Observers who have watched the cold winter sky have, indeed, generally remarked a scarcity of meteors amongst the beautiful constellations displayed at this season of the year. Zezioli, it is true, was more successful in the clear atmosphere of Italy, for on the closing nights of January, 1868, he saw a plentiful swarm of shooting stars falling from Corona and Ursa Major, and one or two other observers have occasionally recorded meteoric activity of somewhat special character, but, with the exception of its New Year's shower, the month commonly furnishes us neither with any plentiful displays nor with an abundance of meteors giving evidence of a multitude of attenuated streams.

But in recent years January has certainly shown itself rather noteworthy on account of the brilliant fireballs which have appeared. This month in 1901, 1903 and 1904 proved rich in these startling visitors. About ten were seen in 1901, five were well observed and their real paths computed in 1903, and seven appeared between January 8–22, 1904. We must also remember the great fireballs of 1894 January 25, 1898 January 21, and the pair which were quite conspicuous in bright sunshine on the early afternoons of 1900 January 9 and 1901 January 6 respectively.

A comparison of the various dates shows that the apparitions have marked two periods of the month, viz.

January 6 to 15, and January 23 to 29.

In future years it will be desirable to watch for fireballs at these special epochs. No particular shower appears to have been responsible for their production in past years. The radiant points seem to have been widely separated, and prove that our brilliant January meteors have little if any community of origin, but may rather be regarded as isolated cosmic rovers. If they individually represent meteoric showers, such showers must form the relicts of rich, old-time systems now thinned out beyond visible recognition by

frequent rencontres with the planets.

It is characteristic of many vividly luminous fireballs that they have very slow, long and nearly horizontal flights. Their average heights are about 67 miles at first, and they disappear either at about 46 or 29 miles. Their radiant-points are usually not far from the horizon, and placed in unusual westerly positions where no ordinary radiants of shooting stars are ever detected. In 1903 very brilliant meteors were seen on January 10, 13, 14, 25 and 28, and in 1904 on January 8, 9, 10, 13, 15, 18 and 22. The one alluded to in Nature for January 14 as seen by Mr. W. E. Rolston at Fulham on January 9, 8h. 27m., was also observed by Mr. G. F. Oldham at Tunbridge Wells, moving from 110°+36° to 128°+37° in four seconds. The real height of the object during its luminous career was from 60 to 41 miles over the east coast of Kent (Fellecters to Rose 100). the east coast of Kent (Folkestone to Ramsgate), radiant point at 41°+5°, and velocity certainly not more, and very probably less, than 6 miles per second. There was another fireball on the following night, Sunday, January 10, at 8h. 32m., observed at Oxford and Llanelly. It descended from a radiant in the east region of Aries over Monmouthshire from a height of 67 to 31 miles. Yet another fire-ball was recorded on January 15 at Bridgwater and Banbury. It fell from a height of 63 to 27 miles from a radiant near the zenith in the region bordering Perseus and Auriga.

It is fortunate to have secured duplicate observations of these fine objects, and more of them may be expected to

appear before the close of the month.

In February fireballs have often been seen on the 3rd, 7th and 10th. These dates will nearly correspond with February 5. 9 and 12 in 1904. There is also a pretty rich shower of meteors from near Capella sometimes observed between February 7 and 23.

W. F. DENNING.

UNIVERSITY AND EDUCATIONAL INTELLIGENCE.

PROF. EDUARD STUDY, of Greifswald, has been appointed to the chair of mathematics at Bonn in succession to the late Prof. Lipschütz.

On Thursday, February 11, Prof. Armstrong will give an address at the Battersea Polytechnic on "The Placing of Domestics' on a Scientific Practical Basis."

Cornell University will, says Science, receive more than 40,000l. from the estate of the late Mr. F. W. Guiteau, of Irvington-on-the-Hudson, which is nearly 10,000l. more than was announced at the time of Mr. Guiteau's death last year. The money will be used as a fund for the assistance of needy students, and will be lent them without interest.

Dr. Georg Schroeter has been appointed professor of organic chemistry in the University of Bonn; Mr. F. Kreutzberg, of Düsseldorf, has been appointed professor of applied mathematics at the new Academy of Posen; Dr. Leo Marchlewski, professor of chemistry at Cracow; Mr. L. Farny, professor in the Zürich Polytechnic; Dr. W. Kötz, professor of chemistry at Göttingen; and Dr. Erich Müller, professor in the chemical department of the Dresden High School.

A PETITION, which it is intended to present to the central educational authorities of the United Kingdom, is being circulated for signature among the registered medical men of the British Isles. The petition directs attention to the serious physical and moral conditions of degeneracy and disease resulting from the neglect and infraction of the elementary laws of hygiene, and urges the central authorities for education to consider whether it would not be possible to include in primary and secondary schools such teaching as may lead all children duly to appreciate healthful bodily conditions. The petition then reviews the steps taken in this direction by English-speaking nations, and shows that great prominence is given in many British colonies to instruction in the laws of health, and concludes by urging the necessity of ensuring that the training of all teachers shall include adequate instruction in these subjects.

At the annual meeting of the Mathematical Association held on January 23, Prof. A. R. Forsyth, the president, who occupied the chair, in referring to the report of the Committee on the Teaching of Elementary Mathematics, said that in the various stages of the consideration of changes in the regulations at Cambridge University the report of the association proved to be of substantial value. The most interesting event outside the association was the production of the report of the syndicate at Cambridge and the discussion of that report. Some slight modifications were introduced into it, and then it was adopted by the University of Cambridge without a single dissentient. Therefore there of Cambridge without a single dissentient. had come a change not indeed in teaching, but in the conditions under which teaching could be carried on. If the first working of the regulations was carried out in the spirit in which they were proposed, if the teachers would take the advantage that was offered by the greater ease of the regula-tions, he thought a substantial improvement would come in the mathematical teaching of the country. Mr. E. M. Langley exhibited models of regular and semi-regular solids, including the four polyèdres étoiles of Poinsot. Mr. C. S. Jackson read an account of a recent discussion on the possibility of fusion of the teaching of mathematics and science. Mr. J. C. Palmer dealt with a geometrical note, and Mr. C. A. Rumsey read a paper on advanced school courses of mathematics.

In the course of an address at the Mansion House on Monday, at the distribution of prizes to the successful students of the City and Guilds Institute, Sir William White remarked that as regards higher technical education we were as a nation in a critical condition. What was wanted was coordination of educational agencies on a carefully considered plan. There must be conference between teachers and the representatives of the professions, businesses, and manufactures if the best results were to be obtained. He was extremely hopeful of the results which would follow the work of an advisory committee at the Institution of Civil Engineers containing re-