tion; the ninety and nine ask for a "cure." Yet whilst prevention is often within reach, cure, in the proper sense of the word, is frequently impossible. The diagnosis of the disease must be left to the skilled expert, the means of prevention should be known to all intelligent cultivators, the remedy may be prescribed by the plant-doctor, whilst the "cure," which often means the bonfire, may be entrusted to the labourer.

Another point which cannot be overlooked in considering the prevention of epidemic diseases is the necessity for concerted action. If one cultivator is alive to the exigencies of the case his labour is often vain if his neighbour be slovenly and apathetic.

The book before us is divided into two parts, the first dealing with the fungi which are injurious to plants generally, the second with the specific diseases of Minnesota vegetation. The account of the nature, mode of growth, and habits of fungi is written clearly and in a style readily comprehensible by the reader of average intelligence. It forms, indeed, an excellent introduction to the study of fungi.

A separate chapter is given to the history of the bacteria which presents in a concise form many details of the utmost importance to cultivators. After these generalities attention is directed to the fungous diseases most prevalent in Minnesota. To these we need not here specially refer, nor to the sections on fungicides and spraying apparatus. We can only add that the book is well illustrated and provided with a copious index. We commend it to the notice of all who are interested in plant-diseases, and especially to foresters and cultivators of field or garden plants.

OUR BOOK SHELF.

Mesure et Développement de l'Audition. By Dr.

Marage. Pp. 119. (Paris, 1905.) THIS small volume by Dr. Marage is of scientific value inasmuch as it contains an account of a method by which acuteness of hearing can be measured, and by which any degree of deafness can also be stated with accuracy. Aurists for many years have made use of the ticking of a watch, the sound of a tuning-fork, or a percussion sound as a source of sound, and they state the degree of deafness by a measurement of the distance at which the patient can hear the sound as compared with the efficiency of a normal ear. The best of all acoumeters, no doubt, is the human voice, as it gives sounds to which the ear is adapted; but no two human voices are alike, in consequence of the variations in quality caused by the vocal resonating cavities.

Dr. Marage, however, has invented a siren which is furnished with resonating masks (casts of the vocal cavities as adapted for the vowels OU, O, A, E, and I). This apparatus utters these vocal tones with singular purity. The form of the mask, and especially that of the oral opening in each case, suppresses most, if not all, of the overtones for each vowel, and the laryngeal vowel tone (produced by the siren) is alone sounded. Further, he has shown that the intensity of the sound of this instrument, as measured by a special water-manometer, is proportional to the pressure of the air which traverses the apparatus. The siren can be adjusted for any vowel, and the apparatus is always at the same distance from the ear. The measurement of the auditive acuity is given

NO. 1891, VOL. 73

in the number of millimetres of water shown in the manometer when the sound of the particular vowel is Thus any vowel sound is heard with a heard. pressure of 1 mm. by a normal ear; if the pressure must be raised to 40 mm. before the sound is heard the auditive acuity is 1/40, if at 60 mm. 1/60, if at 200 mm. 1/200, and so on.

Dr. Marage also shows an ingenious method of recording on a chart the degree of acuity for each vowel, always in mm. of water, and if the points for the various vowels are joined a curve is pro-duced. The form of this curve varies with different pathological conditions of the middle and internal ear, so that after the patient's ear has been tested for the vowel tones by the siren, and the curves have been plotted out, the form of the curve is of value in diagnosis. Lastly, Marage uses the siren to massage the drum-head and chain of bones by giving to the ear for a certain time, say a daily massage of ten minutes, using the vowel tones of the instrument, and he asserts, and shows by charts, that in a large percentage of cases of many forms of ear trouble, and in some cases even of deaf mutism, there is benefit derived from the massage treatment. These results cannot be criticised in a scientific journal, as they pertain more to the region of the practical aurist, but there can be no doubt of the value of the method of Marage as a method of accurately determining acute-JOHN G. MCKENDRICK. ness of hearing.

merican Insects. By Vernon L. Kellogg. Pp. vi+674; 812 illustrations and 13 plates. (New York : Holt and Co.; Westminsten: A. Constable and Co., Ltd., 1905.) Price 213. net. American Insects.

THIS work is intended as an introduction to North American entomology. It consists of a systematic review of the various orders of insects met with in America north of Mexico, and of introductory and supplementary chapters dealing with special subjects. The three introductory chapters on structure, physiology, development and classification are well done, a great deal of information being condensed in these 50 or 60 pages.

The supplementary chapters are, however, the best part of the book. They are (I) insects and flowers; (2) colour and pattern and their uses; (3) insects and disease. These subjects are treated in an intelligent manner, with an absence of dogmatism that is very commendable.

In some parts of the work the author is a little more rash. Thus he concludes his account of the slave-making ant, Polyergus, with the dictum "specializa-tion is leading Polyergus to its end!" Whether this is the case must be left to the future to decide. It would have been simpler to say that Polyergus has mandibles unsuited for industrial purposes, and correlatively possesses slave-making habits that do not appear to be very successful.

Of the systematic part of the work we cannot speak so highly; this is chiefly due, it is only fair to say, to inadequate space. There are, as the author says, 10,000 kinds of beetles in North America, as against 1000 kinds of birds. It is small wonder that the attempt to condense an account of 10,000 species and their habits and life-histories into 54 pages does not leave a satisfactory impression. The extensive orders Coleoptera and Diptera have suffered most from their abbreviation. The Coleopterous portion, moreover, has not been adequately revised, the larva of a Longicorn beetle being figured as a type of the larvæ of the Buprestidæ.

Notwithstanding these drawbacks, the work is probably the best that exists for anyone desiring an introductory work on North American insects compressed into a single volume. D. S.