

50–55° Brix is registered, and this unstable syrup is then preserved with 200–300 parts per million of sulphur dioxide in the form of potassium metabisulphite. The present syrups are intended for use primarily with milk, and it is necessary to avoid an excessively sweet product as this detracts not only from the milk flavour, but also tends to mask the fresh flavour of the fruit. The question of curdling is not serious until any addition of acid is carried out. Even with the highly acid juices of the loganberry and blackcurrant there is very little fear of curdling when the normal concentrations, which are generally accepted in the milk bars, are used. A further process of interest is the adaptation of the carefully controlled fermentation in the fruit. This fermentation is effective first in completely disintegrating the cells which thus yield a richer, sweeter juice and, secondly, in decomposing a certain amount of pectin which would otherwise be deposited in the filtered product. Remarkable results have recently been obtained by the use of pectin-decomposing enzymes in which an addition of 0·2 per cent of enzyme has reduced the calcium pectate content of the juice from 0·134 per cent to a mere trace.

#### The Kauri

A SMALL pamphlet, Leaflet No. 26, on "The Properties and Uses of Kauri", *Agathis australis*, by A. R. Entrican, has been issued (Government Printer, Wellington, N.Z., 1935). This timber is one of the most useful of the coniferous softwoods, and has been known in international trade for more than a century. The kauri is the monarch of the New Zealand forests, dwarfing all other species. The bole in mature trees has singularly little taper; thus, although it does not attain the height of the North American redwoods (*Sequoia*) and the Australian eucalypts, it ranks among the largest timber-producing species in the world. It is said that in yielding flawless timber of exceptionally large size, the tree is unsurpassed by any other known species. The extensive virgin forests of the early European occupation have been severely depleted, but it is of good hope for the future to hear that the remaining stands are being placed under a system of forest regulations whereby a sustained yield of this valuable softwood will be assured. Owing to its evenness of texture and ease of working, to its small shrinkage powers, medium density and excellent strength properties and high durability, the timber is able to meet the most exacting requirements. It is made use of in all classes of building and general construction, in shipbuilding, car and wagon construction, tank and vat manufacture, military bridging, and the production of dairy and agricultural machinery and so forth. It is not surprising, as has been the case with fine species in other countries, that the brunt of the fellings for ordinary utilization by the increasing population of the country fell upon this beautiful tree.

#### The National Institute of Agricultural Botany

At the annual general meeting of fellows of the National Institute of Agricultural Botany at Cambridge on July 16, the chairman of the Council, Sir

Daniel Hall, in the course of his address, stated that one of the primary objects of the Institute is to serve as a medium for introducing new varieties of farm crops to the public. For this purpose its trials are organized so as to provide an accurate measure of the relative merits or de-merits of each variety tested. These trials extend over three years or more, in order to level out weather differences, and are carried out at six different centres in order to eliminate differences due to soil variations. The improvements already effected in the yield of cereals make it unlikely that any new variety will show a 20 per cent improvement upon the existing varieties. Improvements in the nature of 5–10 per cent are more probable, but even a 5 per cent improvement would make a considerable financial difference to farmers. Farming is never at a standstill, and the Institute meets the changing agricultural situation by extending the scope of its trials. Trials of picking peas and chicory are now being carried out, and it is hoped that useful information will be derived from them. The potato trials at Ormskirk have done much to check the spread of wart disease by the encouragement given to the introduction of new immune varieties. Sir Daniel went on to say that close co-operation with the seed trade would be beneficial to both bodies. In serving the farmers, the Institute also serves the best interests of the seed trade, which has the highest degree of confidence in the Official Seed Testing Station. This is testified by the fact that the number of samples tested by the Official Seed Testing Station is steadily increasing year by year, and nearly 30,000 samples have been tested in the current year. In conclusion Sir Daniel expressed concern at the shrinkage in the number of fellows of the Institute: he hopes the Institute will never become a purely bureaucratic body, responsible only to the Government.

#### Prevention of Tuberculosis

SIR KINGSLEY WOOD, the Minister of Health, inaugurated the twenty-second annual conference of the National Association for the Prevention of Tuberculosis at the County Hall, London, on July 16. He stated that great progress has been made in the fight against tuberculosis. For the first time on record, the total number of deaths in England and Wales from all forms of tuberculosis fell in 1935 below 30,000. The standardized death-rate from tuberculosis has fallen from 1,915 to 687 per million in less than forty years. This striking record of progress is due in the first place to remarkable improvements in methods of treatment. Much also is due to the example given by the establishment, as a result of greater knowledge and active propaganda, of voluntary sanatoria and dispensaries. It is significant that no sanatorium in the modern sense existed in Great Britain before 1898. Improved standards of living and hygiene, better housing, better nutrition, purer milk supply and general public health measures have played and will continue to play a considerable part in the attack upon this disease. But there are many opportunities for further advance. There is a great need for encouraging those who were suffering or