



Keyword Index

- Abscess 477
 Abscess debridement 538
 Acute transverse myelitis 234
 ADL 156
 Ageing 301
 Aging 139
 Anaesthesia 51
 Appraisal 615
 Arachnoid cyst 599
 Artificial ventilation 557
 Asymptomatic bacteriuria 437
 Autonomic dysreflexia 564
- Baclofen 15, 283
 Bacteria 26
 Biofilms 26
 Biopsychosocial model 644
 Bladder infection 26
 Bladder management 355
 Blood-flow 74
 Body illusions 85
 Body shape 85
 Bone mineral density (BMD) 145, 208
 Bowel function 193, 279
 Brucellosis 554
- Calculi 571
 Calculus 477
 Cardiopulmonary 336
 Cardiovascular disease 310
 Case-control studies 15
 Cauda equina lesion 51
 CD34 57
 Cervical osteomyelitis 538
 Cervical spine 101, 112
 Cervical vertebrae 549
 Charcot's spine 564
 Chiari-I malformation 184
 Chiropractic manipulation 112
 Clinical aspects of ILS 237
 Colostomy 279
 Community ambulator 327
 Community care 584
 Complete spinal cord injury 492
 Complication 283
 Conservative therapy 657
 Conservative treatment 294
 Conus tuberculoma 498
 Coping 615
 Coronary heart disease 310
 Cranberry juice 26
 Cranio cervical junction 101
 Cross-cultural study 387
- Cultural perspective 323
- DA agents 125
 Decompression 362, 429, 482
 Degeneration 488
 Denervation 471
 Depression 323
 Detrusor hyperreflexia 420
 Diaphragm pacemaker 557
 Differential diagnosis 57
 Disability 577
 Disability assessment 97
 Distress 381
 Doctor–Patient Communication 650
 Double injuries of the spine 492
 Dual energy X-ray absorptiometry (DEXA) 208
 Dysesthesia 256
- Ejaculation 455, 514
 Elastic fiber 488
 Elderly 375
 Electric stimulation therapy 420
 Electroejaculation 168
 Electrolyte disturbance 557
 Electromyography 215, 526
 Encephalo-myelitis 662
 Endoscopic injection 92
 Endoscopy 482
 Entrapment 269
 Epidemiology 274, 589
 Epidural abscess 554
 Erectile dysfunction 637
 Erection 455
 Etiology of ILS 237
 Exercise 336
 Exercise protocol 633
 Extracorporeal shock wave lithotripsy 286
 Extraspinal fractures 589
- Facet hypertrophy 362
 Factor XIII 114
 Fatigue 243
 Femoral vein compression 54
 Fertility 168
 FES 156, 355
 Fibrous adhesion 269
 Flap surgery 114
 Follow up 11
 Foramina 399
 Four new cases 176
 Fracture 145, 208
- Freehand 156
 Functional electrical stimulation 403
 Functional outcome 520, 577
 Fusion 429
- Gangliosides 628
 Generalised spinal cord atrophy 184
 Glycosphingolipids 628
 Grasping function 403
 Growth 118
 Gunshot wound 541
 Guttmann 602
- Hand 37
 Hardness 571
 Heterotopic ossification 370, 595
 Histology 526
 Histopathology 57
 Human 628
 Hydromyelia 184
 Hypertonia 413
 Hyperventilation 557
 Hypothermia 74
- Iceland 609
 Iliac vein compression 394
 Immunohistochemistry 57
 Inadequate calorie intake 437
 Incidence 274
 Incomplete spinal cord injury 492
 Indwelling catheter 355
 Infarction 520
 Infertility 514
 Injury 88
 Innervation 420
 Intermittent catheterisation 584
 Interval training 532
 Intervertebral disc displacement 545
 Intradural 599
 Intradural disc herniation 545
 Intradiscal disc herniation 545
 Intraspinous synovial cysts 399
 Intrathecal baclofen 413
 Intrathecal drug infusion 283
 Ischemia 520
- Kidney-calculi 286
 Kyphoscoliosis 184
 Kyphosis 429
- Laser doppler flowmetry 215

- Laser-Doppler 74
Leg pain 399
Life satisfaction 387
Ligamentum flavum 488
Locomotion 252
Locomotor training 252
Long-term follow up 599
Low back pain 269
Low back pain in spinal cord injury 237
Lumbar disc 545
Lumbar spine 449
Lumbosacral spine 269
- Macropastique 92
Magnetic resonance imaging (MRI) 223, 498
Male 420
Management 223
Manipulation 51
Maximal power output 577
Median nerve 215, 664
Metabolism 336
Methyl prednisolone 471
Migraine 223
MRI 112, 269
Multiple sclerosis 477
Muscle enzyme 526
Myelitis 471
Myelography 184, 269
Myelomeningocele 11
Myelopathy 112, 362, 520
Myxomatous 488
Myxopapillary ependymoma 449
- Nazi Germany 602
Neck injury 223
Nerve root 269
Nerve root compression 488
Neural compression 101
Neurofibroma 112
Neurogenic bladder dysfunction 161
Neurogenic bowel 204
Neurogenic bowel dysfunction 161
Neurological recovery 492
Neuropathic 256
Neuropathic bladder 92, 294
Neuropathic pain 63
Neuropathic spondylolisthesis 564
Neuroprostheses 403
Neurotransmitters 125
Normal population 505
NSAID 370
Nursing care 47
- Obesity 15
Oesophageal temperature 149
One old case 176
Organic mechanism 223
- Orthosis 252
Ossified ligamentum flavum 362
Osteoporosis 208
Outcome 118
Oxygen uptake 327
- Pacemaker 286
Pain 63, 256
Pain management 44
Paralysis 37
Paraplegia 63, 145, 149, 234, 252, 263, 455, 505, 514, 532, 633
Paravertebral abscess 554
Peak oxygen uptake 577
Pediatrics 118
Penis 420
Phantom limbs 85
Physical activity 526
Physical fitness and exercise prescription 532
Plasma transglutaminase 114
Plasma volume 149
PLMS 125
Poliomyelitis 243
Post traumatic stress disorder 381
Post traumatic syringomyelia prior to 1920 176
Post-polio syndrome 243, 526
Posterior spinal decompression 101
Posterior spinal instrumentation 101
Posterior tibial nerve 664
Posterolateral approach 482
Postural variation 564
Power Doppler ultrasonography 31
Pressure sore(s) 114, 437
Pressure ulcers 234
Prevention 88
Primary caregiver 318
Primary treatment 492
Prognosis 520
Prophylaxis 88
Prostaglandin E1 31
Protective devices 215
Proximal stenosis 362
Psychogenic paraplegia 664
Psychological factors 223
Psychology 1
PTSD 1
Publications 602
- Quadriplegia 15
Quality of life 279, 318
Questionnaire 161
- Rat 74
Reflex physiology 420
Registries 274
Rehabilitation 37, 44, 47, 223, 323, 662
- Rehabilitation medicine 577
Reproducibility 161
Respiratory 139
Review 1
Rheumatoid arthritis 554
Risk factors 274
Risk factors for coronary heart disease 134
Risk of fracture 208
RLS 125
- SCI (spinal cord injury) 1, 301, 609
SCIM 97
Scrotum 290, 442
Secondary deterioration 11
Sexual function 455
Sexuality 168, 387
Sickness Impact Profile 577
Sildenafil 637
Sleep 505
Sleep apnea syndromes 15
Sleep disorder 505
Sleep disorders 125
Smoking 263
Solitary fibrous tumor 57
Somatosensory evoked potentials 664
Spasticity 283, 413
Specific gravity 571
Sperm 514
Spinal 88
Spinal brucellosis 223
Spinal cord 57, 97, 413, 628
Spinal cord blood flow 31
Spinal cord diseases 520
Spinal cord injured patients 568
Spinal cord injuries 15, 63, 290, 514
Spinal cord injury (SCI) 23, 44, 47, 54, 74, 85, 114, 118, 208, 134, 139, 145, 149, 161, 168, 193, 204, 215, 252, 256, 274, 279, 286, 310, 318, 323, 327, 336, 355, 370, 375, 381, 387, 394, 420, 437, 442, 455, 477, 505, 541, 564, 571, 589, 595, 615, 637, 644, 650
Spinal cord lesion 294
Spinal fusion 564
Spinal nerve root compression 545
Spinal paralysis 657
Spinal subdural hemorrhage 657
Spinal tumors 449
Spine 482
Stoma 279
Stress 381, 615
Subgroups 97
Surgery 269
Surgical flaps 290
Surgical therapy 498
Surgical treatment 599
Surveillance 274

- Survival 375
Syringomyelia 184
Systemic lupus erythematosus (SLE) 549

Tension headache 228
Testis 442
Tetraplegia 37, 63, 118, 139, 156, 263, 413, 455, 505, 538, 557, 633
Thoracic stenosis 362
Thromboembolism 88
Tracheostomy 557
Trauma 381
Treatment satisfaction 44
Tuberculosis 429, 498
Tuberculous spondylitis 549
Tumors 482
Turkish population 134

Turkish spinal cord injured patients 134

Upper extremity function 118
Upper limb function 37
Urethra 290
Urethral catheter 234
Urinary bladder 394
Urinary bladder biopsies 568
Urinary catheters 584
Urinary retention 498
Urinary tract complications 584
Urinary tract infection 477
Urine collecting device 54
Urology 294
User satisfaction survey 156

Validity 161

Venous thrombosis 88
Vesico-uretic reflux 92
Vesicoureteral reflux 23
Vestibular stimulation 85
Vibrator 514
Vital capacity 139, 263
VO_{2max} 633

Waiting list, spinal cord injury 584
Walking function 403
Walking velocity 327
Warm water immersion 149
West Nile Virus 662
Wheelchair 633
Whiplash 228
WHO (World Health Organization) 609
Written information 650