

## Keyword index

- Acinonyx jubatus*, 355  
*Acraea encedana*, 161  
*Acraea encedon*, 161  
adaptive variation, 439  
*Aegilops speltoides*, 738  
AFLP, 469  
Africa, 420  
agamic species, 537  
*Alectoris chukar*, 119  
allozyme, 87, 153, 489  
allozyme electrophoresis, 243  
allozyme variation, 291  
allozymes, 94, 103, 222, 370, 395, 703  
alternative mating strategies, 675  
altruism, 1  
ammonia tolerance, 658  
amphidiploids, 167  
androgenesis, 167  
*Apis mellifera*, 420  
apoptosis, 1  
*Arenaria uniflora*, 184  
*Arisaema ehimense*, 87
- barley, 522  
barrier, 395  
B-chromosomes, 743  
beetle, 497  
bilateral asymmetry, 119  
biogeography, 54, 451  
biological invasions, 103  
body size, 459  
*Bohemanella*, 54  
bottleneck, 431  
bottleneck effect, 94  
breeding, 17  
*Brevivalvula*, 537
- capitulum ontogeny, 78  
*Capreolus capreolus*, 703  
*Caryocar brasiliense*, 60  
Caryocaraceae, 60  
chestnut blight, 134  
*Chondrostoma lusitanicum*, 253  
chromosome evolution, 303  
*Chrysemys picta*, 378  
classification, 574  
cleistogamy, 545  
combining ability, 36  
concerted evolution, 234
- conflicts, 515  
conservation, 618  
continuous habitat, 716  
control region, 355  
controlled pollination, 489  
cooperation, 1  
cormorants, 45  
courtship song, 68  
cpDNA, 537  
crayfish, 431  
crustacean, 325  
*Cryphonectria parasitica*, 134  
*Ctenomys*, 628  
*Cucurbita pepo*, 694  
cytoplasmic incompatibility, 325  
cytoplasmic male sterility, 265
- D3*, 234  
Darwinian selection, 641  
density-dependent natural selection, 658  
dentition, 685  
developmental instability, 119  
differentiation, 557  
diploid species, 87  
directional selection, 144  
dispersal, 94, 395, 598  
dispersal capability, 222  
dispersal islands, 370  
dispersal rate, 78  
distribution range, 119  
diversity, 557  
D-loop, 45  
DNA fingerprinting, 277  
DNA sequence variation, 506  
dominance, 658  
drift, 94  
*Drosophila*, 731  
*Drosophila melanogaster*, 110, 144, 206, 363  
*Drosophila montana*, 506  
*Drosophila persimilis*, 68  
*Drosophila pseudoobscura*, 68
- effective population size, 153, 609, 675  
egg thievery, 459  
EMR, 588  
endangered, 489  
endosymbiont, 325  
endosymbiotic, 497  
environmental stochasticity, 313

- epistasis, **144**  
 European phylogroups, **103**  
 European populations, **574**  
 expansion segment, **234**  
 extinction risk, **313**
- fecundity, **313**  
 fecundity, **694**  
 Felidae, **355**  
 fertile genotypes, **167**  
*Festuca X Lolium*, **167**  
 field fitness, **731**  
 founder effect, **431**  
 fragmentation, **60**  
 freshwater fish, **222**  
 fungus, **134**  
 fused, **506**
- Gasterosteus aculeatus*, **459**  
 gender dimorphism, **265**  
 gene clusters, **8**  
 gene diversity, **291**  
 gene flow, **94, 222, 243, 395, 598, 609, 694, 716**  
 genetic architecture, **144**  
 genetic correlation, **404**  
 genetic differentiation, **94, 243, 469**  
 genetic diversity, **87, 355, 469, 489, 574**  
 genetic drift, **480**  
 genetic identity, **87**  
 genetic load, **184**  
 genetic modelling, **685**  
 genetic non-equilibrium, **103**  
 genetic structure, **234, 253, 537**  
 genetic substructuring, **213**  
 genetic variability, **668**  
 genetic variation, **36**  
 genetic variation, **153, 363, 480, 545**  
 genomic in situ hybridization, **738**  
 genetics, **8**  
 germ line, **1**  
 GISH, **167**  
*Globodera* spp, **277**  
 grandsire model, **333**  
 grasshoppers, **54**  
*Grevillia*, **489**  
 group selection, **1**  
 guppy, **153**  
 gynodioecy, **265**
- habitat fragmentation, **703**  
*Heliconius charithonia*, **243**  
 heritability, **177, 363, 404, 668**  
 heterosis, **103**  
 heterostyly, **564**  
 heterozygosity, **119, 395, 439**  
 heterozygote deficiency, **342**  
 homoploid hybrid speciation, **87**  
*Hordeum*, **522**  
 host gene, **8, 17**  
 hybrid zone, **342**
- imported populations, **277**  
*in situ* hybridization, **522, 531**  
 inbred mouse, **668**  
 inbreeding, **387, 480**  
 inbreeding coefficient, **153**  
 inbreeding depression, **153, 184**  
 inferring phylogeny, **195**  
 inheritance, **177**  
 inheritance of tristily, **564**  
 inland breeding, **45**  
 insect, **303**  
 intraspecific phylogeography, **431**  
 introgression, **342**  
 intron length polymorphism, **342**  
 isolation by distance, **716**  
 isopod, **325**  
 isozymes, **557**  
 ISSR, **545**  
 ISSR-PCR, **588**
- karyotype evolution, **522**  
 kin aggregation, **213**  
 kin selection, **515**  
 KP element, **206**
- landscape resistance, **598**  
*Lemmus sibiricus*, **716**  
 Lepidoptera, **161**  
 levels of selection, **1**  
 lineage sorting, **195**  
*Lobelia siphilitica*, **265**
- maize, **743**  
 male parentage, **515**  
 male-killing, **161**  
 male-killing bacteria, **497**  
 maternal component, **110**  
 maternal transmission, **731**  
 mating frequency, **177**  
 mating system, **60, 184, 489**  
*Melanoplus*, **54**  
 metapopulation, **598**  
 microsatellite, **420, 451, 469, 609**  
 microsatellite DNA, **618**  
 microsatellite marker, **598**  
 microsatellites, **60, 213, 378, 459, 628, 703**  
 migration, **313**

- mitochondrial DNA, 54, 222, 253, 355  
 mixed mating, 134  
 molecular mapping, 8  
 morphological traits, 363  
 morphological variation, 574  
 mtDNA, 303, 420  
 mtDNA sequence, 110  
 mtDNA variation, 431  
 multiple mating, 177  
 mutational load, 480  
*Mytilus edulis*, 342  
*Mytilus galloprovincialis*, 342
- neutral evolution, 641  
 New Zealand, 303  
 non-diapausing, 588  
 non-equilibrium, 222  
 nonequilibrium population, 716  
 nonsynonymous mutations, 641  
 NOR dispersion, 291  
 NOR location, 531  
 NOR polymorphism, 531  
 NOR-site polymorphism, 291  
 nutritional stress, 363
- oca, 564  
 outbred, 333  
*Oxalis tuberosa*, 564
- P element, 206  
 parentage, 378  
 parthenogenesis, 497  
 paternity, 378  
*Pennisetum*, 537  
*Perca fluviatilis*, 213  
 Percidae, 213  
 peripheral populations, 119  
 phylogenetic tree, 439  
 phylogeny, 54, 522, 531  
 phylogeography, 45, 303, 420  
*Physalis longifolia*, 195  
*Pinus pinaster*, 469  
 plant breeding systems, 265  
*Pleistocene glaciation*, 395  
 Pleuronectiformes, 531  
 Pliocene Islands, 303  
 P-M system, 206  
 Poaceae, 738  
 polyandry, 177  
 polygenic control, 177  
 polymorphism, 412  
 polyploidy, 537  
 population analysis, 291  
 population bottleneck, 628
- population differentiation, 609  
 population genetics, 45, 420, 451, 618, 703  
 population structure, 370, 506, 545  
 Portuguese endemic cyprinid, 253  
 postglacial isolation, 609  
 postreduction, 128  
 potato virus, 8  
 potato virus, 17  
 preferential fertilization, 743  
 protein electrophoresis, 277  
 pseudoautosomal region, 128
- QTL, 333  
 quantitative genetics, 313  
 quantitative trait, 668  
*Quercus petraea*, 557  
*Quercus robur*, 557
- rainbow trout, 333, 412  
*Rana arvalis*, 598  
 RAPD, 451, 588  
 rapid evolution, 313  
 rDNA, 234, 522  
 reactive strains, 110  
 rearing habitat, 618  
 recent colonization, 716  
 relatedness, 515  
 repetitive DNA sequences, 738  
 reproductive success, 675  
 resistance, 8, 17  
 review, 17  
 RFLP, 253, 574, 588  
 ribosomal cistrons, 128  
*Rickettsia*, 497  
 ringed seal, 609  
 Rodentia, 128  
 roe deer, 703  
 rust susceptibility, 36
- S locus, 195  
 Sakishima Islands, 206  
*Salmo salar*, 675  
*Salmo trutta*, 291  
 SCAR, 412  
 Scots pine, 36  
 seed heteromorphism, 78  
 segregating population, 668  
 segregation distortion, 387  
 self-fertilization, 134  
 self-incompatibility, 134  
 selfing, 184, 545  
 sequencing, 253  
 sex chromosomes, 387  
 sex determination, 265

- sex marker, **412**  
sex ratio, **161, 515**  
sex ratio distortion, **497**  
sexual isolation, **68**  
sneaking, **459**  
social insects, **515**  
speciation, **68**  
species determination, **277**  
sperm competition, **378**  
squash, **694**  
SSCP, **45**  
SSR, **588**  
statistical tests, **641**  
stepping-stone model, **243**  
stress, **333**  
stress resistance, **167, 658**  
substitution rate, **439**  
swamping, **103**  
symbiont, **731**  
synonymous mutations, **641**
- Taiwan, **206**  
tandem repeat sequence, **277**  
tandem repeats, **355**  
tetrasomic inheritance, **564**  
thermal tolerance, **333**  
three-spined stickleback, **459**  
threshold, **404**  
tick, **234**  
tooth size, **685**  
trans alleles, **195**  
transformation, **404**  
transgenic, **17, 694**  
translocation, **1**  
trans-species polymorphism, **439**  
trans-specific polymorphism, **195**  
tributary, **618**  
*Trichoptera*, **370**  
tropical tree, **60**  
truffle, **451**  
*Tuber melanosporum*, **451**  
tuco-tucos, **628**  
twins, **685**  
twist rust, **36**
- urban fragmentation, **243**  
urea tolerance, **658**
- variability, **628**  
*Viola pubescens*, **545**  
voles, **387**
- watershed, **618**  
wild-crop hybridization, **694**  
wing shape, **144**  
wing size, **144**  
*Wolbachia*, **161, 325, 731**  
wound healing, **668**
- X-linkage, **658**
- Zea mays*, **574, 743**