

IFN β /TNF α synergism induces a non-canonical STAT2/IRF9-dependent pathway triggering a novel DUOX2 NADPH Oxidase-mediated airway antiviral response

Karin Fink^{1,2}, Lydie Martin¹, Esperance Mukawera¹, Stéfany Chartier¹, Xavier De Deken³,
Emmanuelle Brochiero^{1,4}, Françoise Miot³, Nathalie Grandvaux^{1,2}

¹Centre de Recherche du CHUM (CRCHUM), Montréal, Québec, Canada H2X 1P1; ²Department of Biochemistry, Faculty of Medicine, Université de Montréal, Québec, Canada H3T 1J4; ³Institut de Recherche Interdisciplinaire en Biologie Humaine et Moléculaire, Université Libre de Bruxelles, Campus Erasme, 1070 Brussels, Belgium; ⁴Department of Medicine, Faculty of Medicine, Université de Montréal, Montréal, Québec, Canada H3T 1J4

Cell Research (2014) **24**:509. doi:10.1038/cr.2014.39; published online 3 April 2014

Correction to: *Cell Research* (2013) **23**:673-690. doi:10.1038/cr.2013.47; published online 2 April 2013.

The authors apologized for an error in Supplementary information, Table S1. The sequence of the STAT1(2) siRNA used in the study should read as follows:

CCGCAUGGAAGUCAGGUUCUU