CORRIGENDUM

Effect of a nutrient-enriched drink on dietary intake and nutritional status in institutionalised elderly

M Manders, CPGM de Groot, YH Blauw, RAM Dhonukshe-Rutten, L van Hoeckel-Prüst, JG Bindels, E Siebelink and WA van Staveren

European Journal of Clinical Nutrition (2009) **63**, 1276; doi:10.1038/ejcn.2009.52

Correction to: *European Journal of Clinical Nutrition* (2009) **63**, 1241–1250; doi:10.1038/ejcn.2009.28; published online 20 May 2009

heading Placebo group ($n=30$) should be Placebo group ($n=13$). The correct table is shown below.

The authors apologize for any inconvenience caused.

Since the online publication of this article on 20 May 2009, the authors have identified an error in Table 3. The column

Table 3 Effect of 24 weeks nutritional intervention on dietary intake in Dutch institutionalised elderly people

Variable	Supplement group ($n=30$)			Placebo group ($n=13$)			P-value ^a
	Week 0	Week 24	Change	Week 0	Week 24	Change	
Energy intake (MJ/day)	7.17 ± 1.83	7.58 ± 1.57	0.23 ± 1.83	7.15 ± 1.39	6.59 ± 1.71	−0.56 ± 1.60	0.193
< Reference, %	30	15		38	38		
Protein (g/day)	59.9 ± 15.5	67.5 ± 14.6	6.3 ± 14.7	58.8 ± 15.4	56.7 ± 13.3	−2.1 ± 11.8	0.079
< Reference, %	6	4		8	8		
Fat (g/day)	61.4 ± 19.7	68.1 ± 17.6	4.6 ± 19.8	60.2 ± 18.8	58.0 ± 18.3	−2.2 ± 22.4	0.338
Carbohydrate (g/day)	213.4 ± 56.3	219.1 ± 48.3	1.0 ± 62.0	223.8 ± 38.8	199.5 ± 55.7	−24.3 ± 39.2	0.186
Dietary fibre (g/day)	16.3 ± 5.9	18.2 ± 4.4	1.4 ± 6.5	14.8 ± 2.4	12.9 ± 5.1	−1.9 ± 4.5	0.108
Calcium (mg/day)	840.5 ± 306.4	1114.2 ± 322.2	262.5 ± 253.7	896.6 ± 281.4	862.1 ± 214.7	−34.5 ± 213.4	0.001
< Reference, %	50	19		38	46		
Iron (mg/day)	8.0 ± 2.3	14.8 ± 3.0	6.6 ± 3.3	7.7 ± 1.5	7.1 ± 2.3	−0.7 ± 2.0	<0.001
< Reference, %	23	4		31	46		
Vitamin A RE (mg/day)	0.7 ± 0.8	1.1 ± 0.9	0.4 ± 1.2	0.5 ± 0.2	0.7 ± 0.4	0.2 ± 0.4	0.513
< Reference, %	53	30		69	54		
Thiamine (mg/day)	0.7 ± 0.2	2.2 ± 0.6	1.5 ± 0.6	0.7 ± 0.2	0.6 ± 0.2	−0.1 ± 0.2	<0.001
< Reference, %	57	4		62	69		
Riboflavin (mg/day)	1.2 ± 0.4	2.7 ± 0.7	1.5 ± 0.6	1.3 ± 0.4	1.2 ± 0.3	−0.1 ± 0.2	<0.001
< Reference, %	13	0		15	8		
Vitamin B ₆ (mg/day)	1.0 ± 0.2	2.9 ± 0.6	1.9 ± 0.7	0.9 ± 0.2	0.8 ± 0.3	−0.1 ± 0.2	<0.001
< Reference, %	60	4		62	77		
Folate (μg/day)	180.1 ± 63.1	490.5 ± 109.8	306.1 ± 120.5	170.1 ± 44.2	168.8 ± 35.3	−1.3 ± 35.6	<0.001
< Reference, %	63	4		69	77		
Vitamin B ₁₂ (μg/day)	3.2 ± 1.4	6.1 ± 2.2	2.8 ± 2.2	2.8 ± 1.1	2.6 ± 1.1	−0.2 ± 0.8	<0.001
< Reference, %	17	4		23	23		
Vitamin C (mg/day)	50.1 ± 31.4	221.0 ± 64.6	169.3 ± 67.9	63.7 ± 43.7	50.8 ± 41.2	−12.9 ± 49.6	<0.001
< Reference, %	47	4		38	62		
Vitamin D (μg/day)	3.4 ± 1.8	11.3 ± 3.3	7.8 ± 3.5	2.7 ± 1.0	2.7 ± 1.0	0.0 ± 0.8	<0.001
< Reference, %	100	33		100	100		
Vitamin E (mg/day)	9.9 ± 4.2	52.4 ± 14.8	42.2 ± 14.5	9.7 ± 3.9	7.4 ± 3.2	−2.3 ± 4.6	<0.001
< Reference, %	10	0		0	38		

Data shown as mean ± s.d.

^aDifferences between changes during 24 weeks in supplement group and placebo group. Reference value for vitamins and minerals is two-thirds of the Dutch RDA (Health Council of the Netherlands, 2000, 2001, 2003); energy: % below 6.3 MJ/day (de-Groot *et al.*, 1996).