Long-term outcomes of phakic patients with diabetic macular oedema treated with intravitreal fluocinolone acetonide (FAc) implants

Y Yang, C Bailey, FG Holz, N Eter, M Weber, C Baker, S Kiss, U Menchini, JM Ruiz Moreno, P Dugel, and A Lotery on behalf of the FAME study group

Eye (2015) 29, 1240; doi:10.1038/eye.2015.145

Correction to: *Eye* (2015) 29, 1173–1180; doi: 10.1038/eye.2015.98; published online 26 June 2015

Since the online publication of the above article, the authors have noted that the author affiliations were published incorrectly.

The correct affiliations for the authors are as follows:

Y Yang¹, C Bailey², FG Holz³, N Eter⁴, M Weber⁵, C Baker⁶, S Kiss⁷, U Menchini⁸, JM Ruiz Moreno⁹, P Dugel¹⁰ and A Lotery¹¹

¹Royal Wolverhampton Hospitals NHS Trust, Wolverhampton, UK

²University Hospitals Bristol NHS Foundation Trust, Bristol, UK

³University of Bonn, Bonn, Germany

⁴University of Muenster Medical Center, Muenster, Germany

⁵University Hospital of Nantes, Nantes, France

⁶Paducah Retinal Center, Paducah, KY, USA

⁷Weill Cornell Medical College, New York, NY, USA

⁸Università degli Studi di Firenze, Firenze, Italy

⁹University Castilla La Mancha, Albacete, Spain

¹⁰Retinal Consultants of Arizona, Phoenix, AZ, USA

¹¹University of Southampton, Southampton, UK

The authors apologise for any inconvenience caused by this error.

This error has now been rectified, and the corrected article appears in this issue. The html and online pdf versions have also been rectified, and now carry the corrected paper.