

INDEX

- agouti* in the mouse, 252
Agrostis tenuis, 445
 allelomorphs, 175
 amphidiploids, 266
 amphi-ploids, 52
 Anderson, 439
Angiosperms, 140
 antisymmetrical manifestation, 332
 apomorphic lines, 409, 415 *sqq.*
 apomixis, 415
Arctostaphylos, 73-79
 artificial insemination, 447
Aspergillus, 142
 asymmetry, 299-302, 311-316, 334
 Avery, 136
- bacteria, 135-137
 bacterial viruses, 135-137
 Barigozzi, C., 389-399
 Barker, E. M., 131-133
 Bateson, 140
 Bauer, 296
 Baur, 356
 Beach, S. A., 401-407
 Bennet, J. H., 265-283
 bent grass, 445
 biochemistry symposium, 142
 biological assay, 294-295
 biometrical genetics, 111-119
 birthweight in humans, 149
 blackberry, 409-418
 blood group antigens, 149
 blood groups in humans, 81-89, 131-133,
 137-139, 149, 361-388
 Blyth, J. S. S., 23-30, 433-434
 body weight in the fowl, 2, 12
 Bonner, J. T., 439
 bracken, 150
 Bradshaw, A. D., 445
 breeding for cereal yield, 146
 system, graphic evaluation, 239-245
 Brink, 439
 Bracic, D., 193-202
 Bröbeck, 293
 Brown, 439
 Brown Leghorns, 23-30, 433-434
 Burn, 294
 Burnet, 135
 Burns, M., 141-142
- California, 73-79
 Callan, H. G., 444
 canalisation, 297-299
- cancer, 293
 carcinoma, 446
 Cavalli, 293
 centromere, 106-110
 chaeta number in *Drosophila*, 161, 301, 311,
 320, 325, 331, 443
 Chalmers, J. N. M., 149
 chemical phenotypes, 151
 chimæra in *Chrysanthemum*, 59
 Chittenden, 356
Chlamydomonas Reinhardi, 152
 chromatid aberrations, 447
 chromosomal polymorphism, 193-202
 chromosome behaviour, 49-58, 203-217
 morphology in *Triticum*, 204-205
 mosaics, 214
 numbers of *Coleoptera*, 31-48
 chromosomes, *Chrysanthemum*, 59-72, 219-226
 Microtus agrestis, 227-238
Chrysanthemum, atratum, 219-226
 garden varieties, 59-72
 clover, 151
Coleoptera, 31-48
 components of variation, 121-125
Composite, 445
 Comstock, 440
 Cooper, J. P., 152
cornea in *Drosophila*, 391 *sqq.*
 correlated response, 13
Cosmos bipinnatus, 445
 Coulson, 135
 crab, 334
 Crow, 440
 Crowe, L. K., 445
 cryptic gains from selection, 14
 culture variation, 154, 309, 315
 cytoplasm, 429-431
 cytoplasmic control, 337-359
 determinant, 356, 357
- Da Cunha, 193-202
 Daday, H., 151
 Dale, W. M., 142
 Darwin, 140
 Davis, 135
 Delbrück, 135
 Demerec, 135
 developmental stability, 297-336
 dichogamy, 239
 diet variation in the mouse, 447
 Di Pasquale, A., 389-399
 Dobzhansky, T., 73-79, 151, 440
 dog genetics, 141
 dominance reduction, 435-437

INDEX

- double reduction, 285-292
 Dowrick, G. J., 59-72, 219-226
 drift, 182, 326
Drosophila, 150, 153, 193, 247, 295, 299 *sqq.*
 389, 440, 443, 446
 evolution, 295-296
 Duffy group, 138
 Dunn, L. C., 444
- egg mass in the fowl, 1, 9
 number in the fowl, 1, 8, 23-30
 electrophoresis, 150
 elliptocytosis, 149
 embryology of *Angiosperms*, 140-141
 environmental control, 337-359
 equilibria under natural selection, 97-102
 in populations, 151, 185-192
Escherichia coli, 135
 euchromatic genes, 389-399
 evolution in *Drosophila*, 295-296
 Ewart, J. C., 141
eyeless in *Drosophila*, 299
- Finney, D. J., 294-295
 Fisher, R. A., 81-89, 91-95, 137, 151, 260
 fitness, 17
 fowl, 1-21, 23-30, 433-434
 Frankel, 146
 Fyfe, V. C., 285-292
- gametophyte, 213
 Gates, R. R., 296
 gene interactions, 444
 genetical system, 97-102
 genome, 55, 390
 Gloor, H., 150
 Goodwin, 294
 Gopal-Ayengar, A. R., 446
 Gowen, J. W., 440
 graphic evaluation, 239-245
 Gray, L. H., 142
- Haigh, J. C., 147-148
 Haldane, 151
 half-sib mating, 174, 177
 hamster, 446
 Haque, A., 429-431
 Harrison, B. J., 153-164
 Hartshorne, J. N., 152
 Haskell, G., 239-245, 409-418
 Hayman, B. I., 121-125, 165-183, 185-192
 Heitz, 296
 Henshaw antigen, 149
 heterochromatic genes, 389-399
 heterochromatin, 228
 heterosis, 146, 439-440
 hexaploids, 266, 447
- hexasomic inheritance, 265-283
 Hicks, 1
 Hinshelwood, 136
 Hollaender, 142
 homozygotes in populations, 165-183, 185-192
 Horne, F. R., 144-146
 house mouse, *see* mouse
 Hovanitz, W., 440
 Hull, 440
 human birthweight, 149
 blood groups, 81-89, 131-133, 137-139,
 148, 361-388
 Hunter antigen, 149
 hybrids, interspecific, 444
 natural, 73-79
 in *Arctostaphylos*, 73
 in *Triticum*, 49-58, 419-428
- Ikin, E. W., 131-133, 149
 imperforate anus, 444
 improved stocks in plant breeding, 144-146
 inbreeding degeneration, 12
 in populations, 165-184
 in the fowl, 1-21
 incompatibility in bracken, 445
 in *Composite*, 150
 inflorescence development, 152
 instability in development, 299
 interspecific hybrids, 444
 inversion in *Drosophila*, 193 *sqq.*
 Irwin, 439
 isochromosomes, 211
- Jackson, A. R. H., 446
 Johannsen, 140
- Kallman, F. J., 296
 Kell System, 138
 Kosambi formula, 103 *sqq.*, 247 *sqq.*
- lampbrush chromosomes, 234-236
 Lawler, S. D., 149
 Lawrence, W. J. C., 148
 Lea, 135
leaden in the mouse, 91-95
 Lederberg, J., 135-137, 448
 Leghorns, 23-30, 433-434
 Lewis, D., 143-144, 337-359, 445
 Lidforss, 409
 linkage in hexasomic inheritance, 265-283
 in man, 149
 in the mouse, 91
 linkage, multiple, 247-264
 sex, 306, 324
Lolium, 152
 Luria, 135

- Lycopersicon esculentum*, 143, 337, 445
 Lysenko, 141
Lythrum salicaria, 285-292
- Maheshwari, P., 140-141
 maize, 239 *sqq.*
 major genes, 393, 397-398
 Mangelsdorf, A. J., 440
 Mangelsdorf, P., 439
 Manzanita bushes, 73-79
 mass selection, 443
 Mather, K., 165-183, 293, 296, 297-336
 mating systems, 167
 meiosis in *Chrysanthemum*, 62-63, 219-226
 in embryo sac mother cells, 213
 in *Microtus*, 230-236
 in pollen mother cells, 205
 Mendel, 140
 Michie, D., 444
 microbial genetics, 135-137
 microbiology, 142
 micronuclei, 213
Microtus agrestis, 227-238
 milk production, 447
 misdivision in *Triticum*, 446
 mitosis, 69-71, 229, 429-431
 Mollison, P. L., 137
 monosomics in wheat, 203-217
 Morgan, 140
 morphogenesis, 439
 Morrison, J. W., 203-217, 419-428, 446
 mosaics, chromosomal, 214
 Mourant, A. E., 131-133, 137, 149
 mouse, 91-95, 103-110, 252, 435-437, 444,
 446, 447
 multiple linkage, 247-264
 Murphy, D. P., 293-294
Mus musculus, *see* mouse
- natural hybrids, 73-79
 selection, 97-102
 Nelder, J. A., 111-119
 Newcombe, 135, 142
 newt, 444
Nicotiana rustica, 293
 nuclear control, 337-359
- Oenothera*, 141, 182
 oligogene, 393-399
 Ostenfeld, 409
 oval red cells, 149
 overdominance, 440
 Owen, A. R. G., 97-102, 103-110, 151,
 247-264
- pallid* in the mouse, 252
 Palmer, T. P., 127-129
 parent-offspring mating, 173, 177
 parthenogenesis, 409
- Patterson, J. T., 295-296
 pausing in poultry, 23, 26-30
 pentaploids in wheat, 419-428
 phage, 448
 phenocopy, 447
 phylogenetic relationship, 55
 physiological limit, 434
 plant breeding, 143-144
 new techniques, 148
 reproduction of stocks, 144-146
 plasmagene, 324, 356
 pleiotropism, 396
Pneumococcus, 136
 pollen formation, 419-428
 grains, 209-213
 polydactyly in the mouse, 91-95
 polygenes, 318, 328-329, 391, 395-398, 416
 polygenic inheritance, 111
 polymorphism, 182, 193-202, 334
 population equilibrium, 151
 Welsh, 401-407
 precentric cells, 219
 protandry, 239
 protogyny, 239
Pteridium aquilinum, 150
- quantitative characters in *Drosophila*, 389-
 399
 inheritance, 293
 variation, 409-418
- rabbit, 150
 Race, R. R., 137-139
 radiation microbiology, 142
 random mating, 98, 175, 177, 185-192
 rat, 446
 recessive mutations, 444
 reciprocal crosses in *Drosophila*, 305, 322
 Reeve, E. C. R., 443
 Rendel, J. M., 447
 Renner, O., 141, 152
 Revell, S. H., 447
 Rhoades, 439
 Richardson, E. C., 150
 Roberts, J. A. F., 361-388
 Robertson, A., 447
 Robertson, F. W., 443
 Robinson, 440
 Robson, E. B., 149
 rogue tomato, 337-359
Rosa wilsonii, 447
Rubus nitidiorides, 409-418
 ryegrass, 152
- Sachs, L., 49-58, 227-238
Salmonella, 448
 Salzano, F. M., 193-202
 Sanger, R., 137-139

- sarcoma, 446
 Scheinfeld, A., 139-140
 Searle, A. G., 447
 secondary sex character, 153-164
 segregation, 433-434
 selection, 153-164
 in the fowl, 1-21
 modes of, 178
 self-fertilised crops, 127-129
 selfing, 167, 175
 sex character, 153-164
 sex chromosome in *Coleoptera*, 32
 in *Micrathena*, 227-238
 in the mouse, 103-110
 shank length in the fowl, 2, 12, 433-434
 Shona tribe, 131-133
 Shull, 439
 Shultz, F. T., 1-21
 sib-mating, 121-125, 170, 177
 Smith, G., 31-48
 South American *Drosophila*, 193-202
 Southern Rhodesia, 131-133
 species hybrids with *Triticum*, 49 *sqq.*
 Spencer, 140
 sports, 59 *sqq.*
 Sprague, 440
 stability in development, 297-336
 of phenotype, 445
 statistical methods, 294-295
 models, 111-119
 Steven, 308
 Stocker, B. A. D., 448
 Stone, W. S., 295-296
 subsexual reproduction, 409
 survival rates, 178
 Swanson, 142
- Tarsometatarsus* in the fowl, 2, 12, 433-434
 taste blindness, 401-407
 Taylor, G. L., 137
- tetrads, 422
 tetraploids, 55, 285, 349
 tetrasomic inheritance, 265
 Thoday, J. M., 329
 tomato, 143, 445
 rogue, 337-359
 transgressive breeding, 127
Trifolium, 151
Triticum, 49-58, 203, 419-428, 446
Triturus, 444
 tumour cytology, 446
- Uca*, 334
 undulated in the mouse, 252
 uterine cancer, 293-294
- variance components, 121
 variety testing, 147
 vegetative reproduction, 409
Vicia, 447
 vigour in plants, 411
 Vines, 293
 vole, 227-238
- Wallace, M., 435-437
wellhaarig in the mouse, 252
 Welsh populations, 401-407
 wheat, 49-58, 419-428, 446
 monosomics, 203-217
 Whitehouse, R. N. H., 146-147
 Wilkie, D., 150
 wing hairs in *Drosophila*, 390-399
 size in *Drosophila*, 331, 390
 Woolf, B., 293, 444
 Wunderly, C., 150
 Wylie, A. P., 447
- Zinder, H. D., 448
 Zirkle, 142, 439