

INDEX

- ABH substance, 513
Acacia, 199-212
 accentrics, 5 *sqq.*
 acrocephalosyndactyly, 525
 adaptation, 169, 252, 253
Ethionema, 239, 246
 affinity, 459 *sqq.*
 ageing, 1 *sqq.*
Agilops, 301 *sqq.*
 albuminiferous glands, 225
Allium, 3, 196
 allotetraploid, 240
Alopecurus, 122
 amnion, 215
Amphidasys, 51
 amphidiploids, 301 *sqq.*
 anatomy, comparative, 271
 anencephaly, 525
 aneuploids, wheat, 396
 aneuploidy, 228
 animal breeding, 499
 anthers, abnormal, 346
 antigen-antibody system, 233, 244
 antigens, 141
Antirrhinum, 24, 236, 243, 245
 apomixis, 247
 ascospore, 256
 ascus, 373 *sqq.*
 Ashton, J. C., 527
Aspergillus, 326, 329, 393
 asymmetry, sternopleural, 402 *sqq.*
 autotetraploid, 116, 250
 Avdulov, 441
- backcross, 89, 199, 240
 back-mutation, 262, 265
 balance, 195, 201 *sqq.*
 balanced lethal, 247 *sqq.*
 Barber, H. N., 1-25
 barley, 494
 Barnett, S. A., 398, 521
 Bateman, A. J., 213-232, 467-475
 Bateman, N., 394
 Bates, M., 139
 behaviour, 463
 Benoit, 522
 biotic potential, 211
Biston, 51 *sqq.*
 Blank, C. E., 525
 blood group, ABO
 Lewis, 513, 514
 Lutheran, 513
 blood type, sheep, 142
 Bodmer, W. S., 363
 body size, 213
 Bradshaw, A. D., 143
Brassica, 240, 417 *sqq.*
- breeding season, 349
 Brian, P. W., 143
 Briggs, F. N., 521
 Brix, K., 441-452
 buffering, 412
Bythoscopus, 210
- Campanula*, 130, 252
 canalisation, 401, 404, 413
 cancer, 268
 Cannon, H. Graham, 271
Capsella, 239, 242
Capsicum, 234, 243
 Carter, G. S., 271
 Caspersson, T., 522
 Cattenach, B. M., 141
 cell, abnormal division, 444
 multinucleate, 422 *sqq.*
 size, 441
 centromere, 2, 12, 90, 91, 141, 458
 daughter, 115
 subterminal, 114
 centrotype, 459
 certation, 340 *sqq.*
 chaeta number, 401
 Chapman, V., 301
 chiasma, 101 *sqq.*, 429 *sqq.*, 445
 formation, 101, 459
 frequency, 101, 111, 122, 201, 457, 459
 chimaera, 200
 chlorosis, 200, 209
 chorion, 217
 chromatids, 115
 chromatographic methods, 144
 chromosome, acentric, 467
 acrocentric, 141
 addition, 301, 396
 arms, 90
 association, 445, 446
 behaviour, 101 *sqq.*, 127 *sqq.*
 breakage, 1 *sqq.*, 114, 115, 213 *sqq.*, 468,
 495
 bridge, 229
 chain, 189
 coorientation, 445, 446
 deficiency, 250, 468
 deletion, 248
 disjunction, 189, 201
 frequency, 127, 129, 130
 duplication, 250, 467
 helix, 13
 inversion, 480
 bridge, 445, 446
 lagging, 443, 447, 450
 mapping, 91 *sqq.*, 429
 metacentric, 39, 141
 morphology, 309

- chromosome, nucleolar, 127
 number, 141, 201, 441, 443
 pairing, 189, 201
 polymorphism, 141
 rearrangement, 213
 ring, 189 *sqq.*, 238
 sticky, 445, 449, 450
 supernumerary X, 196
 telocentric, 468
 thread, 114
 trabant, 10
 X-, 189
 cistron, 329
 Clark, J. Le Gros, 521
 Clausen, R. E., 301
 cleavage abnormalities, 214
 Clelland, 251
 clonal variation, 444
 clone; 441
 cochlea, 465
 Coleman, E. M., 398
 colicinogeny, 525
 competition, 154
 complementary genotypes, 79, 85
 component of variation, additive, 477 *sqq.*
 non-additive, 477 *sqq.*
 contagion factor, 21-23
 Cooper, J. P., 400
 Copp, L. G., 385, 390
 corpus luteum, 214 *sqq.*
Cosmos, 242
Crepis, 242
 crop improvement, 393
 Crosby, J. L., 399
 crossability, interspecific, 337
 cross fertilisation, 117, 122
 cross pollination, 113, 119, 121, 341, 343, 349
 Crowe, L. K., 233-256
 cytochemistry, 137
 cytochrome deficiency, 258
 cytology, 113
 cytoplasm, 1, 493 *sqq.*
 cytoplasmic inheritance, 345, 354
 variation, 393

 Daday, H., 169-184
 Danielli, 522
 Darwin, C., 139, 271, 521
 Darwin, E., 521
Datura, 342
 Davies, D. R., 393
 deafness, mouse, 463 *sqq.*
 de Beer, Sir G., 521, 522
 deciduoma, 214 *sqq.*, 467 *sqq.*
 dehydrogenase, 234 *sqq.*
 Deiter's cells, 465
 deletions, 13
 Deol, M. S., 463-476
 diakinesis, 114
 diallel cross, 102, 381 *sqq.*, 477 *sqq.*
 differentiation fluids, 405
 diffusion process, 43
 disjunction, 127

 disruptive selection, 398
 distribution, binomial, 217
 Eulerian, 20
 gene frequency, 142
 geographical, 144
 negative binomial, 18, 19, 20
 Poisson, 2, 18, 19, 469
 Polya, 22
 rectangular, 8
 DNA, 138
 labelled, 227
 Dobzhansky, Th., 37-49, 521
 dominance, 242, 408, 478
 effects, 371 *sqq.*
 interaction, 73 *sqq.*
 dominant lethal, 467 *sqq.*
 dosage time, 1
 Dowrick, G. J., 393
Draba, 239
Drosophila, 1, 27 *sqq.*, 111, 196, 213, 230, 231,
 250, 361, 401 *sqq.*, 458, 478, 496
 species, 37 *sqq.*
 dwarfism, genetic, 143

 ecology, 253
Ectropis, 60
 Edwards, J. H., 525
 Edwards, R. G., 141
 egg, mouse, 467 *sqq.*
 production, 285 *sqq.*
 Elliott, C. G., 398, 429-439
 embryo sac, 247
 embryonic death, 407 *sqq.*
 endosperm, 480
Endymion, 431, 436
 environmental, deterioration, 145
 variation, 217
 enzyme, activity, 321
 extraction, 317
 Ephrussi, B., 258, 266
Epilobium, 238, 248
 epistacy, 371 *sqq.*, 478
Eriophila, 239
Erysiphe, 307
Eucalyptus, 177
Euchlaena, 495
Eustreptocarpus, 333
 Evans, J. V., 142
 evolution, 136, 145, 233, 252, 271
 excretion, ethanolamine phosphate, 395
 expressivity, 427

 Falconer, D. S., 456
 fermentation, 373
 fertility, 123, 188, 200, 285 *sqq.*, 337
 fertilisation rate, 142, 214 *sqq.*
Festuca, 449
 Fincham, J. R. S., 317
 Finney, D. J., 399
 Fisher, Sir R. A., 133-135, 370
 fitness, 253
 internal, 153
 sex difference, 155

- flowering date, *Nicotiana*, 490
 foetal death, 214 *sqq.*
 resorption, 214
 Ford, C. E., 141
Fragaria, 495
 Fyfe, V. C., 370
- Gale, J. S., 97-100
 gametic elimination, 208 *sqq.*
 gametophytic homomorphy, 233 *sqq.*
 gamete formation, 358
 gene, action, 480
 additive, 371 *sqq.*, 412
 autosomal, 97 *sqq.*
 complexes, unbalanced, 413
 conversion, 273, 283, 319
 dominant, 418
 enzyme relationships, 317
 flow, 51, 395
 frequency, 169 *sqq.*
 cline, 169
 inhibitor, 427
 interaction, 282, 414
 modifying, 64, 427
 multiple, 282
 stability, 412
 general combining ability, 477, 483
 generation, effect, 373
 matrix, 97 *sqq.*
 time, 146 *sqq.*
 genetic, instability, 257
 value, 499
 genotype, complementary, 79, 85
 environment interaction, 412
 ordered, 146 *sqq.*
 germ cells, mouse, 213 *sqq.*
 germination, 7
 date, *Primula*, 399
 gestation length, 214
 Gilbert, N. E. G., 477-492
 Gildenhuis, P., 441-452
 Gilmour, D. G., 141
 Glavinic, 522
 Glushenko, 522
 glutamic dehydrogenase, 317 *sqq.*
Godetia, 234, 248
 Goodwins, I. R., 73-75
 Goossens, A. P., 441
 graft hybrid, 522
 growth, twin cattle, 396
- Hamerton, J. L., 141
 Hamilton, H., 391
 haploid, 3
 haplont, 154
 Harland, S. C., 27-36
 Harris, H., 142, 144, 395
 hatchability, 285 *sqq.*
 Hawthorne, D. C., 273
 Hayman, B. I., 371
Haynaldia, 302
 heritability, 413, 414
 hermaphroditism, 143
- Heslop-Harrison, J., 143
 heteroalleles, 330
 heterocaryon, 320 *sqq.*
 complementarily, 326
 forced, 322, 324
 heterochromatin, 2, 3, 12, 189, 344, 482, 486
 heterogeneity, genetic, 401
 tests, 359
 heterosis, 34, 36 *sqq.*, 343, 344, 381 *sqq.*, 482, 486
 index, 344
 mice, 398
 single gene, 397
 heterostyly, 233
 heterozygosity, 401
 heterozygote, double, 127, 128
 interchange, 127, 128, 185 *sqq.*
 inversion, 37 *sqq.*, 46, 115
 Hiraizumi, T., 154
 Hoffmann, F. W., 522
 homeostasis, 47, 312, 401 *sqq.*
 homostyle, 363
 homozygosity, 401, 411
Hordeum, 241, 493 *sqq.*
 Hubbard, 441
 Humphrey, P. S., 139
 Hutchinson, Sir J., 523
 Huxley, T. H., 521
Hyacinthus, 433
 hybrid, structural, 185
 hybridity, optimum, 193
Hymenocallis, 449
Hyoscyamus, 348
Hypericum, 252
 hypophosphatasia, 395
- Iberis*, 239
 illegitimacy, 369
 implantation, mouse, 214, 467
 reaction, 214, 215
 inbred lines, 101
 inbreeding, 107, 141, 146, 153, 185, 195, 253, 401, 454, 459, 480, 481, 505
 coefficient, 42, 286, 288
 depression, 33, 124
 double cousin, 97 *sqq.*
 intra-generation, 285
 uncle-niece, 97 *sqq.*
 incompatibility, self, 118, 123, 233 *sqq.*
 unilateral interspecific, 233 *sqq.*
 interaction, genetical, 477, 478
 genotype-environment, 412
 statistical, 477, 482 *sqq.*
 intercept length, 90, 361
 interference, 78, 89 *sqq.*, 357 *sqq.*
 function, 91
 interspecific cross, 199
 inversion, heterozygous, 46
 polymorphism, 46, 47
 irradiation, 1 *sqq.*, 213 *sqq.*, 469 *sqq.*
 dose dependence, 474
- Jackson, A. R. H., 27-36

- Jackson, W. D., 1-25
 Jamieson, A., 395
 Jardine, R., 499
 J character, 395
 John, B., 185-197
- Kalmus, H., 391
 kappa factor, 496
 karyotype, 38, 39, 47
 Kettlewell, H. B. D., 51-72
 Killick, D., 441
 Kimura, M., 145-167
 King, J. W. B., 142
 Kitchin, F. D., 144
 Kocher, W., 463-466
 Kosambi coefficient, 89, 360, 361
Kotochalia, 210
- Lamarck, 271, 521
Lathyrus, 122
 latin square, 357, 360, 486
 Lawrence, C. W., 127-131
 Lawrence, W. J. C., 333
Layia, 242
 leaf, area, 344
 characters, *Acacia*, 199 *sqq.*
Lepidium, 239
 lethal, 199, 469
 dominant, 213 *sqq.*
 imitation, 247
 mechanical, 469
 recessive, 213
 Levene, H., 37-49
 Lewis, D., 233-256
 Lewis, K. R., 185-197
 Lima bean, 490
 linkage, 77 *sqq.*, 111, 134, 146, 163, 195,
 196, 207, 381
 group V, mouse, 357
 group XII, mouse, 453 *sqq.*
 Lutheran-secretor, 513
 quasi-, 459, 460
- Linum*, 240
 litter size, 213, 214, 467
 locus, homologous, 427
Locusta, 196
Lolium, 449
Lycium, 239, 245
Lycopersicum, 234, 243, *sqq.*
Lygidolon, 210
- Macer, R. C. F., 307
 MacRae, 521
 Malthus, T. R., 521
 maltose, 278
 Markoff chains, 43, 44
 matings, brother-sister, 141
Matthiola, 417
 maximum likelihood, 481
 McBride, G., 395
 McLaren, A., 394
 melanism, industrial, 51 *sqq.*
 meiosis, 190 *sqq.*, 201, 227, 430, 444 *sqq.*
 abnormal, 449, 450
 merogon, 497
 Michie, D., 394, 521, 522
 micronucleus, 443, 449, 467, 468
 migration, 30
 missing plot technique, 480
 mitosis, 3, 114, 189, 441 *sqq.*
 abnormal, 444, 448, 449
 C-, 10
 Moffett, A. A., 199-212
 Moncrieffe, I., 139
 Monte Carlo methods, 45
 morphology, yeast colony, 257-270
 mouse, 213-232, 394, 453 *sqq.*, 463 *sqq.*, 467
 sqq.
 head tossing, 463
 mutants, 99, 453
 Mowl, M., 370
 multiple allelomorphs, 241, 253, 479
 mustard gas, 1, 3
 mutagen, 1, 213, 258
 mutagenic sensitivity, 213-232
 mutation, 1, 213 *sqq.*, 233 *sqq.*, 259 *sqq.*,
 261, 328, 355, 414, 427
 in crop plants, 393
 induced, 393
 rate, 60 *sqq.*, 472 *sqq.*
 muton, 329
- natural selection, 64, 145-167, 442, 522
Neurospora, 1, 317
Nicotiana, 209, 245, 301, 377 *sqq.*, 490, 491,
 495
 Nixon, K., 199-212
 non-disjunction, 189
 non-reduction, 247
 nucleic acids, 137, 138
- Oenothera*, 127, 130, 195, 233 *sqq.*
 Oparin, A. I., 136
 organ of Corti, 465
 origin of life, 136
 otolith, 465
 outbreeding, 459, 460
 mechanisms, 252
 outcrossing, 77, 366, 369
 ovary, 417
 overpopulation, 145, 164
 ovulation, 213
 Ozeki, H., 525
- Pachys*, 51
Paeonia, 194
 palæontology, 271
 Palmer, L. S., 139
 Palmer, T. P., 417-428
Papaver, 245
Paramecium, 1, 496
 parameter, Mathusian, 145-147
 Parsons, P. A., 77 *sq.*, 357
 parthenogenesis, male, 493
 Pateman, J. A., 317
 penetrance, 423, 428
Pennisetum, 441 *sqq.*

- Penrose, L. S., 144
Periplaneta, 185-197
Petunia, 233, 244
Phalaris, 241
Phleum, 241
Phanicochloa, 52
 photosynthesis, 137
Pisum, 177, 252
 placenta, 214, 215
 plant height, *Nicotiana*, 491
 pleiotropy, 111, 207
 polarisation, 2, 12
 pollen, germination, 238
 grain size, 341, 342, 355, 447
 mother cell, 229, 433, 444, 445
 tube growth, 235 *sqq.*
 pollination, natural, 336
 polygenic inheritance, 367
 polymer formation, 136
 polymorphism, 46, 55, 65, 141
 β -globulin, 527
 balanced, 64 *sqq.*, 70
 chromosomal, 37, 40
 polyploidy, 441, 450
 population, effective size, 42
 fitness, 145-167
 size, 42
 variability, 160
 position effect, 248
 potence, 484
 Pottinger, D., 139
 poultry, 141, 285, 509
Primula, 241, 363-370
 production index, 287 *sqq.*
 progeny test, 509
 prototrophs, yeast, 257, 270
Prunus, 246, 251
 pseudopregnancy, 213 *sqq.*
 pseudowilds, 318
Puccinia spp., 307

 Race, R. R., 513
 radiation, 1, 139
 random mating, 149, 151
 population, 481
Raphanus, 240, 417
 reciprocal, cross, 234 *sqq.*, 423, 477
 difference, 234
 interchange, 248
 recombination, 46, 77, 83, 88 *sqq.*, 107, 414,
 429, 468
 Aspergillus, 398
 double, 90
 estimation, 360, 361
 fraction, 87, 163
 super, 93
 value, 88, 453 *sqq.*
 recon, 329
 Rees, H., 101 *sqq.*, 522, 523
 Reeve, E. C. R., 397
 Reisig, J. L., 317, 397
Rhæo, 130, 195, 252
Ricinus, 177

 Riley, R., 301, 396
 Robson, E. B., 144, 395
 Rolph, C. H., 139
 Roper, J. A., 393
 roundworm, sheep, 397
 Rowlands, D. G., 113 *sqq.*
 rye, 101 *sqq.*, 127 *sqq.*, 195
 ryegrass, 400

Saccharomyces, 257-270, 273
 sacculus, 465
 Sachs, L., 522
 saliva, 513 *sqq.*
Salmonella, 525
 Sanger, R., 513
 scaling, 406
Secale, 122, 241, 303 *sqq.*
 seed setting, 337
 seed size, lima bean, 490
 segmental functions, 361
 segregation, 141, 479
 artificial, 146, 399
 selection, 127 *sqq.*, 161 *sqq.*, 257 *sqq.*, 401
 sqq., 459, 481
 coefficient, 145
 for heterozygosity, 185 *sqq.*
 for lactation, 394
 natural, 142, 143
 pressure, 63
 stabilising, 402
 selective, advance, 510
 advantage, 71
 potential, 177
 value, 146
 self, duplication, 137
 fertility, 156
 fertilisation, 119
 incompatibility, 118
 pollination, 107, 119, 127, 341, 343, 349
 selfing, 124, 199, 418
Senecio, 242
 sex difference, 77
 shattering, grain, 385
 Shepherd, P. M., 522
 Sheppherd's correction, 368
 sib tests, 509
 significance, tests, 133
Silene, 143
 skeletal morphology, 394
 Snell, G. D., 459
Solanum, 234
 somatic mutation, 268
 species, cross pollinating, 113
 outbreeding, 108
 speciation, *Streptocarpus*, 352
 specific combining ability, 477
 spermatogenesis, 141, 213
 sperm storage, 225
 spindle abnormalities, 448 *sqq.*
 sporophytic homomorphy, 233 *sqq.*
 Srb, A. M., 257-270
 stability, 435
 developmental, 412

- stability, phenotypic, 143
 Stephenson, E., 390
 sterility, 141
 male, 143
 semi-, 195, 209, 467
 stochastic indeterminacy, 156
 Stocker, B. A. D., 525
Streptocarpus, 333 *sqq.*, 352 *sqq.*
 Stubbe, H., 522
 supergene, 354, 355
 superovulation, spontaneous, 217

 Taylor, St C. S., 396
 Tebb, G., 285
 tectorial membrane, 465
 temperature effect, winter, 169 *sqq.*
 terminalisation, 195
 Thoday, J. M., 313, 321, 398, 401 *sqq.*
 Thompson, J. B., 101 *sqq.*, 399
 tomato, 377 *sqq.*, 478, 491, 492
Tradescantia, 2, 252
 transition function, 21
 translocation, 141-144, 467
 heterozygosity, 217
Trifolium, 246 *sqq.*
 population, 169 *sqq.*
Trillium, 3
Triticum, 2, 303 *sqq.*
Triton, 497
Tulipa, 3

 univalent, 189
 Unrau, J., 396
 Urey, 136

 vaginal plug, 225
 variation, additive, 146 *sqq.*
 dominance, 145 *sqq.*
 environmental, 201, 429 *sqq.*
 epistatic, 145 *sqq.*
 genetic, 145 *sqq.*, 432
 internuclear, 433
 interspecific, 202
 phenotypic, 143
 population, 146
 Vavilov, N. I., 523
 viability, 79, 82
Vicia, 11, 113 *sqq.*

 Wallace, M. E., 453 *sqq.*
 Warren, F. L., 142
 Williams, G. J., 393
 Williams, W., 523
 wheat, 377
 Wheaton-Smith, C., 392
 Whitehouse, R. N. H., 393, 399
 Woolf, B., 526
 Wright, S., 154

 X-ray sensitivity, 1

 yield, maize, 489, 490
 tomato, 491, 492
 wheat, 399

Zea, 252, 449, 478, 489, 490
 zygotic elimination, 208 *sqq.*