

## Author Index

- Abbott, R. J. *see Irwin, J. A.*
- Allen Orr, H. *see Braverman, J. M.*
- Barrett, S. C. H. *see Husband, B. C.*
- Baruffi, L. *see Malacrida, A. R.*
- Baur, A. *see Baur, B.*
- Baur, B. & Baur, A. Reduced reproductive compatibility in *Arianta arbustorum* (Gastropoda) from distant populations 65
- Bazin, C. & Silber, J. Vestigial suppressor genes and resistance to aminopterin in *Drosophila melanogaster* 473
- Benito, C., Romera, F., Díez, N. & Figueiras, A. M. Genic heterozygosity and fitness in rye populations with B chromosome 406
- Beniwal, B. K., Hastings, I. M., Thompson, R. & Hill, W. G. Estimation of changes in genetic parameters in selected lines of mice using REML with an animal model. 1. Lean mass 352
- Beniwal, B. K., Hastings, I. M., Thompson, R. & Hill, W. G. Estimation of changes in genetic parameters in selected lines of mice using REML with an animal model. 2. Body weight, body composition and litter size 361
- Birmingham, E. *see Zeh, D. W.*
- Bidau, C. J. *see Mirol, P. M.*
- Bilton, D. T. Genetic population structure of the Postglacial relict diving beetle *Hydroporus glabriusculus* Aubé (Coleoptera: Dytiscidae) 503
- Braverman, J. M., Goñi, B. & Allen Orr, H. Loss of a paternal chromosome causes developmental anomalies among *Drosophila* hybrids 416
- Brookfield, J. The effect of population subdivision on estimates of the likelihood ratio in criminal cases using single-locus DNA probes 97
- Cabrero, J. *see López-León, M. D.*
- Callow, R. S. *see Ferris, C.*
- Camacho, J. P. M. *see López-León, M. D.*
- Carracedo, M. C. *see Casares, P.*
- Carter, R. E. *see Wetton, J. W.*
- Carton, Y., Frey, F. & Nappi, A. Genetic determination of the cellular immune reaction in *Drosophila melanogaster* 393
- Casares, P., Carracedo, M. C., Piñeiro, R., San Miguel, E. & Garcia-Flores, L. Genetic basis for female receptivity in *Drosophila melanogaster*: a diallel study 400
- Chalmers, K. J., Waugh, R., Sprent, J. I., Simons, A. J. & Powell, W. Detection of genetic variation between and within populations of *Gliricidia sepium* and *G. maculata* using RAPD markers 465
- Chapco, W., Kelln, R. & McFadyen, D. A. Intraspecific mitochondrial DNA variation in the migratory grasshopper, *Melanoplus sanguinipes* 547
- Coates, D. J. Genetic consequences of a bottleneck and spatial genetic structure in the triggerplant *Stylium coroniforme* (Stylidiaceae) 512
- Coates, D. J. & Sokolowski, R. E. S. The mating system and patterns of genetic variation in *Banksia cuneata* A. S. George (Proteaceae) 11
- Coffroth, M. A. *see Zeh, D. W.*
- Colgan, D. J. Interspecific isozymic substitution is not random 150
- Colombo, P. C. A new index for estimating genetic recombination from chiasma distribution data 412
- Conner, J. & Via, S. Natural selection on body size in *Tribolium*: possible genetic constraints on adaptive evolution 73
- Cook, L. M. The neutral assumption and maintenance of colour morph frequency in mangrove snails 184
- Costa III, J. T. *see Shoemaker, D. D.*
- Cullis, C. A. *see Govindaraju, D. R.*
- Cumbes, Q. J. *see Macnair, M. A.*
- Damgaard, C. & Loeschke, V. Partial selfing as an optimal mating strategy 289
- Day, T. H. *see Gilburn, A. S.*
- Di Castro, M. *see Volpi, E. V.*
- Díez, N. *see Benito, C.*
- El Agoze, M., Lemeunier, F. & Periquet, G. Mitotic and salivary gland chromosome analyses in the *Musca domestica* L. (house fly) (Diptera: Muscidae) 57
- Equiarte, L. E., Perez-Nasser, N. & Piñero, D. Genetic structure, outcrossing rate and heterosis in *Astrocaryum mexicanum* (tropical palm): implications for evolution and conservation 217
- Ferguson, M. M. *see Hutchings, J. A.*
- Ferris, C., Callow, R. S. & Gray, A. J. Mixed first and second division restitution in male meiosis of *Hierochlöe odorata* (L.) Beauv (Holy Grass) 21
- Figueiras, A. M. *see Benito, C.*
- Foster, S. P. *see Gilburn, A. S.*
- Fowler, K. *see Santos, M.*
- Frey, F. *see Carton, Y.*
- Garcia-Flores, L. *see Casares, P.*
- Garrido-Ramos, M. A., Jamilena, M., Lozano, R., Ruiz Rejón, C., &

- Ruiz Rejón, M. A cytogenetical and molecular analysis of the ribosomal cistrons of *Allium sphaerocephalon* L. (Liliaceae) 43
- Gasperi, G. *see* Malacrida, A. R.
- Gatehouse, A. G. *see* Hill, J. K.
- Gatehouse, A. G. *see* Wilson, K.
- Gilburn, A. S., Foster, S. P. & Day, T. H. Female mating preference for large size in *Coelopa frigida* (seaweed fly) 209
- Goñi, B. *see* Braverman, J. M.
- Govindaraju, D. R. & Cullis, C. A. Ribosomal DNA variation among populations of a *Pinus rigida* Mill. (pitch pine) ecosystem: I. Distribution of copy numbers 133
- Gray, A. J. *see* Ferris, C.
- Guglielmino, C. R. *see* Malacrida, A. R.
- Gupta, J. P. *see* Kumar, A.
- Haley, C. S. & Knott, S. A. A simple regression method for mapping quantitative trait loci in line crosses using flanking markers 315
- Harris, S. A. & Ingram, R. Molecular systematics of the genus *Senecio* L. I: Hybridization in a British polyploid complex 1
- Harris, S. A. & Ingram, R. Molecular systematics of the genus *Senecio* L. II: The origin of *S. vulgaris* L. 112
- Hartwick, B. *see* Stanhope, M. J.
- Hastings, I. M. *see* Beniwal, B. K.
- Hewitt, G. M. *see* Virdee, S. R.
- Hill, J. K. & Gatehouse, A. G. Genetic control of the pre-reproductive period in *Autographa gamma* (L.) (silver Y moth) (Lepidoptera: Noctuidae) 458
- Hill, W. G. *see* Beniwal, B. K.
- Houde, A. E. Sex-linked heritability of a sexually selected character in a natural population of *Poecilia reticulata* (Pisces:Poeciliidae)(guppies) 229
- Hurst, G. D. D., Majerus, M. E. N. & Walker, L. E. Cytoplasmic male killing elements in *Adalia bipunctata* (Linnaeus) (Coleoptera: Coccinellidae) 84
- Husband, B. C. & Barrett, S. C. H. Genetic drift and the maintenance of the style length polymorphism in tristylos populations of *Eichhornia paniculata* (Pontederiaceae) 440
- Hutchings, J. A. & Ferguson, M. M. The independence of enzyme heterozygosity and life-history traits in natural populations of *Salvelinus fontinalis* (brook trout) 496
- Ingram, R. *see* Harris, S. A.
- Irwin, J. A. & Abbott, R. J. Morphometric and isozyme evidence for the hybrid origin of a new tetraploid radiate groundsel in York, England 431
- Jamilena, M. *see* Garrido-Ramos, M. A.
- Jansen, R. C. On the selection for specific genes in doubled haploids 92
- Juchault, P., Rigaud, T. & Mocquard, J.-P. Evolution of sex-determining mechanisms in a wild population of *Armadillidium vulgare* Latr. (Crustacea, Isopoda): competition between two feminizing parasitic sex factors 382
- Kärkkäinen, K. *see* Savolainen, O.
- Kasule, F. K. A quantitative genetic analysis of reproductive allocation in the cotton stainer bug *Dysdercus fasciatus* 141
- Kearsey, M. J. *see* Luo, Z. W.
- Kelln, R. *see* Chapco, W.
- Khush, G. S. *see* Pooni, H. S.
- King, I. P., Purdie, K. A., Miller, T. E., Law, C. N. & Rogers, W. J. Exploitation of chromosome 4S<sup>1</sup>, from *Aegilops sharonensis*, for the production of stable 44-chromosome wheat lines 160
- Knott, S. A. *see* Haley, C. S.
- Kuittinen, H. *see* Savolainen, O.
- Kumar, A. & Gupta, J. P. Concentration of chromosomal aberrations on chromosome 3 of *Drosophila nasuta* 263
- Kumar, I. *see* Pooni, H. S.
- Lamy, F. *see* Robert, T.
- Lanza, V. *see* Volpi, E. V.
- Law, C. N. *see* King, I. P.
- Leighton, B. J. *see* Stanhope, M. J.
- Lemeunier, F. *see* El Agoze, M.
- Loeschke, V. *see* Damgaard, C.
- López-León, M. D., Pardo, M. C., Cabrero, J. & Camacho, J. P. M. Random mating and absence of sexual selection for B chromosomes in two natural populations of the grasshopper *Eyprepocnemis plorans* 558
- Lozano, R. *see* Garrido-Ramos, M. A.
- Lozano, R., Ruiz Rejón, C. & Ruiz Rejón, M. A comparative analysis of NORs in diploid and triploid salmonids: implications with respect to the diploidization process occurring in this fish group 450
- Luo, Z. W. & Kearsey, M. J. Interval mapping of quantitative trait loci in an F<sub>2</sub> population 236
- McFadyen, D. A. *see* Chapco, W.
- Macnair, M. A., Cumbe, Q. J. & Meharg, A. A. The genetics of arsenate tolerance in Yorkshire fog, *Holcus lanatus* L. 325
- Macnair, M. R. *see* Meharg, A. A.
- Madsen, H. E. S. *see* Philipp, M.
- Majerus, M. E. N. *see* Hurst, G. D. D.
- Majerus, M. E. N. *see* O'Donald, P.
- Malacrida, A. R., Guglielmino, C. R., Gasperi, G., Baruffi, L. & Milani, R. Spatial and temporal differentiation in colonizing populations of *Ceratitis capitata* 101
- Markow, T. A. & Ricker, J. P. Male size, developmental stability, and mating success in natural populations of three *Drosophila* species 122
- Medina, R. C. Some exact conditional tests for the multiplicative model to explain genotype-environment interaction 128
- Meharg, A. A. *see* Macnair, M. A.
- Meharg, A. A. & Macnair, M. R. Genetic correlation between arsenate tolerance and the rate of influx of arsenate and phosphate in *Holcus lanatus* L. 336
- Milani, R. *see* Malacrida, A. R.

- Miller, T. E. *see* King, I. P.
- Miro, P. M. & Bidau, C. J. Proximal chiasmata induce non-disjunctive orientation of Robertsonian trivalents in a grasshopper **268**
- Mocquard, J.-P. *see* Juchault, P.
- Moreira-Filho, O. *see* Salvador, L. B.
- Mulcahy, D. L. *see* Sari-Gorla, M.
- Nappi, A. *see* Carton, Y.
- Nishida, T. *see* Osawa, N.
- O'Donald, P. & Majerus, M. E. N. Non-random mating in *Adalia bipunctata* (the two-spot ladybird) III. New evidence of genetic preference **521**
- Osawa, N. & Nishida, T. Seasonal variation in elytral colour polymorphism in *Harmonia axyridis* (the ladybird beetle): the role of non-random mating **297**
- Ottaviano, E. *see* Sari-Gorla, M.
- Pardo, M. C. *see* López-León, M. D.
- Parkin, D. T. *see* Wetton, J. W.
- Partridge, L. *see* Santos, M.
- Paumard-Rigal, S. & Rosenberg-Bourgin, M. Increase in the resistance to the *Bacillus thuringiensis* supernatant effect in a *Drosophila melanogaster* wild type Oregon R line **539**
- Pé, M. E. *see* Sari-Gorla, M.
- Pelliccia, F. *see* Volpi, E. V.
- Perez-Nasser, N. *see* Equiarte, L. E.
- Periquet, G. *see* El Agoze, M.
- Philipp, M., Madsen, H. E. S. & Siegismund, H. R. Gene flow and population structure in *Armeria maritima* **32**
- Piñeiro, R. *see* Casares, P.
- Piñero, D. *see* Equiarte, L. E.
- Pooni, H. S., Kumar, I. & Khush, G. S. A comprehensive model for disomically inherited metrical traits expressed in triploid tissues **166**
- Powell, W. *see* Chalmers, K. J.
- Purdie, K. A. *see* King, I. P.
- Ranker, T. A. Genetic diversity, mating systems, and interpopulation gene flow in neotropical *Hemionitis palmata* L. (Adiantaceae) **175**
- Ricker, J. P. *see* Markow, T. A.
- Rigaud, T. *see* Juchault, P.
- Robert, T., Lamy, F. & Sarr, A. Evolutionary role of gametophytic selection in the domestication of *Pennisetum typhoides* (pearl millet): a two-locus asymmetrical model **372**
- Rocchi, A. *see* Volpi, E. V.
- Rogers, W. J. *see* King, I. P.
- Romera, F. *see* Benito, C.
- Rosenberg-Bourgin, M. *see* Paumard-Rigal, S.
- Ross, K. G. *see* Shoemaker, D. D.
- Ruiz Rejón, C. *see* Garrido-Ramos, M. A.
- Ruiz Rejón, M. *see* Garrido-Ramos, M. A.
- Ruiz Rejón, M. *see* Lozano, R.
- Salvador, L. B. & Moreira-Filho, O. B. chromosomes in *Astyanax scabripinnis* (Pisces, Characidae) **50**
- San Miguel, E. *see* Casares, P.
- Santos, M., Fowler, K. & Partridge, L. On the use of tester stocks to predict the competitive ability of genotypes **489**
- Sari-Gorla, M., Pé, M. E., Mulcahy, D. L. & Ottaviano, E. Genetic dissection of pollen competitive ability in maize **423**
- Sarr, A. *see* Robert, T.
- Savolainen, O., Kärkkäinen, K. & Kuittinen, H. Estimating numbers of embryonic lethals in conifers **308**
- Shoemaker, D. D., Costa III, J. T. & Ross, K. G. Estimates of heterozygosity in two social insects using a large number of electrophoretic markers **573**
- Siegismund, H. R. *see* Philipp, M.
- Silber, J. *see* Bazin, C.
- Simons, A. J. *see* Chalmers, K. J.
- Skibinski, D. O. F. *see* Woodwark, M.
- Sokolowski, R. E. S. *see* Coates, D. J.
- Sprent, J. I. *see* Chalmers, K. J.
- Stam, P. *see* Van Oeveren, A. J.
- Stanhope, M. J., Leighton, B. J. & Hartwick, B. Polygenic control of habitat preference and its possible role in sympatric population subdivision of an estuarine crustacean **279**
- Thompson, R. *see* Beniwal, B. K.
- Van Oeveren, A. J. & Stam, P. Comparative simulation studies on the effects of selection for quantitative traits in autogamous crops: early selection versus single seed descent **342**
- Via, S. *see* Conner, J.
- Virdee, S. R. & Hewitt, G. M. Postzygotic isolation and Haldane's rule in a grasshopper **525**
- Volpi, E. V., Pelliccia, F., Lanza, V., Di Castro, M. & Rocchi, A. Morphological differentiation of a sex chromosome and ribosomal genes in *Asellus aquaticus* (Crust. Isop.) **478**
- Walker, L. E. *see* Hurst, G. D. D.
- Ward, R. D. *see* Woodwark, M.
- Waugh, R. *see* Chalmers, K. J.
- Wetton, J. W., Parkin, D. T. & Carter, R. E. The genetic use of markers for parentage analysis in *Passer domesticus* (House Sparrows) **243**
- Willis, J. H. Genetic analysis of inbreeding depression caused by chlorophyll-deficient lethals in *Mumulus guttatus* **562**
- Wilson, K. & Gatehouse, A. G. Migration and genetics of pre-reproductive period in the moth, *Spodoptera exempta* (African armyworm) **255**
- Woodwark, M., Skibinski, D. O. F. & Ward, R. D. A study of interlocus allozyme heterozygosity correlations: implications for neutral theory **190**
- Zeh, D. W., Zeh, J. A., Coffroth, M. A. & Bermingham, E. Population-specific DNA fingerprints in a neotropical pseudoscorpion (*Cordylochernes scorpioides*), **201**
- Zeh, J. A. *see* Zeh, D. W.