

# Keyword Index

- Adalia bipunctata* 84, 521  
adult diapause 458  
*Aegilops sharonensis* 160  
African armyworm moth 255  
*Allium* 43  
allopolyploidy 1  
allozymes 190, 243  
aminopterin 473  
amphipod 279  
amylose content 166  
*Armeria maritima* 32  
arsenate tolerance 325  
*Asellus* 478  
Asteraceae 1  
*Astrocaryum mexicanum* 217  
*Astyanax scabripinnis* 50  
*Autographa gamma* 458
- B chromosomes 50, 406, 558  
*Bacillus thuringiensis* 539  
*Banksia cuneata* 11  
 $\beta$ -exotoxin 539  
body composition 361  
body size 352, 361, 489  
bottleneck 512
- C-banding 50  
chiasma distribution 412  
chiasmata 268  
chlorophyll-deficient mutations 562  
chromosome loss 416  
clonal reproduction 21  
*Coelopa frigida* 209  
colour pattern 229  
competition 489  
competitive ability 423  
Compositae 431  
computer simulations 440  
concentration of inversions 263  
*Cordylocheres scorpioides* 201  
correlations 190  
courtship 65  
crustaceans 478  
cytoplasmic bacteria 84
- database 190  
demes 503  
developmental homeostasis 496
- DHFR 473  
diallel 400  
differentiation 512  
digoxigenin 478  
dilution effect 84  
diploid/triploid 450  
diversifying selection 133  
DNA fingerprinting 201, 243  
domestication 372  
doubled haploids 92  
*Drosophila* 122, 393, 400  
    *lummei* 416  
    *melanogaster* 473, 539  
    *nasuta* 263  
    *virilis* 416  
*Dysdercus fasciatus* 141
- ecological genetics 279  
effective population size 184  
*Eichhornia paniculata* 440  
electrophoresis 573  
elytral colour polymorphism 297  
embryonic lethals 308  
encapsulation 393  
endocytobiont 382  
endosperm traits 166  
ESS 289  
estuarine 279  
evolution 57, 539  
evolutionary constraint 73  
extra-pair fertilization 243
- $F_{\infty}$  cross prediction 342  
fecundity 65  
female mate choice 209  
female-biased sex ratio 84  
fire ant 573  
fitness 406, 494  
fluctuating asymmetry 122
- gastropod 65  
gene  
    diversity 573  
    dosage 166  
    flow 11, 32, 175  
general linear model 128

- genetic  
  control 393  
  correlation 73  
  diversity 175  
  drift 440  
  load 562  
  preference 521  
  structure 11, 217  
  variability 141, 412, 512  
genetics 325, 336, 465  
genome diploidization 450  
genotype-environment interaction 128  
*Gliricidia* 465  
grain quality 166  
grasshopper 268, 547  
guppy 229
- habitat preference 279  
*Harmonia axyridis* 297  
*Hemionitis* 175  
heritability 229, 352, 361  
heterochromatin 478  
heterosis 217  
heterotic 558  
heterozygosity 190, 406, 494, 512, 573  
*Hierochloë* 21  
high temperature lethality 547  
house sparrow 243  
hybrid  
  inviability 416  
  origin 431  
  zone 527  
*Hydroporus* 503
- immunity 393  
inbred lines 315  
inbreeding depression 289, 308, 562  
infinitesimal model 352  
interval mapping 236, 315  
introgression 1  
isolation 65  
isozymes 21, 150, 406, 431
- karyotype 50, 57  
kin selection 84
- ladybird beetle 297  
life-history 496  
litter size 361  
*Littoraria pallescens* 184
- maize 423  
*Malacosoma americanum* 573  
*Melanoplus* 546
- male killing 84  
male-female sexual interaction 400  
mangrove snail 184  
masculinizing gene 382  
mate choice 65  
maternal and paternal transmission 382  
mating  
  pattern 558  
  preference 297  
  success 558  
  systems 11, 175, 217  
maximum likelihood 315, 352, 361  
meiotic restitution 21  
microgeographic substructuring 503  
migration 255, 458  
*Mimulus* 562  
minimum population size 92  
minisatellite DNA 201  
mitochondrial DNA 547  
mixed mating 289  
modifiers 325  
molecular  
  drive 133  
  variation 1  
morphological anomalies 416  
morphometrics 431  
mouse 352  
multigene families 133  
*Musca domestica* 57  
mutant 489
- natural selection 73, 150  
neutral 556  
  mutation 184  
  theory 150, 190  
non-additivity 128  
non-disjunction 268  
non-random mating 297, 521  
non-random substitution 150  
NOR variability 43  
NORs 450  
nucleolar organizer region 527  
nucleotide metabolism 473
- outcrossing 308  
  rate 289  
over-dominance 562
- palm 217  
parasitic 558  
parasitoid 393  
parthenogenesis 21  
pearl millet 372

- penetrance 325  
 phosphate 336  
*Picea omorika* 308  
*Pinus sylvestris* 308  
 pitch pine 133  
*Poecilia reticulata* 229  
 pollen 423  
   competition 372  
 polyploidy 21  
 population 57, 465  
   differentiation 11, 201  
   genetics 503  
   structure 32, 547  
   subdivision 279  
 postzygotic isolation 527  
 pre-reproductive period 255  
 preferential transmission 160  
 protein quality 160
- QTL 236, 315  
 QTL mapping 423  
 quantitative trait 342
- RAPDs 465  
 rDNA 539  
   copy numbers 133  
   sequence homogeneity 43  
 receptivity 400  
 recessive lethals 562  
 recombination index 412  
 regression 315  
 reproductive allocation 141  
   compatibility 65  
 reversed response 255  
 RFLP analysis 423  
 RFLPs 236  
 ribosomal genes 478  
 Robertsonian translocation 268  
 rye 406
- Senecio vulgaris* 1  
 salmonid fishes 450  
*Salvelinus fontinalis* 494  
 seasonal variation 297  
 seed and pollen dispersal 32
- selection 342, 352, 361  
   components 32  
 self-pollinating crops 342  
 selfing rate 289  
*Senecio*  
   *cambrensis* 1  
   *squalidus* 431  
   *vulgaris* 431  
 sex  
   chromosomes 478, 527  
   factor 382  
   ratio 382  
   linkage 229  
 sexual selection 122, 209, 229, 521  
 simulation 342  
 single seed descent 342  
*Solenopsis invicta* 573  
 spatial genetic structure 512  
 speciation 416  
*Spodoptera exempta* 255  
 stable additions 160  
 sterility 527  
*Stylidium coroniforme* 512  
 suppressor genes 473  
 sympatric subdivision 279
- temporal variation 440  
 tent caterpillar 573  
 tester strains 489  
 testis dysfunction 527  
 theoretical modelling 372  
 TK and HGPRT activities 473  
 tolerance 336  
 tristily 440  
*Triticum aestivum* 160  
 tropical rain forest 217  
 two-factor interactions 128  
 two-spot ladybird 521
- uptake mechanisms 336
- woody perennials 465
- X-linkage 255, 458  
 X-ray-induced aberrations 263