

Author index

- Abban, E K. *see* Agnèse, J F.
Abbott, R. J. *see* Harris, S. A.
Adépo-Gourène, B. *see* Agnèse, J. F.
Agnèse, J. F., Adépo-Gourène, B., Abban, E. K., Fermon, Y.,
Genetic differentiation among natural populations of the
Nile tilapia *Oreochromis niloticus* (Teleostei, Cichlidae) **88**
Alonso-Blanco, C. *see* van der Schaar, W.
Andersson, S. *see* Black-Samuelsson, S.
Appleby, J. M., Nelson, G., McPherson, M. J., Hamlyn, P. F.,
Polymerase chain reaction amplification of the RuBisCo
small subunit genes and their novel application to plant
tissue identification **557**
Arai, T. *see* Shimizu, T.
- Baird, E. *see* Powell, W.
Bakx-Schotman, T. J. M.T. *see* de Haan, A. A.
Baumont, A. R. *see* Wilding, C. S.
Beebe, T. J. C. *see* Hitchings, S. P.
Bernardino, G. *see* Oliveira, C.
Biémont, C. *see* Hoogland, C.
Black-Samuelsson, S., Andersson, S., Reaction norm variation
between and within populations of two rare plant species,
Vicia pisiformis and *V. dumetorum* (Fabaceae) **268**
Booth, A. *see* Powell, W.
Borodin, P. M. *see* Polyakov, A. V.
Brabant, P. *see* Goldringer, I.
Breeuwer, J. A. J., *Wolbachia* and cytoplasmic incompatibility in
the spider mites *Tetranychus urticae* and *T. turkestani* **41**
Brooks, R. J., Tobias, A. M., Lawrence, M. J., A time series
analysis of the population genetics of the self-incompati-
bility polymorphism. 1. Allele frequency distribution of a
population with overlapping generations and variation in
plant size **350**
Brooks, R. J., Tobias, A. M., Lawrence, M. J., A time series
analysis of the population genetics of the self-incompati-
bility polymorphism. 2. Frequency-equivalent population
and the number of alleles that can be maintained in a
population **361**
Burczyk, J., Prat, D., Male reproductive success in *Pseudotsuga*
menziesii (Mirb.) Franco: the effects of spatial structure and
flowering characteristics **638**
Burstin, J., Charcosset, A., Relationship between phenotypic and
marker distances: theoretical and experimental investi-
gations **477**
Butler, R. D. *see* Owusu-Daaku, K. O.
Byrne, M., Waycott, M., Hobbs, A. A., James, S. H., Variation in
ribosomal DNA within and between populations of *Isotoma*
petraea and *Macrozamia riedlei* **578**
- Cabrero, J. *see* Martín-Alganza, A.
Camacho, J. P. M. *see* Martín-Alganza, A.
Campbell, D. R., Genetic correlation between biomass allocation
to male and female functions in a natural population of
Ipomopsis aggregata **606**
Carvalho, A. B. *see* Varandas, F. R.
Caujapé-Castells, J., Pedrola-Monfort, J., Space-time patterns of
genetic structure within a stand of *Androcymbium grami-*
neum (Cav.) McBride (Colchicaceae) **341**
Cavicchi, S. *see* Guerra, D.
Cavicchi, S. *see* Pezzoli, M. C.
Cellos, D. *see* Rigaa, A.
Chadova, N. B. *see* Polyakov, A. V.
Charcosset, A. *see* Burstin, J.
Cobolli Sbordoni, M., Ketmaier, V., De Matthaëis, E., Taiti, S.,
Biochemical systematics and evolutionary relationships in
the *Trichoniscus pusillus* complex (Crustacea, Isopoda,
Oniscidea) **463**
Colombo, P. C., Exophenotypic effects of chromosomal change:
the case of *Leptyisma argentina* (Orthoptera) **631**
Colombo, P. C., Jones, G. H., Chiasma interference is blind to
centromeres **214**
Coutellec-Vreto, M.-A., Madec, L., Guiller, A., Selfing and
biparental inbreeding: a mating system analysis in *Lymnaea*
peregra (Gastropoda: Lymnaeidae) **277**
Crease, T. J., Lee, S.-K., Yu, S.-L., Spitze, K., Lehman, N.,
Lynch, M., Allozyme and mtDNA variation in populations
of the *Daphnia pulex* complex from both sides of the Rocky
Mountains **242**
Crespi, B. J., Vanderkist, B. A., Fluctuating asymmetry in vesti-
gial and functional traits of a haplodiploid insect **624**
Crosetti, D. *see* Rossi, A. R.
- Dawson, R. J. G., Gibbs, H. L., Hobson, K. A., Yezerinac, S. M.,
Isolation of microsatellite DNA markers from a passerine
bird, *Dendroica petechia* (the yellow warbler), and their use
in population studies **506**
de Haan, A. A., Luyten, R. M. J.M., Bakx-Schotman, T. J. M.T.,
van Damme, J. M. M., The dynamics of gynodioecy in
Plantago lanceolata L. I. Frequencies of male-steriles and
their cytoplasmic male sterility types **453**
de Jong, G. *see* de Moed, G. H.
de Jong, G. *see* Noach, E. J. K.
De Matthaëis, E. *see* Cobolli Sbordoni, M.
de Moed, G. H., de Jong, G., Scharloo, W., The phenotypic
plasticity of wing size in *Drosophila melanogaster*: the cellu-
lar basis of its genetic variation **260**
de Stordeur, E., Nonrandom partition of mitochondria in hetero-
plasmic *Drosophila* **615**

- Delobel, B. *see* Grenier, A.-M.
- Denis, J.-B., Piepho, H.-P., van Eeuwijk, F. A., Modelling expectation and variance for genotype by environment data **162**
- Dixon, K. W. *see* Rossetto, M.
- Dobrotvorsky, A. K. *see* Polyakov, A. V.
- Doligez, A., Joly, H. I., Genetic diversity and spatial structure within a natural stand of a tropical forest tree species, *Carapa procera* (Meliaceae), in French Guiana **72**
- Ennos, R. A. *see* Hu, X.-S.
- Ferguson, A. *see* Prodöhl, P. A.
- Fermon, Y. *see* Agnès, J. F.
- Flook, P. K., Post, R. J., Molecular population studies of *Simulium damnosum* s. l. (Diptera: Simuliidae) using a novel interspersed repetitive DNA marker **531**
- Ford, M. J. *see* Willett, C. S.
- Foresti, F. *see* Oliveira, C.
- Gallais, A. *see* Goldringer, I.
- Garoia, F. *see* Guerra, D.
- Garoia, F. *see* Pezzoli, M. C.
- Ge, X. *see* Petit, C.
- Gibbs, H. L. *see* Dawson, R. J. G.
- Gießler, S., Gene flow in the *Daphnia longispina* hybrid complex (Crustacea, Cladocera) inhabiting large lakes **231**
- Giorgi, G. *see* Guerra, D.
- Giorgi, G. *see* Pezzoli, M. C.
- Gleason, J. M. *see* Ritchie, M. G.
- Goldringer, I., Brabant, P., Gallais, A., Estimation of additive and epistatic genetic variances for agronomic traits in a population of doubled-haploid lines of wheat **60**
- Goodwillie, C., The genetic control of self-incompatibility in *Linanthus parviflorus* (Polemoniaceae) **424**
- Gornung, E. *see* Rossi, A. R.
- Grenier, A.-M., Mbaiguinam, M., Delobel, B., Genetical analysis of the ability of the rice weevil *Sitophilus oryzae* (Coleoptera, Curculionidae) to breed on split peas **15**
- Guerra, D. *see* Pezzoli, M. C.
- Guerra, D., Pezzoli, M. C., Giorgi, G., Garoia, F., Cavicchi, S., Developmental constraints in the *Drosophila* wing **564**
- Guiller, A. *see* Coutellec-Vreto, M.-A.
- Hackett, C. A. Model diagnostics for fitting QTL models to trait and marker data by interval mapping **319**
- Hamlyn, P. F. *see* Appleby, J. M.
- Harris, S. A., Abbott, R. J., Isozyme analysis of the reported origin of a new hybrid orchid species, *Epipactis youngiana* (Young's helleborine), in the British Isles **402**
- Harrison, R. G. *see* Willett, C. S.
- Harrower, B. *see* Powell, W.
- Hasson, E. *see* Norry, F. M.
- Haymer, D. S., He, M., McInnis, D. O., Genetic marker analysis of spatial and temporal relationships among existing populations and new infestations of the Mediterranean fruit fly (*Ceratitis capitata*) **302**
- He, M. *see* Haymer, D. S.
- Hernandez-Martich, J. D., Smith, M. H., Downstream gene flow and genetic structure of *Gambusia holbrooki* (eastern mosquitofish) populations **295**
- Hitchings, S. P., Beebee, T. J. C., Genetic substructuring as a result of barriers to gene flow in urban *Rana temporaria* (common frog) populations: implications for biodiversity conservation **117**
- Hobbs, A. A. *see* Byrne, M.
- Hobson, K. A. *see* Dawson, R. J. G.
- Hoogland, C., Vieira, C., Biémont, C., Chromosomal distribution of the 412 retrotransposon in natural populations of *Drosophila simulans* **128**
- Hopper, S. D. *see* Rossetto, M.
- Hu, X.-S., Ennos, R. A., On estimation of the ratio of pollen to seed flow among plant populations **541**
- Hynes, R. *see* Prodöhl, P. A.
- Ingvarsson, P. K., Olsson, K., Hierarchical genetic structure and effective population sizes in *Phalacroscopus substriatus* **153**
- Jackson, R. T. *see* Karron, J. D.
- James, S. H. *see* Byrne, M.
- James, S. H. *see* Waycott, M.
- Jansen, R. C. *see* van der Schaar, W.
- Jerez, J. M. *see* Niemeyer, H. M.
- Jiggins, C. D., McMillan, W. O., King, P., Mallet, J., The maintenance of species differences across a *Heliconius* hybrid zone **495**
- Joly, D. *see* Montchamp-Moreau, C.
- Joly, H. I. *see* Doligez, A.
- Jones, G. H. *see* Colombo, P. C.
- Karron, J. D., Jackson, R. T., Thumser, N. N., Schlicht, S. L., Outcrossing rates of individual *Mimulus ringens* genets are correlated with anther-stigma separation **365**
- Ketmaier, V. *see* Cobolli Sbordoni, M.
- King, P. *see* Jiggins, C. D.
- Koornneef, M. *see* van der Schaar, W.
- Krebs, R. A., Loeschcke, V., Estimating heritability in a threshold trait: heat-shock tolerance in *Drosophila buzzatii* **252**
- Kuittinen, H., Mattila, A., Savolainen, O., Genetic variation at marker loci and in quantitative traits in natural populations of *Arabidopsis thaliana* **144**
- Larsson, K., Rattiste, K., Lilleleht, V., Heritability of head size in the common gull *Larus canus* in relation to environmental conditions during offspring growth **201**
- Latchford, J. W. *see* Wilding, C. S.
- Lawrence, M. J. *see* Brooks, R. J.
- Lawrence, P. *see* Powell, W.
- Lee, S.-K. *see* Crease, T. J.
- Lehman, N. *see* Crease, T. J.

- Léon-Kloosterziel, K. M. *see* van der Schaar, W.
 Lesbros, P. *see* Petit, C.
 Lilleleht, V. *see* Larsson, K.
 Loeschcke, V. *see* Krebs, R. A.
 López-León, M. D. *see* Martín-Alganza, A.
 Lucarotti, F. *see* Rossetto, M.
 Luyten, R. M. J.M. *see* de Haan, A. A.
 Lynch, M. *see* Crease, T. J.
- Macnair, M. R. *see* Tilstone, G. H.
 Madec, L. *see* Coutellec-Vreto, M.-A.
 Maguire, T. L., Sedgley, M., Genetic diversity in *Banksia* and *Dryandra* (Proteaceae) with emphasis on *Banksia cuneata*, a rare and endangered species 394
 Mallet, J. *see* Jiggins, C. D.
 Marec, F. *see* Wolf, K. W.
 Martín-Alganza, A., López-León, M. D., Cabrero, J., Camacho, J. P. M., Somatic condition determines female mating frequency in a field population of the grasshopper *Eyprepocnemis plorans* 524
 Mattila, A. *see* Kuittinen, H.
 Mbaiguinam, M. *see* Grenier, A.-M.
 McInnis, D. O. *see* Haymer, D. S.
 McMillan, W. O. *see* Jiggins, C. D.
 McNicol, J. W. *see* Powell, W.
 McPherson, M. J. *see* Appleby, J. M.
 Meyer, A., The evolution of sexually selected traits in male swordtail fishes (*Xiphophorus*: Poeciliidae) 329
 Miyatake, T. *see* Shimizu, T.
 Monnerot, M. *see* Rigaa, A.
 Montchamp-Moreau, C., Joly, D., Abnormal spermiogenesis is associated with the X-linked *sex-ratio* trait in *Drosophila simulans* 24
 Morgan, M. T., Schoen, D. J., Selection on reproductive characters: floral morphology in *Asclepias syriaca* 433
- Nelson, G. *see* Appleby, J. M.
 Niemeyer, H. M., Jerez, J. M., Chromosomal location of genes for hydroxamic acid accumulation in *Triticum aestivum* L. (wheat) using wheat aneuploids and wheat substitution lines 10
 Noach, E. J. K., de Jong, G., Scharloo, W., Phenotypic plasticity of wings in selection lines of *Drosophila melanogaster* 1
 Norry, F. M., Vilardi, J. C., Hasson, E., Correlations among size-related traits are affected by chromosome inversions in an adaptive polymorphism in *Drosophila buzzatii* 585
 Novák, K. *see* Wolf, K. W.
- Oliveira, C., Saboya, S. M. R., Foresti, F., Senhorini, J. A., Bernardino, G., Increased B chromosome frequency and absence of drive in the fish *Prochilodus lineatus* 473
 Olsson, K. *see* Ingvarsson, P. K.
 Owusu-Daaku, K. O., Wood, R. J., Butler, R. D., Selected lines of *Aedes aegypti* with persistently distorted sex ratios 388
- Panov, V. V. *see* Polyakov, A. V.
 Parker, J. S. *see* Vaughan, H. E.
 Pedrola-Monfort, J. *see* Caujapé-Castells, J.
 Petit, C., Lesbros, P., Ge, X., Thompson, J. D., Variation in flowering phenology and selfing rate across a contact zone between diploid and tetraploid *Arrhenatherum elatius* (Poaceae) 31
 Pezzoli, M. C. *see* Guerra, D.
 Pezzoli, M. C., Guerra, D., Giorgi, G., Garoia, F., Cavicchi, S., Developmental constraints and wing shape variation in natural populations of *Drosophila melanogaster* 572
 Piepho, H.-P. *see* Denis, J.-B.
 Polyakov, A. V., Chadova, N. B., Rodionova, M. I., Panov, V. V., Dobrotvorsky, A. K., Searle, J. B., Borodin, P. M., Novosibirsk revisited 24 years on: chromosome polymorphism in the Novosibirsk population of the common shrew *Sorex araneus* L. 172
 Pomiankowski, A. *see* Sheridan, L.
 Post, R. J. *see* Flook, P. K.
 Powell, W., Thomas, W. T. B., Baird, E., Lawrence, P., Booth, A., Harrower, B., McNicol, J. W., Waugh, R., Analysis of quantitative traits in barley by the use of Amplified Fragment Length Polymorphisms 48
 Prat, D. *see* Burczyk, J.
 Prodöhl, P. A., Walker, A. F., Hynes, R., Taggart, J. B., Ferguson, A., Genetically monomorphic brown trout (*Salmo trutta* L.) populations, as revealed by mitochondrial DNA, multilocus and single-locus minisatellite (VNTR) analyses 208
- Racey, S. N. *see* Ritchie, M. G.
 Rattiste, K. *see* Larsson, K.
 Ribi, G. *see* Trüb, H.
 Rigaa, A., Cellos, D., Monnerot, M., Mitochondrial DNA from the scallop *Pecten maximus*: an unusual polymorphism detected by restriction fragment length polymorphism analysis 380
 Ritchie, M. G., Racey, S. N., Gleason, J. M., Wolff, K., Variability of the bushcricket *Ephippiger ephippiger*: RAPDs and song races 286
 Rodionova, M. I. *see* Polyakov, A. V.
 Rossetto, M., Lucarotti, F., Hopper, S. D., Dixon, K. W., DNA fingerprinting of *Eucalyptus graniticola*: a critically endangered relict species or a rare hybrid? 310
 Rossi, A. R., Gornung, E., Crosetti, D., Cytogenetic analysis of *Liza ramada* (Pisces, Perciformes) by different staining techniques and fluorescent *in situ* hybridization 83
- Saboya, S. M. R. *see* Oliveira, C.
 Sampaio, M. C. *see* Varandas, F. R.
 Savolainen, O. *see* Kuittinen, H.
 Sawamura, K., Yamamoto, M.-T., Characterization of a reproductive isolation gene, *zygotic hybrid rescue* of *Drosophila melanogaster* by using minichromosomes 97

- Scharloo, W. *see* de Moed, G. H.
 Scharloo, W. *see* Noach, E. J. K.
 Schlicht, S. L. *see* Karron, J. D.
 Schoen, D. J. *see* Morgan, M. T.
 Searle, J. B. *see* Polyakov, A. V.
 Sedgley, M. *see* Maguire, T. L.
 Senhorini, J. A. *see* Oliveira, C.
 Sheridan, L., Pomiankowski, A., Fluctuating asymmetry, spot asymmetry and inbreeding depression in the sexual coloration of male guppy fish **515**
 Shimizu, T., Miyatake, T., Watari, Y., Arai, T., A gene pleiotropically controlling developmental and circadian periods in the melon fly, *Bactrocera cucurbitae* (Diptera: Tephritidae) **600**
 Smith, M. H. *see* Hernandez-Martich, J. D.
 Smith, S. E. *see* Tilstone, G. H.
 Spitze, K. *see* Crease, T. J.
- Taggart, J. B. *see* Prodöhl, P. A.
 Taiti, S. *see* Cobolli Sbordoni, M.
 Taylor, S. *see* Vaughan, H. E.
 Thomas, W. T. B. *see* Powell, W.
 Thompson, J. D. *see* Petit, C.
 Thumser, N. N. *see* Karron, J. D.
 Tilstone, G. H., Macnair, M. R., Smith, S. E., Does copper tolerance give cadmium tolerance in *Mimulus guttatus*? **445**
 Tobias, A. M. *see* Brooks, R. J.
 Trüb, H., Ribi, G., High fecundity of hybrids between the sympatric snail species *Viviparus ater* and *V. contectus* (Gastropoda: Prosobranchia) **418**
- van Damme, J. M. M. *see* de Haan, A. A.
 van der Schaar, W., Alonso-Blanco, C., Léon-Kloosterziel, K. M., Jansen, R. C., van Ooijen, J. W., Koornneef, M., QTL analysis of seed dormancy in *Arabidopsis* using recombinant inbred lines and MQM mapping **190**
 van Eeuwijk, F. A. *see* Denis, J.-B.
 van Ooijen, J. W. *see* van der Schaar, W.
 Vanderkist, B. A. *see* Crespi, B. J.
 Varandas, F. R., Sampaio, M. C., Carvalho, A. B. Heritability of sexual proportion in experimental *sex-ratio* populations of *Drosophila mediopunctata* **104**
 Vaughan, H. E., Taylor, S., Parker, J. S., The ten cytological races of the *Scilla autumnalis* species complex **371**
 Vieira, C. *see* Hoogland, C.
 Vilardi, J. C. *see* Norry, F. M.
- Walker, A. F. *see* Prodöhl, P. A.
 Walker, D. I. *see* Waycott, M.
 Wang, J., More efficient breeding systems for controlling inbreeding and effective size in animal populations **591**
 Watari, Y. *see* Shimizu, T.
 Waugh, R. *see* Powell, W.
 Waycott, M. *see* Byrne, M.
 Waycott, M., James, S. H., Walker, D. I., Genetic variation within and between populations of *Posidonia australis*, a hydrophilous, clonal seagrass **408**
 Wilding, C. S., Beaumont, A. R., Latchford, J. W., Mitochondrial DNA variation in the scallop *Pecten maximus* (L.) assessed by a PCR-RFLP method **178**
 Willett, C. S., Ford, M. J., Harrison, R. G., Inferences about the origin of a field cricket hybrid zone from a mitochondrial DNA phylogeny **484**
 Wolf, K. W., Novák, K., Marec, F., Kinetic organization of metaphase I bivalents in spermatogenesis of Lepidoptera and Trichoptera species with small chromosome numbers **135**
 Wolff, K. *see* Ritchie, M. G.
 Wood, R. J. *see* Owusu-Daaku, K. O.
- Yamamoto, M.-T. *see* Sawamura, K.
 Yezerinac, S. M. *see* Dawson, R. J. G.
 Yu, S.-L. *see* Crease, T. J.