CORRIGENDA

Poractant alfa and beractant treatment of very premature infants with respiratory distress syndrome

A M Fujii, S M Patel, R Allen, G Doros, C-Y Guo and S Testa

Journal of Perinatology (2012) **32**, 395; doi:10.1038/jp.2011.99; published online 11 August 2011

Correction to: *Journal of Perinatology* (2010) **30**, 665–670; doi:10.1038/jp.2010.20; published online 25 March 2010

In the 'Results' section of the abstract, the last sentence reads that rates of death are (2/15 vs 5/27). Here the first number should be 2/25 not 2/15.

Nasal intermittent positive pressure ventilation after surfactant treatment for respiratory distress syndrome in preterm infants <30 weeks' gestation: a randomized, controlled trial

R Ramanathan, KC Sekar, M Rasmussen, J Bhatia and RF Soll

Journal of Perinatology (2012) **32**, 395; doi:10.1038/jp.2012.48

Correction to: *Journal of Perinatology* (2012) **32**, 336–343; doi:10.1038/jp.2012.1

In the first sentence of the 'Result' section of the Abstract, the percentage of infants in the NCPAP group who needed MVET at 7 days of age should have been shown as 42%, not 40%.

The beginning of the seventh sentence of the 'Results' section of the article—'The primary outcome of infants not requiring MVET at 7 days of age was 17% (9/53) in the NIPPV group...'—should have been 'The percentage of infants requiring MVET at 7 days of age was 17% (9/53) in the NIPPV group...'