16. Afarinkia, K., Vinader, V., Nelson, T. D. & Posner, G. H. Diels–Alder cycloadditions of 2-pyrones and 2-pyridones. *Tetrahedron* **48**, 9111–9171 (1992).
17. Sauer, J. & Sustmann, R. Mechanic aspects of Diels–Alder reactions: A critical survey. *Angew. Chem. Int. Edn Engl.* **19**, 779–807 (1980).
18. Blake, J. F. & Jorgensen, W. L. Solvent effects on a Diels–Alder reaction from computer simulations. *J. Am. Chem. Soc.* **113**, 7430–7432 (1991).
19. Romesberg, F. E., Spiller, B., Schultz, P. G. & Stevens, R. C. Immunological origins of binding and catalysis in a Diels–Alderase antibody. *Science* **279**, 1929–1933 (1998).
20. Heine, A. *et al.* An antibody exo Diels–Alderase inhibitor complex at 1.95 angstrom resolution. *Science* **179**, 1934–1940 (1998).
21. Chen, J., Deng, Q., Wang, R., Houk, K. & Hilvert, D. Shape complementarity, binding-site dynamics, and transition state stabilization: A theoretical study of Diels–Alder catalysis by antibody 1E9. *ChemBiochem* **1**, 255–261 (2000).
22. Hilvert, D., Hill, K. W., Nared, K. D. & Auditor, M.-T. Antibody catalysis of a Diels–Alder reaction. *J. Am. Chem. Soc.* **111**, 9261–9262 (1989).
23. Braisted, A. C. & Schultz, P. G. An antibody-catalyzed biomolecular Diels–Alder reaction. *J. Am. Chem. Soc.* **112**, 7430–7431 (1991).
24. Gouverneur, V. E. *et al.* Control of the exo and endo pathways of the Diels–Alder reaction by antibody catalysis. *Science* **262**, 204–208 (1993).
25. Ylikauhaluoma, J. T. *et al.* Anti-metallocene antibodies — a new approach to enantioselective catalysis of the Diels–Alder reaction. *J. Am. Chem. Soc.* **117**, 7041–7047 (1995).
26. Xu, J. *et al.* Evolution of shape complementarity and catalytic efficiency from a primordial antibody template. *Science* **286**, 2345–2348 (1999).
27. Collaborative Computational Project, Number 4. The CCP4 suite: Programs for protein crystallography. *Acta Crystallogr. D* **50**, 760–763 (1994).
28. de La Fortelle, E. & Bricogne, G. Maximum-likelihood heavy-atom parameter refinement for multiple isomorphous replacement and multiwavelength anomalous diffraction methods. *Methods Enzymol.* **276**, 472–494 (1997).
29. Brünger, A. T. *et al.* Crystallography & NMR system: A new software suite for macromolecular structure determination. *Acta Crystallogr. D* **54**, 905–921 (1998).

Supplementary Information accompanies the paper on *Nature's* website
(<http://www.nature.com/nature>).

Acknowledgements We thank S. Wakatsuki, M. Suzuki and N. Igarashi of the Photon Factory, Japan, for help in data collection at beamline BL18B. This work was supported in part by National Project on Protein Structural and Functional Analyses from the Ministry of Education, Science, Sports and Culture of Japan.

Competing interests statement The authors declare that they have no competing financial interests.

Correspondence and requests for materials should be addressed to H.O. (e-mail: hoik@chem.agr.hokudai.ac.jp) and I.T. (e-mail: tanaka@castor.sci.hokudai.ac.jp). Structure coordinates have been deposited in the Protein Data Bank under accession code 1IZC.

erratum

Attosecond control of electronic processes by intense light fields

A. Baltuška, Th. Udem, M. Uiberacker, M. Hentschel, E. Goulielmakis, Ch. Gohle, R. Holzwarth, V. S. Yakovlev, A. Scrinzi, T. W. Hänsch & F. Krausz

Nature **421**, 611–615 (2003).

In Fig. 2c of this Letter, the units of time on the *x* axis should be seconds, not femtoseconds. □