

Data collection and processing

A single wavelength anomalous diffraction experiment was carried out at the CuK α wavelength on crystals cryoprotected in mother liquor plus 25% 2-methyl-2,4-pentanediol; clear diffraction was observed to at least 1.8 Å resolution. We indexed, integrated and scaled the data using D*TREK²⁵, identified heavy atom sites with SOLVE²⁶, and carried out refinement with CNS²⁷ to obtain a model with final R_{xtal} and R_{free} values of 17.8% and 22.8%, respectively. The model contains all RNA atoms except A82, for which electron density was not observed, along with the hypoxanthine ligand. For additional experimental details and references, see Supplementary Information.

Received 28 July; accepted 13 September 2004; doi:10.1038/nature03037.

1. Vitreschak, A. G., Rodionov, D. A., Mironov, A. A. & Gelfand, M. S. Riboswitches: the oldest mechanism for the regulation of gene expression? *Trends Genet.* **20**, 44–50 (2004).
2. Mandal, M. & Breaker, R. R. Gene regulation by riboswitches. *Nature Rev. Mol. Cell. Biol.* **5**, 451–463 (2004).
3. Mandal, M., Boese, B., Barrick, J. E., Winkler, W. C. & Breaker, R. R. Riboswitches control fundamental biochemical pathways in *Bacillus subtilis* and other bacteria. *Cell* **113**, 577–586 (2003).
4. Johansen, L. E., Nygaard, P., Lassen, C., Agerso, Y. & Saxild, H. H. Definition of a second *Bacillus subtilis* pur regulon comprising the pur and xpt-pbuX operons plus pbuG, nupG (*yxjA*), and pbuE (*ydhL*). *J. Bacteriol.* **185**, 5200–5209 (2003).
5. Ellington, A. D. & Szostak, J. W. *In vitro* selection of RNA molecules that bind specific ligands. *Nature* **346**, 818–822 (1990).
6. Gold, L., Polisky, B., Uhlenbeck, O. & Yarus, M. Diversity of oligonucleotide functions. *Annu. Rev. Biochem.* **64**, 763–797 (1995).
7. Silverman, S. K. Rube Goldberg goes (ribo)nuclear? Molecular switches and sensors made from RNA. *RNA* **9**, 377–383 (2003).
8. Seetharaman, S., Zivarts, M., Sudarsan, N. & Breaker, R. R. Immobilized RNA switches for the analysis of complex chemical and biological mixtures. *Nature Biotechnol.* **19**, 336–341 (2001).
9. Zimmermann, G. R., Jenison, R. D., Wick, C. L., Simmorje, J.-P. & Pardi, A. Interlocking structural motifs mediate molecular discrimination by a theophylline-binding RNA. *Nature Struct. Biol.* **4**, 644–649 (1997).
10. Fan, P., Suri, A. K., Fiala, R., Live, D. & Patel, D. J. Molecular recognition in the FMN–RNA aptamer complex. *J. Mol. Biol.* **258**, 480–500 (1996).
11. Baugh, C., Grate, D. & Wilson, C. 2.8 Å crystal structure of the malachite green aptamer. *J. Mol. Biol.* **301**, 117–128 (2000).
12. Koizumi, M., Soukup, G. A., Kerr, J. N. & Breaker, R. R. Allosteric selection of ribozymes that respond to the second messengers cGMP and cAMP. *Nature Struct. Biol.* **6**, 1062–1071 (1999).
13. Leulliot, N. & Varani, G. Current topics in RNA–protein recognition: control of specificity and biological function through induced fit and conformational capture. *Biochemistry* **40**, 7947–7956 (2001).
14. Williamson, J. R. Induced fit in RNA–protein recognition. *Nature Struct. Biol.* **7**, 834–837 (2000).
15. Mandal, M. & Breaker, R. R. Adenine riboswitches and gene activation by disruption of a transcription terminator. *Nature Struct. Mol. Biol.* **11**, 29–35 (2004).
16. Doherty, E. A., Batey, R. T., Masquida, B. & Doudna, J. A. A universal mode of helix packing in RNA. *Nature Struct. Biol.* **8**, 339–343 (2001).
17. Nissen, P., Ippolito, J. A., Ban, N., Moore, P. B. & Steitz, T. A. RNA tertiary interactions in the large ribosomal subunit: the A-minor motif. *Proc. Natl. Acad. Sci. USA* **98**, 4899–4903 (2001).
18. Cate, J. H. et al. RNA tertiary structure mediation by adenosine platforms. *Science* **273**, 1696–1699 (1996).
19. Correll, C. C., Beneken, J., Plantinga, M. J., Lubbers, M. & Chan, Y. L. The common and the distinctive features of the bulged-G motif based on a 1.04 Å resolution RNA structure. *Nucleic Acids Res.* **31**, 6806–6818 (2003).
20. Molinaro, M. & Tinoco, I. Jr Use of ultra stable UNCG tetraloop hairpins to fold RNA structures: thermodynamic and spectroscopic applications. *Nucleic Acids Res.* **23**, 3056–3063 (1995).
21. De la Pena, M., Gago, S. & Flores, R. Peripheral regions of natural hammerhead ribozymes greatly increase their self-cleavage activity. *EMBO J.* **22**, 5561–5570 (2003).
22. Khvorova, A., Lescoute, A., Westhof, E. & Jayasena, S. D. Sequence elements outside the hammerhead ribozyme catalytic core enable intracellular activity. *Nature Struct. Biol.* **10**, 708–712 (2003).
23. Choi, K. Y. & Zalkin, H. Structural characterization and corepressor binding of the *Escherichia coli* purine repressor. *J. Bacteriol.* **174**, 6207–6214 (1992).
24. Kieft, J. S. & Batey, R. T. A general method for rapid and nondenaturing purification of RNAs. *RNA* **10**, 988–995 (2004).
25. Pflugrath, J. W. The finer things in X-ray diffraction data collection. *Acta Crystallogr. D* **55**, 1718–1725 (1999).
26. Terwilliger, T. SOLVE and RESOLVE: automated structure solution, density modification and model building. *J. Synchrotron Radiat.* **11**, 49–52 (2004).
27. Brunger, A. T. et al. Crystallography & NMR system: a new software suite for macromolecular structure determination. *Acta Crystallogr. D* **54**, 905–921 (1998).
28. Schumacher, M. A., Choi, K. Y., Zalkin, H. & Brennan, R. G. Crystal structure of LacI member, PurR, bound to DNA: minor groove binding by α helices. *Science* **266**, 763–770 (1994).

Supplementary Information accompanies the paper on www.nature.com/nature.

Acknowledgements We thank S. Edwards for maintaining and managing the Biochemistry Division X-ray Crystallography facility; and T. Cech, A. Pardi, D. Wuttke, J. Kieft and R. Rambo for discussions and comments on the manuscript. This work was funded in part from a grant from the Research Corporation and the University of Colorado Butcher Biotechnology Initiative. S.D.G. was supported in part by a NIH predoctoral training grant.

Competing interests statement The authors declare that they have no competing financial interests.

Correspondence and requests for materials should be addressed to R.T.B. (robert.batey@colorado.edu). The atomic coordinates and structure factors have been deposited in the RCSB Protein Data Bank under accession number 1U8D.

corrigendum

The genome of *Cryptosporidium hominis*

Ping Xu, Giovanni Widmer, Yingping Wang, Luiz S. Ozaki, Joao M. Alves, Myrna G. Serrano, Daniela Puui, Patricio Manque, Donna Akiyoshi, Aaron J. Mackey, William R. Pearson, Paul H. Dear, Alan T. Bankier, Darrell L. Peterson, Mitchell S. Abrahamsen, Vivek Kapur, Saul Tzipori & Gregory A. Buck

Nature **431**, 1107–1112 (2004).

The GenBank accession number was supplied incorrectly as AAEL000000. The sentence should have read: ‘The sequences reported in this paper have been deposited in GenBank under the project accession number AAEL00000000.’ In addition, the received date should have been 14 March 2004. □