Molecular Drug Targets

Jürgen Drews and Stefan Ryser

The term "genomic sciences" stands for the totality of all scientific attempts to understand the structure and function of the human genome and of all other genomes. The scientific mission of genomic sciences is not defined by the analysis of single genes carrying specific structural or functional characters; rather, genomic sciences attempts to understand the way in which a particular set of genes (3,000 in bacteria, 6,000 in yeast, approximately 100,000 in humans) contributes to the shape, the function, and the development of whole organisms from conception to death.

The potential of genomic sciences for medicine is fourfold: In the first place, the knowledge of the gene alterations that cause disease will lead to a new understanding of "disease disposition." This knowledge will inevitably lead to novel or greatly improved diagnostic methods. Second, the ability conveyed by genomic sciences to diagnose disease dispositions will open the door for preventive medical strategies. Third, genomics will lead to the identification of new drug targets. These new drug targets will allow the synthesis of small molecules with novel mechanisms of action. Finally, we will be able to relate certain genotypes to the action of drugs. This will allow the classification of patients into groups of potential responders and nonresponders to already existing and new medications.

While all these areas are important to the pharmaceutical industry, the identification of novel drug targets is of particular interest to drug discovery efforts. We have estimated the number of potential drug targets expected to be derived from genomics to be in the range of 3,000 to 10,000¹. This estimate is based on the assumption that there are about 100 nosological entities that represent major multifactorial diseases; that, on average, each of these diseases is generated by contributions from 10 genes; and that each of these "disease genes" will communicate with many other proteins, 3 to 10 of which may turn out to be drug targets in any individual case. While these extrapolations remain speculative, they are on the conservative side, at least with respect to the number of disease entities that served as the basis of this computation. There is no doubt that genomic sciences can lead to an enormous expansion of the number of drug targets on which pharmaceutical and biopharmaceutical companies will work.

and Genomic Sciences

In contrast, current therapies as described in a standard pharmacology text are based on no more than 500 molecular drug targets. These targets are presented here because they reveal what have been the most fruitful paths for therapeutic development in the past, and give a glimpse of where genomic sciences may yield drug-discovery success in the future. The drug targets are categorized according to the therapeutic areas corresponding to the sections in Goodman & Gilman's *The Pharmacological Basis of Therapeutics*². The distribution of the targets is patchy and reflects the opportunism that has been a feature of past pharmaceutical development. Drug targets that affect synaptic and neuroeffector junction sites, as well as central nervous system drugs, account for almost 30% of the total. Almost half of the drug targets are divided more or less equally between drugs that address inflammation, renal and cardiovascular function, infectious diseases, or hormone agonists and antagonists. The rest (26%) are targeted by drugs affecting blood diseases, gastrointestinal functions, uterine motility, cancer, immunomodulation, and by vitamins in the role of therapeutics. These targets are either constituents of the human body (for pharmacodynamic therapy) or of exogenous pathogenic agents such as viruses, microorganisms, or parasites (in chemotherapy). We have categorized the molecular drug targets into biochemical classes such as receptors, enzymes, factors and hormones, ion channels, nuclear receptors, DNA, and unknowns. Already today, it is evident that new therapies will be directed at specific disease targets and mechanisms, which in turn may be responsible for only a segment of a particular disease phenotype. How that will be accommodated by drug discovery remains to be seen. In any case, pharmaceutical companies that are able to integrate new technologies like the identification and characterization of new targets through genomic sciences into drug discovery may have a strong competitive advantage in the future.

1. Drews, J. 1996. Genomic sciences and the medicine of tomorrow. *Nature Biotechnology* 14:1516-1518.

2. Goodman and Gilman's *The Pharmacological Basis of Therapeutics*, 9th Edition. Hardman, J.G. and Limbird, L.E. (eds.) McGraw-Hill, New York.

Jürgen Drews is president of global research and Stefan Ryser is chief of international research staff at Hoffmann-La Roche Ltd., Basel, Switzerland. The authors wish to thank Yvonne Frater for reviewing the table.

nature biotechnology Classic Dru

Synaptic and Neuroeffector Junctional Sites and Central Nervous System	Target type	Number of targets
5-hydroxytryptamine selective neurotransmitter/serotonin transporter	C	1
Acetylcholinesterase	E	1
Adrenergic receptors, α_1 , α_2 , β_1 , β_2 , β_3	R	5
β -amyloid	E	1
Benzodiazepine receptor	R	1
Butyrylcholinesterase	E	1
Ca^{2+} channel	C	1
Catechol-O-methyltransferase	E	1
Cholecystokinin (CCK _A , CCK _B)	R	2
Choline acetyltransferase	E	1
Dopamine 1-5, D1-5	R	5
GABA _A receptor 6 α variants, 3 β , 2 Δ , 3 γ variants	R	14
GABA transaminase	E	1
Glutamic acid decarboxylase	E	1
Glutamate aspartate receptors, AMPA, GLU 1-4, KA, GLU 5-7, NMDA 1,2 _{A-D} , mGLU 1-7	R	21
Glycine receptor α , β	R	2
Histamine, H ₁ , H ₂ , H ₃	R	3
Ion channel associated with GABA _A receptor	C	1
Kainic acid, agonist, α subunit of the Ca^{2+} calmodulin-dependent protein kinase II	E	1
Li ⁺ (unknown target, but pharmacologically specified)	U	1
Monoamine oxidase (MAO)-A	E	1
Monoamine oxidase (MAO)-B	E	1
Muscarinic receptor, M ₁ , 3 subunits	R	1
Muscarinic receptor, M ₂ , 3 subunits	R	1
Muscarinic receptor, M ₃ , 3 subunits	R	1
Muscarinic receptor, M ₄ , 3 subunits	R	1
Na ⁺ channel, α_1 , β_1 , β_3	C	3
Neuropeptide Y, Y1, Y2	R	2
Nicotinic cholinergic receptors, muscle N _M α , β , δ , γ , ϵ	R	5
Nicotinic cholinergic receptors, neuronal, N _N α_2 , α_3 , α_4 , α_5 , α_6 , α_7 , α_8 , α_9 , β_2 , β_3 , β_4	R	11
Norepinephrine transporter	C	1
Opioid receptors μ_{1-2} , δ_{1-2} , κ_{1-3}	R	7
Phospholipase C β	E	1
Purines, P ₁ (A _{1,2a,2b,3}), P _{2X} , P _{2Y}	R	6
Serotonin 5-HT receptors 5-HT _{1A-F} , 5-HT _{2A-C} , 5-HT ₃ , 5-HT ₄₋₇	R	14
Somatostatin, SRIF _{1A-C} , SRIF _{2A,B}	R	5
Succinic semialdehyde dehydrogenase	E	1
Tachykinins, NK1, NK2, NK3	R	3
Tryptaminergic receptor	R	2
Vasopressin, V1 _{A,B}	R	3
Voltage activated Ca^{2+} channel, T-type Ca^{2+} channel	C	1
Subtotal (8 C, 12 E, 115 R, 1 U)		136

Inflammation

β_1 and β_2 adrenergic receptor	R	2
Bradykinin B_1 and B_2 receptors	R	2
Corticosteroid adrenocorticotropin receptor	R	1
Cyclooxygenase 1, 2 (COX-1, COX-2)	E	2
Histamine receptors H_1 , H_2 , H_3	R	3
Inorganic acid transport (inhibitor)	U	1
Intercellular adhesion molecule 1	R	1
Interleukin 1 receptor	R	1
Kallikrein, aprotinin, C-esterase, α_2 macroglobulin	E	4
Kinin	E	1
L-type calcium channel	C	1
Leukocyte integrins	R	1
Leukotriene A hydrolase	E	1
Leukotriene B_4 receptor	R	1
Leukotriene C_4 receptor	R	1
Leukotriene C synthase	E	1
Leukotriene D_4/E_4 receptor	R	1
Lipocortin (protein) that inhibits phospholipase A_2	F&H	1
Lipoxygenases: 12-lipoxygenase (platelets), 5-lipoxygenase (leukocytes)	E	2
N-acyl hydrolase	E	1
Phosphodiesterase (type IV, cyclic nucleotide phosphodiesterase)	E	1
Phospholipase A_2 , C	E	2
Platelet-activating factor receptor (antagonist)	R	1
Prostacyclin synthase	E	1
Prostaglandin 15-OH dehydrogenase (PGDH)	E	1
Prostaglandin D - DP receptor	R	1
Prostaglandin E_1 , E_2 , E_3 - EP receptor	R	3
Prostaglandin F - FP receptor	R	1
Prostaglandin I_2 - IP receptor	R	1
Renal tubular reabsorption of uric acid	U	1
Serotonin (5-HT $_3$)	R	1
Spindle formation inhibitor during meiosis in neutrophils	E	1
Thromboxane A_2 TP receptor, platelet and non-platelet	R	2
Thromboxane synthase	E	1
Tumor necrosis factor receptor	R	1
Vascular cellular adhesion molecule 1	R	1
Subtotal (1 C, 19 E, 1 F&H, 26 R, 2 U)		49

Renal and Cardiovascular Functions

3-hydroxy-3-methylglutaryl coenzyme A	E	1
α -adrenergic receptor	R	1
α -subunit of Na^+/K^+ ATPase (3 isoforms)	E	3
Angiotensin-converting enzyme (ACE)	E	1
Angiotensin II formation	E	1
Angiotensin II receptor (antagonist)	R	1
Antiplatelet/antithrombotic agent	U	1
Arginine vasopressin	R	1
Angiotensin receptors, AT_1 , AT_2	R	2
ATP-sensitive K^+ channel	C	1
β -adrenergic receptors, β_1	R	1
Carbonic anhydrase, type IV, II	E	2
Expression of hepatic LDL receptor (assumed mechanism of action)	U	1
G-protein coupled adenosine receptor	R	1
Ganglionic adrenergic neurons/norepinephrine transporter	C	1
Guanylate cyclase (nitroprusside)	E	1
Guanylyl cyclase (NO)	E	1
Hepatic sulfotransferase as a catalyst	E	1
Hydralazine causes direct relaxation of arteriolar smooth muscle (unknown molecular mechanism)	U	1
L-aromatic amino acid decarboxylase	E	1
L-type voltage sensitive Ca^{2+} channels	C	1
Lipoprotein lipase	E	1
Mineralocorticoid receptor (MR)	NR	1
Na^+ channel α , β , γ	C	3
Na^+ conductance channel	C	1
Na^+/Cl^- symporter	C	1
$Na^+/K^+/2Cl^-$ symporter	C	1
Neutral endopeptidase (NEP), enzyme that degrades atrial natriuretic peptide (ANP)	E	1

Probiotic receptor affecting apo A-I production (LDL receptor independent mechanism)	R	1
Secretion of vasopressin K receptor	R	1
Type I cyclic nucleotide phosphodiesterase	E	1
Type III cyclic AMP phosphodiesterase	E	1
Type V cyclic nucleotide phosphodiesterase	E	1
Vasopressin receptors V _{1a} , V _{1b} , V ₂	R	3
Water channels in the collecting ducts (aquaporin CD)	C	1
Subtotal (11 C, 17 E, 1 NR, 15 R, 3 U)		47

Gastrointestinal Functions

5-HT ₃ antagonist	R	1
5-HT ₄ receptor	R	1
D1 dopaminergic receptor	R	1
H ⁺ , K ⁺ ATPase, proton pump	C	1
H ₁ histamine receptor	R	1
H ₂ histamine receptor	R	1
HCl secretion by gastric cells (antacid)	U	1
μ and δ receptor in gastrointestinal tract	R	2
M1 receptor, muscarinic cholinergic	R	1
Mucosal barrier to HCl	U	1
Mucus secretion/mucus layer that covers the gastric and duodenal mucosa	U	1
Pancrelipase	E	1
Prostaglandin E ₂ (PGE ₂)	R	1
Prostaglandin I ₂ (PGI ₂)	R	1
Subtotal (1 C, 1 E, 10 R, 3U)		15

Uterine Motility

β-adrenergic receptor	R	1
Ca ²⁺ channel	C	1
Cyclooxygenase	E	1
Motor activity of the uterus (alkaloids)	R	1
Oxytocin	F&H	1
Prostaglandin E ₂ receptor	R	1
Prostaglandin F _{2α} receptor	R	1
Prostaglandin synthetase	E	1
Subtotal (1 C, 2 E, 1 F&H, 4 R)		8

Bacterial Infections

23S rRNA of the 50S ribosomal unit	E	1
30S rRNA from 50S ribosomal unit	E	1
50S ribosomal unit binding site	E	1
Aminoacyl tRNA site on 30S ribosomal unit (tetracycline)	E	1
β-lactamase	E	1
β-subunit of DNA-dependent RNA polymerase	E	1
D-alanyl D-alanine synthetase	E	1
Dihydropteroate synthetase	E	1
DNA gyrase, subunit α	E	1
DNA gyrase, subunit β	E	1
L-alanyl racemase	E	1
Microbial dihydrofolate reductase	E	1
Mycobacterial RNA polymerase	E	1
Mycolic acid biosynthesis (unknown molecular target)	E	1
Mycolic acid integration into cell wall (ethambutol), unknown molecular target	U	1
PBP 2a, 2b	U	2
PBP 3, 4, 5, 6, 7	U	5
Penicillin-binding protein 1a (PBP 1a, 1b), transpeptidase	E	2
Penicilloyl enzyme	E	1
Peptidyl site of the 50S ribosomal unit	E	1
Reverse transcriptase	E	1
Ribosomal protein from 50S ribosomal unit (streptomycin)	E	3
Transpeptidase	E	1
Unknown (streptomycin, other than known targets of streptomycin)	U	1
Subtotal (23 E, 9 U)		32

Fungal Infections

Cytochrome P450-dependent sterol 14 α -demethylase	E	1
Membrane components to increase permeability	U	1
Microtubular protein	E	1
Thymidylate synthetase	E	1
Uridine monophosphate pyrophosphorylase	E	1
Subtotal (4 E, 1 U)		5

KEY

**C: Channel; D: DNA; E: Enzyme; F&H: Factors and Hormones;
NR: Nuclear Receptor; R: Receptor; U: Unknown.**

Source: Goodman & Gilman's *The Pharmacological Basis of Therapeutics*, Ninth Edition, 1996, McGraw-Hill, New York.
Sections are ordered according to chapters in Goodman & Gilman.

FOR INFORMATION CONCERNING REPRINTS OF THIS POSTER CALL ERIC GORDON (212) 726-9261.

g Targets

Viral Infections

	Target type	Number of targets
Helicase	E	1
HSV thymidine kinase	E	1
Influenza A virus M ₂ protein	E	1
Inosine 5' phosphatodehydrogenase	E	1
Integrase	E	1
Neuramidase	E	1
Primase	E	1
Reverse transcriptase	E	1
Thymidylate synthetase	E	1
Viral DNA polymerase	E	1
Subtotal		10

Parasitic Infectious Diseases

Cholinesterase	E	1
DNA alkylation (oxamniquine)	D	1
Glycerol phosphate oxidase	E	1
Hemoglobin protease	E	1
Nicotinic receptor	R	1
Parasite β -tubulin	E	1
Parasite dihydrofolate reductase	E	1
Parasite DNA	D	1
Parasite glutamate gated Cl ⁻ channel	C	1
Plasmodial heme polymerase	E	1
Thymidylate synthetase	E	1
Trypanothione reductase	E	1
Unknown (atovaquone)	U	1
Unknown (eflornithine)	U	1
Unknown (melarsoprol)	U	1
Unknown (pentamidine)	U	1
Unknown (praziquantel)	U	1
Unknown (primaquine)	U	1
Unknown component in membrane (diethylcarbamazine)	U	1
Subtotal (1 C, 2 D, 8 E, 1 R, 7 U)		19

Neoplastic Diseases

5-adenosyl homocysteine hydrolase	E	1
Adenosine deaminase	E	1
Adrenocortical steroid synthesis	E	1
Adrenocorticosteroid receptor	NR	1
Androgen receptor	NR	1
Apoptosis (molecular target not known)	U	1

CG-rich DNA (actinomycin)	D	1
Cytochrome P450 reductase	E	1
Deoxycytidine kinase	E	1
Dihydrofolate reductase	E	1
DNA alkylating agents	D	1
DNA chain elongation factor	F	1
DNA cross-linking	D	1
DNA-dependent RNA polymerase	E	1
DNA methylation	D	1
DNA polymerases I + III	E	2
DNA primase	E	1
Estrogen receptor	NR	1
Glycinamide ribonucleotide transformylase	E	1
Gonadotropin releasing hormone agonist	H	1
Granulocyte colony-stimulating factor	F	1
Granulocyte colony-stimulating factor receptor	R	1
Guanylyl kinase	E	1
Hypoxanthine-guanine phosphoribosyl transferase	E	1
Insulin-like growth factor 1	F	1
Interleukin-2 receptor	R	1
Inosinate dehydrogenase	E	1
Interferon α	F	1
Interferon α receptor	R	1
L-asparaginase in combination with methotrexate	E	1
Progesterone receptor	R	1
Ribonucleoside diphosphate reductase	E	1
Ribonucleotide reductase	E	1
Scission of DNA	D	1
Thymidylate synthetase (5-FU)	E	1
Topoisomerase II	E	1
Tubulin (mitosis blocking)	E	1
Subtotal (5 D, 20 E, 6 F&H, 3 NR, 4 R, 1 U)		39

Immunomodulation

Calcineurin	F&H	1
CD3 glycoprotein on T lymphocytes	R	1
Corticosteroid nuclear receptor	NR	1
Cyclophilin, cyclosporin binding protein	F&H	1
Dihydrofolate reductase	E	1
DNA alkylation	DNA	1
FKBP, tacrolimus binding protein, FK506 binding protein	F&H	1
Granulocyte colony-stimulating factor	F&H	1
Granulocyte-macrophage colony-stimulating factor	F&H	1
Inosine monophosphate dehydrogenase (de novo synthesis of purines)	E	1
Intercalations into DNA backbone	DNA	1
Interferon α	F&H	1
Interferon α receptor	R	1
Interleukin-2 receptor (IL-2R)	R	1
Rh 0	R	1
Thymic lymphocyte antibodies	U	1
Subtotal (2 D, 2 E, 6 F&H, 1 NR, 4 R, 1 U)		16

Blood and Blood-Forming Organs

α_2 antiplasmin	F&H	1
Anticoagulant protein C	F&H	1
Anticoagulant protein S	F&H	1
Coagulation factor II, VII, IX, X	F&H	4
Cyclic nucleotide phosphodiesterase	E	1
Cyclooxygenase (aspirin)	E	1
Erythropoietin	F&H	1
Factor VIII	F&H	1
Folic acid	R	1
Granulocyte colony-stimulating factor	F&H	1
Granulocyte-macrophage colony-stimulating factor	F&H	1
Endo- β -D-glucuronidase (heparin)	R	1
Heparin antagonist	F&H	1

Riboflavin	R	1
Stem cell factor, c-kit ligand	F&H	1
Thrombopoietin	F&H	1
Tissue plasminogen activator	F&H	1
Vitamin B ₁₂	R	1
Vitamin K antagonist	R	1
Subtotal (2 E, 29 F&H, 7 R)		38

Hormones and Hormone Antagonists

3 β hydroxysteroid dehydrogenase	E	1
α -amylase	E	1
α -glucosidase	E	1
ACTH receptor	R	1
Adrenocorticotrophic hormone (ACTH)	F&H	1
Androgen receptor (testosterone receptor)	R	1
Aromatase	E	1
ATP sensitive K ⁺ channels	C	1
Calcitonin	F&H	1
Cell surface receptors for sulfonylureas on pancreatic β cells	R	1
Cytochrome P450 11 β (11 β hydroxylase)	E	1
Cytochrome P450 17 α C17-20 lyase	E	1
Cytochrome P450 aldo, aldosterone synthase	E	1
Cytochrome P450 side chain cleavage (scc) enzyme	E	1
Dopaminergic agonist	R	1
Estrogen receptor	R	1
Follicle-stimulating hormone (FSH)	F&H	1
FSH receptor	R	1
GHRH receptor	R	1
Glucagon receptor	R	1
Glucoamylase	E	1
Glucocorticoid receptor (GR)	R	1
GnRH receptor	R	1
Gonadotropin releasing hormone (GnRH)	F&H	1
Growth hormone receptor	R	1
Growth hormone-releasing hormone (GHRH)	F&H	1
IGF-1 receptor, IGF-2 receptor	R	2
Insulin	F&H	1
Insulin-like growth factor (IGF-1, IGF-2)	F&H	2
Insulin receptor, α and β subunits	R	2
Insulin transporter	C	1
Iodothyronine-5'-deiodinase, type 1, type 2	E	2
LH/choriogonadotropin (CG) receptor	R	1
Luteinizing hormone (LH)	F&H	1
Mineralocorticoid receptor	R	1
Parathyroid hormone (PTH)	F&H	1
Peroxidase	E	1
Progesterone receptor (RU486 binding receptor)	R	1
Prolactin	F&H	1
Prolactin receptor	R	1
Somatostatin	F&H	1
Somatostatin receptors, several	R	2
Steroid 5 α reductase 1,2	E	2
Sucrase	E	1
Thyroid-stimulating hormone (TSH) receptor, TR α 1, 2, TR β 1, 2	R	4
Vitamin D nuclear receptor	NR	1
Subtotal (2 C, 14 E, 11 F&H, 3 NR, 25 R)		55

The Vitamins

Ascorbic acid	U	1
Carnitine	R	1
Mutated biotin-dependent enzymes	E	1
Nicotinic acid	R	1
Pyridoxine	R	1
Retinoic acid α receptor	NR	1
Thiamine	R	1

Vitamin A	NR	1
Vitamin E	U	1
Vitamin K	U	1
Subtotal (1 E, 2 NR, 4 R, 3 U)		10

The Journal for True Innovators

From the concept, through the lab, into meaningful applications in business or society, *Nature Biotechnology* is the authoritative source for biotechnology research, news, and analysis.

To become a personal subscriber and receive your own 12 monthly issues of *Nature Biotechnology* as well as our International Buyers' Guide, please contact us. Students and PostDocs . . . be sure to ask about our special Student and PostDoc rates!

To order, or for more information, you can reach us at:

In North and South America

Telephone 800 524 0384
(outside the US) 615 377 3322
Fax 615 377 0525
e-mail subscriptions@natureny.com

In Australia

Telephone 61 (03) 9645 9444
Fax 61 (03) 9645 7222

In Japan

Telephone 81 (0) 3 3267 8751
Fax 81 (0) 3 3267 8746
e-mail subscriptions@naturejpn.com

In Europe and Rest of World

Telephone 44 (0) 1256 329242
Fax 44 (0) 1256 812358
e-mail subscriptions@nature.com