

---

## Phosphorylation of STIM1 underlies suppression of store-operated calcium entry during mitosis

Jeremy T. Smyth, John G. Petranka, Rebecca R. Boyles, Wayne I. DeHaven, Miwako Fukushima, Katina L. Johnson<sup>2</sup>, Jason G. Williams<sup>2</sup> and James W. Putney Jr

*Nature Cell Biol.* **11**, 1465–1472 (2009); published online 1 November 2009; corrected after print, 12 January 2010

In both the HTML and PDF versions of this letter, statements regarding the suppression of SOCE during mitosis have been altered as follows:

on page 1465 (abstract, line 2), the following text has replaced the previous text,

“Store-operated Ca<sup>2+</sup> entry (SOCE) and Ca<sup>2+</sup> release-activated Ca<sup>2+</sup> currents (I<sub>crac</sub>) are strongly suppressed during cell division, the only known physiological situation in which Ca<sup>2+</sup> store depletion is uncoupled from the activation of Ca<sup>2+</sup> influx.”

On page 1465 (right column, second paragraph, line 5), the following text has replaced the previous text,

“The only known physiological situation in which SOCE seems to be strongly negatively regulated is during cell division<sup>16–19, 37</sup>.”

An additional citation has been added to the reference list:

37. Machaca K. & Huan S. Store-operated calcium entry inactivates at the germinal vesicle breakdown stage of *Xenopus* meiosis. *J. Biol. Chem.* **275**, 38710–38715 (2000).

In the Methods, references 38, 39 and 40 have been changed from 37, 38 and 39, respectively.