

DOI: 10.1038/ncomms10704 OPEN

Corrigendum: A fluorescent hormone biosensor reveals the dynamics of jasmonate signalling in plants

Antoine Larrieu, Antony Champion, Jonathan Legrand, Julien Lavenus, David Mast, Géraldine Brunoud, Jaesung Oh, Soazig Guyomarc'h, Maxime Pizot, Edward E. Farmer, Colin Turnbull, Teva Vernoux, Malcolm J. Bennett & Laurent Laplaze

Nature Communications 6:6043 doi: 10.1038/ncomms7043 (2015); Published 16 Jan 2015; Updated 10 Feb 2016

It has come to our attention that the control version of the Jas9-VENUS reporter construct reported in this Article, mJas9-VENUS, which consists of a mutated version of Jas9 fused to VENUS, does not contain a nuclear localization signal as described in Fig. 1a. The conclusion that degradation of the Jas9-VENUS reporter is dependent on jasmonate signalling in the nucleus remains unaffected by this error, as the reporter construct itself contains a nuclear localization signal, and the mJas9-VENUS control construct also localizes to the nucleus, even in the absence of this sequence (Fig. 4). As a result we do not foresee any practical implications for the use of either the Jas9-VENUS sensor construct or the mJas9-VENUS control.




Figure 4 | mJas9-VENUS localizes to the nucleus in the mature part of the root. Images show the mature root of a 5-day-old *Arabidopsis* seedling expressing the nuclear marker H2B-RFP and the mJas9-VENUS control reporter construct. Scale bar, 20 µm.

This work is licensed under a Creative Commons Attribution 4.0 International License. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in the credit line; if the material is not included under the Creative Commons license, users will need to obtain permission from the license holder to reproduce the material. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/