- Wynne, J. & Braunwald, E. The cardiomyopathies and myocarditis: toxic, chemical, and physical damage to the heart. In *Heart Disease* (ed. Braunwald, E.) 1394–1450 (Saunders, Philadelphia, 1992).
- Codd, M.B., Sugrue, D.D., Gersh, B.J. & Melton, L.J. III. Epidemiology of idiopathic dilated and hypertrophic cardiomyopathy: a population-based study in Olmsted County, Minnesota, 1975–1984. *Circulation* **80**, 564–572 (1989).
- Manolio, T.A. *et al.* Prevalence and etiology of idiopathic dilated cardiomyopathy (Summary of a National Heart, Lung, and Blood Institute Workshop). *Am. J. Cardiol.* **69**, 1458–1466 (1992).
- Michels, V.V. *et al.* The frequency of familial dilated cardiomyopathy in a series of patients with idiopathic dilated cardiomyopathy. *New Engl. J. Med.* **326**, 77–82 (1992).
- Berko, B.A. & Swift, M. X-linked dilated cardiomyopathy. *New Engl. J. Med.* **316**, 1186–1187 (1987).
- Muntoni, F. *et al.* Deletion of the dystrophin muscle-promoter region associated with X-linked dilated cardiomyopathy. *New Engl. J. Med.* **329**, 921–925.
- Michels, V.V. *et al.* Dystrophin analysis in idiopathic dilated cardiomyopathy. *J. med. Genet.* **30**, 955–957 (1993).
- Channer, K.S., Channer, J.L., Campbell, M.J. & Rees, J.R. Cardiomyopathy in the Kearns-Sayre syndrome. *Br. Heart J.* **59**, 486–490 (1988).
- Graber, H.L. *et al.* Evolution of hereditary cardiac conduction and muscle disorder: a study involving a family with six generations affected. *Circulation* **74**, 21–35 (1986).
- Voss, E.G. *et al.* Familial dilated cardiomyopathy. *Am. J. Cardiol.* **54**, 456–457 (1984).
- Lynch, H.T. *et al.* Hereditary progressive atrioventricular conduction defect. A new syndrome? *J.A.M.A.* **225**, 1465–1470 (1973).
- Mestroni, L. *et al.* Clinical and pathologic study of familial dilated cardiomyopathy. *Am. J. Cardiol.* **65**, 1449–1453 (1990).
- Seldin, M.F., Prins, J.-B., Rodrigues, N.R., Todd, J.A. & Meisler, M.H. Mouse chromosome 3. *Mamm. Genome* **4**, S47–S57 (1993).
- Watkins, H. *et al.* A disease locus for familial hypertrophic cardiomyopathy maps to chromosome 1q3. *Nature Genet.* **3**, 333–336 (1993).
- Carrier, L. *et al.* Mapping of a novel gene for familial hypertrophic cardiomyopathy to chromosome 11. *Nature Genet.* **4**, 311–314 (1993).
- Watkins, H. *et al.* Characteristics and prognostic implications of myosin missense mutations in familial hypertrophic cardiomyopathy. *New Engl. J. Med.* **326**, 1108–1114 (1992).
- Thierfelder, L. *et al.* A familial hypertrophic cardiomyopathy locus maps to chromosome 15q2. *Proc. natn. Acad. Sci. U.S.A.* **90**, 6270–6274 (1993).
- Calquist, J.F., Menlove, R.L., Murray, M.B., O'Connell, J.B. & Anderson, J.L. HLA Class II (DR and DQ) antigen associations in idiopathic dilated cardiomyopathy. Validation study and meta-analysis of published HLA association studies. *Circulation* **83**, 515–527 (1991).
- Limas, C. *et al.* T-cell receptor gene polymorphisms in familial cardiomyopathy: Correlation with anti- β -receptor autoantibodies. *Am. Heart J.* **124**, 1258–1263 (1992).
- NIH-CEPH Collaborative mapping group. *Science* **258**, 67–86 (1992).
- Weissenbach, J. *et al.* A second-generation linkage map of the human genome. *Nature* **359**, 794–801.
- Buetow, K.H. *et al.* Integrated genome wide maps constructed using the CEPH reference panel. *Nature Genet.* **6**, 391–393 (1994).
- Engelstein, M. *et al.* A PCR-based linkage map of human chromosome 1. *Genomics* **15**, 251–258 (1993).
- Irwin, M., Cox, N. & Kong, A. Sequential imputation for multilocus linkage analysis. *Genetic Epidemiology* **10**, 483–488 (1993).
- Beyer, E.C., Paul, D.L. & Goodenough, D.A. Connexin family of gap junction proteins. *J. membrane Biol.* **116**, 187–194 (1990).
- Bennet, M.V.L. *et al.* Gap junctions: New tools, new answers, new questions. *Neuron* **6**, 305–320 (1991).
- Willecke, K. *et al.* Six genes of the human connexin gene family coding for gap junction proteins are assigned to four different human chromosomes. *Eur. J. cell Biol.* **53**, 275–280 (1990).
- Lathrop G.M., Lalouel, J.M., Julier, C. & Ott, J. Strategies for multilocus linkage analysis in humans. *Proc. natn. Acad. Sci. U.S.A.* **81**, 3443–3446 (1984).
- Haefliger, J.-A. *et al.* Four novel members of the connexin family of gap junction proteins. *J. Biol. Chem.* **267**, 2057–2064 (1992).
- Kanter, H.L., Saffitz, J.E. & Beyer, E.C. Cardiac myocytes express multiple gap junction proteins. *Circ. Res.* **70**, 438–444 (1992).
- Kanter, H.L., Laing, J.G., Beau, S.L., Beyer, E.C. & Saffitz, J.E. Distinct patterns of connexin expression in canine purkinje fibers and ventricular muscle. *Circ. Res.* **72**, 1124–1131 (1993).
- Peters, N.S., Green, C.R., Poole-Wilson, P.A. & Severs, N.J. Reduced content of connexin43 gap junctions in ventricular myocardium from hypertrophied and ischemic human hearts. *Circulation* **88**, 864–875 (1993).
- Reed, K.E. *et al.* Molecular cloning and functional expression of human connexin37, an endothelial cell gap junction protein. *J. clin. Invest.* **91**, 997–1004 (1993).
- Surawicz, B. *et al.* Task Force 1: standardization of terminology and interpretation. *Am. J. Cardiol.* **41**, 130–145 (1978).
- Felgenbaum, H. Echocardiography In *Heart Disease* (ed. Braunwald, E.) 64–115 (Saunders, Philadelphia, 1992).
- Boehnke, M. Allele frequency estimation from data on relatives. *Am. J. hum. Genet.* **48**, 22–25 (1991).

errata

Human methylenetetrahydrofolate reductase: isolation of cDNA, mapping and mutation identification

P. Goyette, J. S. Sumner, R. Milos, A. M.V. Duncan, D. S. Rosenblatt, R. G. Matthews & R. Rozen

Nature Genetics 7, 195–200 (1994)

An old version of Fig. 2 was inadvertently printed in this paper. The revised part of Fig. 2 is printed below.

A GenBank accession number has now been assigned — U09806.

```

300•
GGYHS LRQLV KLSKL EVQPE IKDVI EPIKD NDAAI RN-YGI ELAVS LCQEL LASGL VPGLE FYTIN mthfr
snfkq akkfa dmtnv rlpaw magmf dgl-D dDAet RklvGa niAmD mvkIL sreG- Vkdfe FYTIN ecometf
snfkq akkfa dmtnv rlpaw msimf Egl-D nDAet RklvGa niAmD mvkIL sreG- Vkdfe FYTIN stymetf

R-EMAT TEVLK RLGMN TEDER RELEW ALSAR PKRRE EDVVP IFWAS RKSKY IYRTO EWDEF ENGEW mthfr
RaEMsy a-ich tLGvr pgl> ecometf
RaEMsy a-ich tLGvr pgl> stymetf

400•
GNSSS PAFGE LRQYV LFYLK SKSPK E mthfr

```

The distribution of CpG islands in mammalian chromosomes

Jeffrey M. Craig & Wendy A. Bickmore

Nature Genetics 7, 376–382 (1994)

Figs 3 and 4 were inadvertently transposed in this paper; the legends were correct, as published.

correction

Heterozygous missense mutation in the rod cGMP phosphodiesterase β -subunit gene in autosomal dominant stationary night blindness

Andreas Gal, Ulrike Orth, Wolfgang Baehr, Eberhard Schwinger & Thomas Rosenberg

Nature Genetics 7, 64–68 (1994)

The authors would like to apologize for two regretful mistakes. The amino acid substitution predicted by the mutation (CAC-258-AAC) is given incorrectly throughout the paper; it should read His258Asn/H258N. Also, residue 259 (codon AAG) in Fig. 2 should read lysine (not leucine). The revised Fig. 2 is shown below.

Fig. 2 Detection of the heterozygous His258Asn mutation by direct sequencing of PCR products in exon 4 of the human β PDE gene.