

ERRATA

The broad-spectrum antiviral ribonucleoside ribavirin is an RNA virus mutagen

SHANE CROTTY, DAVID MAAG, JAMIE J. ARNOLD, WEIDONG ZHONG, JOHNSON Y. N. LAU, ZHI HONG, RAUL ANDINO & CRAIG CAMERON

Nature Med. 6, 1375–1379 (2000).

On page 1378, the caption below Table 3 was incorrect. The correct caption is printed here.

*, per 10,000 nucleotides. Data for total mutations are greater than the sum of the two columns, as other transition (U to C, A to G) and transversion (C to U, C to C and U to A) mutations were also detected. *, $P < 0.0004$ and **, $P < 0.0000002$, compared with no ribavirin (two-tailed, unpaired Student's *t*-test). A total of 42,335 nucleotides was sequenced.


We regret this error.

Isolation of primary HIV-1 that target CD8⁺ T Lymphocytes using CD8 as a receptor

KUNAL SAHA, JIANCHAO ZHANG, ANIL GUPTA, RAJNISH DAVE, MERON YIMEN & BOUCHRA ZERHOUNI

Nature Med. 7, 65–72 (2001).

On page 68, Fig. 4c was incorrect. The correct Fig. 4c is printed here.



We regret this error.