Prototype stents set to steal market

Drug-eluting stents—cardiac stents that release medicines—represent a true advance in the use of bioengineering for the improvement of medical health. And a new report from industry analysts Datamonitor shows that the drug-yielding version is set to overtake its traditional counterpart for use in cardiac surgery by the end of the decade. But as with all technological advances, clinical studies are beginning to reveal limitations to prototype eluting stents.

Stents, stainless steel mesh tubes placed inside a coronary artery to keep the vessel open, have revolutionized cardiology. During surgical procedures such as angioplasty, where blocked blood vessels of the heart are opened, stents are implanted to keep those vessels open. However, around 25% of patients implanted with a stent experience restenosis whereby cells of the blood vessels' innermost intima layer proliferate and grow over the opening. Adding anti-proliferative drugs to stents should stop the problem of intimal regrowth, and so far

the theory has been borne out in clinical trials.

One such drug, sirolimus (rapamycin or Rapamune) is used as an immunosuppressant because it inhibits T-lymphocyte activation and proliferation, and it also prevents intimal hyperplasia when used in stents. Similarly, the cancer chemotherapeutic agent paclitaxel inhibits cell growth by stabilizing microtubules, causing them to be non-functional, thereby preventing cell proliferation. Other drugs such as the corticosteroid dexamethasone, the anti-tumor drug actinomycin D and the matrix metalloproteinase inhibitor batimastat, have also been investigated for use in stents.

The major question is how long these stents can prevent restenosis. The longest study to date, a 2-year follow-up trial of the sirolimus-coated stent Cypher, manufactured by Cordis, com-

pletely prevented restenosis in 30 patients with *de novo* coronary artery lesions. The company's vice president of medical affairs, Brian Firth, says that Cypher will enter the European market in the coming months. Another stent that is close to reaching market is the

Guidant/Cook paclitaxel-coated stent. Additional trials

are under-way to evaluate this particular stent in patients that are more difficult to treat, such as diabetics.

But the news is not all good.

New data shows that the effectiveness of even drug-loaded stents can wane over time. For example, one of the earliest trials involved Quanam Medical Corporation's QuaDS-QP2 stent coated with a paclitaxel analog. Whereas 6-month follow-up showed minimal intimal hyperplasia with this stent, 12-month evaluation data suggests that 8 out of 13 patients had experienced restenosis (*Circulation* 105, 1883; 2002).

Similarly, Guidant announced in March that it was halting further development of its actinomycin-D drug-stent trial. Initial results showed that it failed to prevent restenosis in the first 90 patients enrolled in the study. And Biocompatibles and British Biotech announced that they were suspending recruitment in a clinical trial of a stent releasing the matrix metalloproteinase inhibitor, batimastat. In this case, angiographies of 150 patients at 6 months suggested that the stent did not show the benefit that was evident in earlier studies. Similarly, a phase 2 trial of Biocompatibles' dexamethasone stent found no cardiac deaths but a restenosis rate of 13.3% in a follow-up of 60 patients.

Nevertheless, the first drug-eluting stents are expected to come to market in the US in mid-2003, and sooner in Europe. Their arrival is eagerly anticipated by cardiologists and patients alike. By 2009, according to the Datamonitor report, their market size will have reached more than \$4 billion in global annual sales, whereas sales of conventional stents will have declined from their current \$1.7 billion to \$453 million.

Courtesy of Cordis

The what School of Medicine?

Ever heard of the David Geffen School of Medicine? You will, since this is the new name of the 50-year old School of Medicine at University of California, Los Angeles (UCLA) following a \$200 million donation from the eponymous Hollywood mogul. The donation represents the largest single gift yet to any medical school in the country.

Geffen is the principal partner in DreamWorks SKG, the entertainment company he co-founded with Steven Spielberg and Jeffrey Katzenberg in 1994.

UCLA spends around \$350 million a year on biomedical research, much of it supported by outside grants. In fact, the school is heavily reliant on such money because it gets only 13% of its funding from the state. In 2000, for example, UCLA received \$250 million in research grants, according to Leonard Rome, the school's senior associate dean of research. In 2001, he says, the school pulled in \$201 million in research grants from the National Institutes of Health alone.

Rome believes that the school excels in five particular areas of biomedical research: cancer research (conducted at the Jonsson Comprehensive Cancer Center), imaging (including neuroimaging, PET and brain mapping), cardiovascular research, genomics/proteomics and neuroscience. The medical school has more than 2,000 faculty members, including Nobel laureates such as Louis Ignarro. Nearly 5,400 candidates apply to the medical school annually seeking one of its 121 first-year positions.

Geffen's work is well known around the world—his studio won an Oscar for best picture this year for *A Beautiful Mind*, marking the company's third consecutive win after *Gladiator* and *American Beauty*. In addition, the studio's animated blockbuster *Shrek* won the first-ever Oscar presented for best animated feature.

Geffen says he was motivated to make such a generous donation by two factors: his desire to support "one of the most innovative medical schools in the world" and "to inspire others to do the same." If they do, other bastions of medical education and research may have to change their names as well as a sign of their appreciation.

MARLENE CIMONS, WASHINGTON

Emma Hitt, Atlanta