

8. Briggaman, R.A. Localization of the defect in skin diseases analyzed in the human skin graft-nude mouse model. *Curr. Probl. Dermatol.* **10**, 115 (1980).
9. Kim, Y. *et al.* Recessive dystrophic epidermolysis bullosa phenotype is preserved in xenografts using SCID mice: Development of an experimental in vivo model. *J. Invest. Dermatol.* **98**, 191–195 (1992).
10. Medalie, D.A. *et al.* Evaluation of human skin reconstituted from composite grafts of cultured keratinocytes and human acellular dermis transplanted to athymic mice. *J. Invest. Dermatol.* **107**, 121–127 (1996).
11. Fenjves, E.S., Yao, S.-N., Kurachi, K. & Taichman, L.B. Loss of expression of a retrovirus-transduced gene in human keratinocytes. *J. Invest. Dermatol.* **106**, 576–578 (1996).
12. Gerrard, A.J., Hudson, D.L., Brownlee, G.G. & Watt, F.M. Towards gene therapy for haemophilia B using primary human keratinocytes. *Nature Genet.* **3**, 180–183 (1993).
13. Dale, B.A., Gown, A.M., Fleckman, M.D., Kimball, J.R. & Resing, K.A. Characterization of two monoclonal antibodies to human epidermal keratohyalin: Reactivity with filaggrin and related proteins. *J. Invest. Dermatol.* **88**, 307–313 (1987).
14. Lavrijsen, A.P. *et al.* Barrier function parameters in various keratinization disorders: Transepidermal water loss and vascular response to hexyl nicotinate. *Br. J. Dermatol.* **129**, 547–553 (1993).
15. Mancini, A.J., Sookdeo-Drost, S., Madison, K.C., Smoller, B.R. & Lane, A.T. Semipermeable dressings improve epidermal barrier function in premature infants. *Pediatr. Res.* **36**, 306–314 (1994).
16. Garlick, J.A., Katz, A.B., Fenjves, E.S. & Taichman, L.B. Retrovirus-mediated transduction of cultured epidermal keratinocytes. *J. Invest. Dermatol.* **97**, 824–829 (1991).
17. Kinsella, T.M. & Nolan, G.P. Episomal vectors rapidly and stably produce high-titer recombinant retrovirus. *Hum. Gene Ther.* **7**, 1405–1413 (1996).
18. Roop, D. Defects in the barrier. *Science* **267**, 474–475 (1995).
19. Ottey, K.A., Wood, L.C., Grunfeld, C., Elias, P.M. & Feingold, K.R. Cutaneous permeability barrier disruption increases fatty acid synthetic enzyme activity in the epidermis of hairless mice. *J. Invest. Dermatol.* **104**, 401 (1995).
20. Taichman, L.B. Epithelial gene therapy. in *The Keratinocyte Handbook*. (eds Leigh, I., Lane, B. & Watt, F.) 543–551 (Cambridge Univ. Press, 1994).
21. Greenhalgh, D.A., Rothnagel, J.A. & Roop, D.R. Epidermis: An attractive target tissue for gene therapy. *J. Invest. Dermatol.* **103S**, 63S–69S (1994).
22. Vogel, J.C. Keratinocyte gene therapy. *Arch. Dermatol.* **129**, 1478–1483 (1993).
23. Fenjves, E.S. Approaches to gene transfer in keratinocytes. *J. Invest. Dermatol.* **103**, 70S–75S (1994).
24. Khavari, P.A. & Krueger, G.G. Cutaneous gene therapy. *Dermatol. Clin.* (in the press).
25. Rheinwald, J.G. & Green, H. Serial cultivation of strains of human epidermal keratinocytes. *Cell*, **6**, 331 (1975).
26. Thacher, S.M. & Rice, R.H. Keratinocyte-specific transglutaminase of cultured human epidermal cells: Relation to cross-linked envelope formation and terminal differentiation. *Cell* **40**, 685–695 (1985).
27. Ta, B.M., Gallagher, G.T., Chakravarty, R. & Rice, R.H. Keratinocyte transglutaminase in human skin and oral mucosa: Cytoplasmic localization and uncoupling of differentiation markers. *J. Cell Sci.* **95**, 631 (1990).
28. Murphy, G.F., Flynn, T.C., Rice, R.H. & Pinkus, G.S. Involucrin expression in normal and neoplastic human skin: A marker for keratinocyte differentiation. *J. Invest. Dermatol.* **82**, 453–457 (1984).
29. Ivanyi, D. *et al.* New monoclonal antibodies recognizing epidermal differentiation-associated keratins in formalin-fixed, paraffin embedded tissue: Keratin 10 expression in carcinoma of the vulva. *J. Pathol.* **159**, 7–12 (1989).
30. Roop, D.R. *et al.* Synthetic peptides corresponding to keratin subunits elicit highly specific antibodies. *J. Biol. Chem.* **259**, 8037–8040 (1984).


ERRATA

Production of vascular endothelial growth factor by human tumors inhibits the functional maturation of dendritic cells

DMITRY I. GABRILOVICH, HAILEI L. CHEN, KHALED R. GIRGIS, H. THOMAS CUNNINGHAM, GERALYN M. MENY, SORENA NADAE, DENISE KAVANAUGH & DAVID P. CARBONE

Nature Medicine **2**, 1096–1103 (1996)

On page 1100 of the October issue, two neutralizing antibody labels on Fig. 5a were inadvertently switched. The correct placement appears below.



Soluble HLA class I molecules induce apoptosis in alloreactive cytotoxic T lymphocytes

NICHOLAUS ZAVAZAVA & MARTIN KRONKE

Nature Medicine **2**, 1005–1010 (1996)

On page 1006 of the September issue, the legend for Fig. 2a was incorrectly labeled. The correct labeling appears below.

