## Corrigendum: Conversion of cerebral cortex into basal ganglia in Emx2<sup>-/-</sup> Pax6<sup>Sey/Sey</sup> double-mutant mice


Luca Muzio, Barbara DiBenedetto, Anastassia Stoykova, Edoardo Boncinelli, Peter Gruss & Antonello Mallamaci *Nat. Neurosci.* 5, 737–745 (2002); published online 15 July 2002; corrected after print 7 February 2012


In the version of this article initially published, author Barbara Di Benedetto's name was misspelled. The error has been corrected in the HTML and PDF versions of the article.

## Corrigendum: Role of rodent secondary motor cortex in value-based action selection

Jung Hoon Sul, Suhyun Jo, Daeyeol Lee & Min Whan Jung Nat. Neurosci. 14, 1202–1208 (2011); published online 14 August 2011; corrected after print 12 April 2012

In the version of this article initially published, the percentages of neurons encoding action value  $Q_x(t)$  shown in Figure 7b were incorrect owing to a mistake in the computer code used to analyze the data:







The error has been corrected in the HTML and PDF versions of the article.

## Corrigendum: Nictation, a dispersal behavior of the nematode *Caenorhabditis elegans*, is regulated by IL2 neurons

Harksun Lee, Myung-kyu Choi, Daehan Lee, Hye-sung Kim, Hyejin Hwang, Heekyeong Kim, Sungsu Park, Young-ki Paik & Junho Lee *Nat. Neurosci.* 15, 107–112 (2012); published online 13 November 2011; corrected after print 10 August 2012

In the version of this article initially published, the average durations for N2, *cha-1(n2411)* and *cha-1(p503)* shown in Figure 2b (white bars) were incorrect because the *n*-values used to calculate them included cases in which no nictation was observed:





The error has been corrected in the HTML and PDF versions of the article.