

Keyword Index

15q11.2 T167
 1H MRS T128, W113, W177
 1NMPP1 W160
 22q11 32, W32
 31P Magnetic Resonance Spectroscopy W188
 5-HT2A receptor W166
 5F-PB-22 T250
 6-OHDA W138
 7-Tesla W101
 7q11.23 W28
 [11C]DPA-713 T140

A

Abuse Potential 4, T208, T249
 accelerometry, mood disorders, big data W105
 acetylcholine M4, M130, W64
 acoustic startle M171, T78, W17
 Actigraphy M114, W105
 Acute Stress M104, T247, T253, W97
 Adaptive Behavior T136
 addiction 5, M222, M223, M224, M228,
 M233, M257, 14, 19, T51, T53, T171,
 T210, T212, T215, T216, T219, T242,
 T249, 28, 43, W126, W217, W242,
 W261, 51, 55
 adenosine 31
 ADHD T31, W26, W29, W34
 adherence M153
 adjunctive treatment T82
 Adjuvant thiamine M81
 Adolescence M24, M27, M28, M162, M257,
 T26, 31 T94, T171, T210,
 T244, T260, W31
 Adolescent M26, M67
 Adolescent Alcohol W237
 Adolescent binge drinking 44
 Adolescent Depression M30, T35, T102, W38
 Adolescent Development T21
 Adolescent Stress M33, T21
 Adolescents T39, W37, W40
 adult neurogenesis M99, T241
 advantages of the combination of therapies T134
 affective disorders M130
 African American W109

aggression T52, T149, W51
 Aging M4, M146, M147, M151, T3, T4, T113, W2, W233
 aging and dementia W3
 Agitation M187
 AKT1/AKT3 W151
 Alcohol M28, M215, M222, M247, T211,
 T224, T261, W221, W235, W239
 alcohol and drugs 60
 Alcohol consumption T42, W258
 Alcohol dependence M227, M241, M253, M259,
 T231, W209, W245, W255
 alcohol self-administration M245, M256, W255
 Alcohol Sensitivity T262
 alcohol use disorder M219, T211, T220, T222,
 W253
 Alcohol withdrawal syndrome W220
 Alcohol-preferring rats W220, W236
 Alcohol-seeking W236
 Alcohol-seeking behavior T238, W142
 Alcoholism M251, M256, M263, 11, 52
 alic W136
 all is in the timing T134
 allopregnanolone T78
 alpha 5 T212, W238
 alpha-7 nicotinic acetylcholine receptor M25, T206, T207
 Altitude T97, T236
 Alzheimer's Disease M41, M43, 16, M145, T2, T43,
 T44, T141, W1, W4,
 W41, W42, W43
 Ambiguity T217
 Amino acid mixture T72
 Amish 25
 AMPA W95
 AMPA antagonist M142
 AMPA glutamate receptors W221
 AMPA receptor M77, M186
 Amphetamine M180, M260
 amplitude of low frequency fluctuation M163
 Amygdala M6, M14, M78, M97, M131, M211,
 T14, T16, T28, T35, T90,
 T172, W25, W144, W237
 amygdala-based networks T26
 Amyloid T2
 Amyloid Precursor Protein W41
 anatomical connectivity W134
 anesthesia M121

Anesthetic T54, W137
 Anger M107
 anhedonia T254, W37, W106, W108, W232
 Animal Model 9, M57, T8, T85, T160, T181, T190
 Animal Models M76, M157, M263, 18, T65,
 T70, T91, W79, W146
 ankyrin-3 M99
 anorexia nervosa M49, T47, W47, W48
 anterior cingulate cortex T2, T101, T130,
 W51, W60, W84, W122, W163
 anterior prefrontal cortex T192
 anti-ADHD like action W35
 Antidepressant 4, M35, M62, M77, M83, M167,
 T35, T91, T102, T109, T112,
 W66, W78, W87, W113, W114
 antidepressant response M85, T85
 Antidepressants M59, T56, T58, T61, T81,
 T101, W70, W97, W111
 Antipsychotic M157, M159, M167, T201,
 W39, W168, W174
 Antipsychotic agents T150
 Antipsychotic induced weight gain M177, W39
 antipsychotic medication W206
 Antipsychotic monotherapy M206
 Antipsychotic switching M193
 Antipsychotic Treatment M168, M170, M190, M191, W184
 antipsychotic-naïve W152
 Antipsychotic-naïve first-episode schizophrenia M190, 12
 Antipsychotics T157, T174, T181, W132, W156
 antisocial personality disorder M148, M150
 Anxiety M15, M31, M88, T13, T14, T17, T59,
 T63, T67, T120, T148, W6,
 W8, W10, W15, W20, W81, W87,
 W94, W126, W144, W237, 52, 55
 Anxiety disorders M9, M12, M20, T16, 30,
 41, W16, W22, 6
 anxiety state T9
 anxiolytic W87
 Anxious distress M88
 apathy W73
 Appetite T121
 Appetitive Hormones 5, T137
 Arc W250
 Arcuate M126
 aripiprazole once-monthly 400 mg (AOM 400) T187, W154
 ASD M8
 aspirin T76
 associative learning M213, W251
 associative-striatum W177
 ASSR M160, W186
 astrocytes M133

astroglia 54
 at-risk M199, T15, W17
 Attention M136, M162, M226, T7, T111,
 T129, T130, T255, W117
 Attention Deficit Hyperactivity Disorder T53
 attentional bias M98, T59
 attentional bias modification W229
 atypical antipsychotic drug M56, T62, W172
 Atypical antipsychotics M34, M55, M65, M186,
 T79, T114, T185, W56
 Auditory cortex M197
 Auditory hallucinations T166, W202
 augmentation M65
 Autism T25, M38, T34, T132, T142, W27
 Autism & depression 57
 Autism spectrum disorder M128, M241, W43, W91, W166
 autism Spectrum Disorders M37, M44, M36, T33,
 T37, T144, W30, W204

B

Balb/c mouse M36
 Basal Ganglia M232, T105
 basolateral amygdala M119, M255
 bath salts M250
 BB-22 T250
 BDNF M62, M67, M111, M202, T74, T95, T188
 Behavior M242, 37, 55
 behavioral despair T68
 behavioral economics T242
 behavioral inhibition T53, W25, W142
 Behavioral Pharmacology M231, T218, T237, W41, W50
 behavioral variability W26
 Behaviors M140
 benign neutropenia M172
 benzodiazepine M167, W114
 beta arrestin M165, M169, M261, 53
 beta-amyloid peptide 1-42 T42
 big data T96
 binge drinking M263, T211, T218
 binge-eating T46, W49
 Binge-eating disorder W46, M47, M48, M223
 Bioenergetics M199
 Bioinformatics T144
 Biomarker M41, M58, M111, T27, T76, T95,
 T141, W66, W100, W159
 Biomarker risk assignment algorithm M108
 biomarkers T8
 bipolar M199
 bipolar depression T77

- Bipolar Disorder M55, M67, M82, M91, M93,
M101, M110, M112, M114, M115,
M147, M153, M188, T64, T163, T71,
T76, T96, T104, T108, T111, T119,
T194, W63, W71, W77, W79, W82,
W88, W89, W99, W202
- Bipolar I Depression T62, W56
- BNST M14, T120
- Body Dysmorphic Disorder M21
- BOLD imaging M236, T12
- Borderline Personality Disorder M149, T146, W147,
W148, 47
- Brain T56, T136
- brain activation 38
- Brain Anatomy T130
- Brain Based Markers for Depression M90, M98
- brain connectivity M1, T32
- Brain development M35, M50, T41, W25, W181
- brain hemispheres T134
- brain imaging 30, 52
- Brain Stimulation T77, 43, W102, W103, W112, W121
- brain structure W124, W141, W181, W219
- brain volume T74
- brain volumes T200, W21
- Brain waste removal 16
- Brain-Derived Neurotrophic Factor M174
- breast cancer M139
- Brexipiprazole M88, M107, M187, M193, T88
- bulimia nervosa M50
- Buprenorphine T228, T232, W72
- buprenorphine maintenance M258
- bupropion T80
- C**
- c-Fos M99, M212
- CACNA1C T3, T119
- caffeine M250, T248, 31, W208
- calcium T119
- calcium imaging M213, T16, W131, W211, 55
- Cannabidiol W225, W259
- cannabinoids M217, M221, T250, 28
- cannabis M15, 19, T210, T234
- Cannabis Dependence M154, M247, M262, T168,
T256, W227, W241, W260
- cannabis use T171, T173, T175, T260, W216
- CANTAB M41
- Cardiac Reactivity T262
- Cardiometabolic Risk W39, W132, W190
- Career Development M124
- cariprazine M156, M204, M206, T170
- catenin cadherin-associated protein, alpha 2, M53
- CBI receptor T250, W227
- CBT M18, T22
- CCK-4 M16
- Central autonomic network M80, W121
- Central nucleus of the amygdala W59, W221
- Cerebral Blood Flow M49, W235
- Child abuse and neglect T39, W233
- child offspring T104
- childhood maltreatment M39
- Childhood Onset Bipolar Disorder 23
- Childhood trauma M26, M210, W145
- childhood urban-rural upbringing W207
- Children and Adolescents T27, T98, W39
- choice M216, T252
- choline M25, T157, T206
- cholinergic system W43, W64
- chromatin W27, W139
- chronic T190
- chronic mild stress T73, W72
- chronic pain W86, W143, W230
- chronic social defeat M96
- chronic stress M104, T60, T138, W50, W75,
W110, W240
- cingulate T86
- circadian W239
- circadian rhythm M12, M111, M139, M147, T258
- citalopram T80
- cladistics W158
- CLARITY W194
- Clathrin nanoparticles W128
- claustrum T130, T182
- clinical high risk T155, T161, T172
- Clinical trial M83, W129, W169, M86, M128,
M241, T195, W43, W91, W166
- Clinical Trial Design W57
- Clinical Trial Methodology 15, 24
- CLOCK T258
- clomipramine W122
- clonidine M258
- Clozapine M172, T185, M191, T203,
W175, W203
- Cluster Analysis T204
- CNS antibody delivery W128
- CNS Clinical Trials M253, T222
- CNV T25, W32
- co-abuse M263, T261

Cocaine M213, M214, M220, M222, M231, M233, M243, M250, T183, T216, T219, T229, T233, T235, T253, T261, W210, W217, W228, W242, W243, W250

cocaine addiction M223, M225, M236, M237, M239, M240, M248, M252, T251, T252, T254, T258, T259, 28, W35, W212, W214, W219, W222, W246, W247, W254

cocaine seeking M211, M255, W222, W231, W240, 54

cocaine-related disorders M220

Cognition M4, M41, M45, M72, M112, M120, M154, M179, M181, M192, T3, T82, T98, T105, T111, T159, T162, T186, T191, T204, T234, T244, W4, W89, W119, W155, W162, W165, W171

cognitive aging M1, M3, T2

cognitive behavior therapy M26, M100

cognitive behavioral therapy M23, M95

cognitive control M90, T117, T173, W23, W51, W226

cognitive control network M95

Cognitive Decline T87, T113

cognitive deficit T196

Cognitive Enhancement M28, M130, T24, W125

Cognitive Functioning T93

Cognitive impairments W188

Cognitive Neuroscience M26, 17, T209, 51

cognitive reappraisal M149

cognitive remediation M166, T152, T164, W205

Cognitive Resilience T54, W1

cognitive training 17

cognitive/emotional task performance W116

combat T15

combat veteran M17, W21

community based family study T108

community structure T122

compensatory cognitive training T151

compulsion W9

Compulsive eating T49

compulsivity M51, M52, M248, 14

computational modeling T51, W127

COMT gene W145

concerns 60

conditioned cue W7, W142

conditioned place preference T229, T236, W211, W249

Conditioned responses W120

conflict of interest 35

Connectivity M224, T18, T117, W76, W165, W191

Connectivity strength T90

connectome T75, W55, W134

connectomics T122, W192

consciousness T134

Context T225, W7

coping M23

copy number variation M37, 25

cortex M137, W130

cortical dynamics W192

Cortical Inhibition T27, T168, W112

Cortical neurons T238

cortical thickness W36

cortico-striatal plasticity M234

corticoaccumbens circuit W49

corticosterone M61, T23, W94

Corticotropin-releasing factor (CRF) W214

Corticotropin-Releasing Hormone M76

Cortisol M10, M14, M109, M139, T84, T86

COX-1 M54

CpG Methylation M9

CR845 M129

craving T137, T230, T256

CREB T42, T115

CRF T233, W5

CRH T67, W22, W115

CRHBP W14

CRP M120, T100

CSF M94

CSF Biomarkers T87

Cue Reactivity W218

cue reinstatement M221, M225, W225

Cue-Exposure T226, T230

cue-reactivity W248

cues W212

Cyberball T228

cyclic AMP W66

CYP2C19 M59

cytokines M13, M94, M117, 21, T100, T105, W61, W107, W135, W204

Cytoprotection M143

cytoskeleton T57

D

D-amino acid oxidase W199

D-serine M214

D2 receptor M169, W107, W151, W166, 53

Data sharing 15

Data transparency 15

DBS T46, W9, 56, 59

- de novo.M37
- de novo mutationM174, M201, W33
- Decision Making M131, M202, M215, T13, T51, T217
- declarative memory M7
- deep brain stimulation.M38, M90, W100, W209
- default mode networkM60, M141, T101, W11, W101
- default network T180
- delay discounting. 13
- delta9-tetrahydrocannabinolW225
- Delusions T192
- Dementia. T145
- dendrites.M196, W181
- Dendritic Spine 1, M161, M233, T102
- dentate gyrus. T19
- depot M153
- Depression 4, M15, M57, M60, M61, M69, M72, M75, M84, M87, M91, M96, M98, M102, M113, M118, M121, M140, T10, T56, T63, T68, T70, T73, T77, T86, T91, T92, T97, T99, T101, T184 38, 40, W58, W63, W64, W65, W70, W74, W76, W80, W87, W90, W91, W97, W98, W107, W110, W123, 52, 56, 59
- depressive disorders. M85
- Design. 8
- development T4, T131, T202, T234, 38
- Developmental. T181, W20
- Developmental Psychopathology.M45, 20
- developmental trajectoriesM34, 24
- Dextromethorphan/QuinidineM145, T145
- diabetes. T139
- diagnostic criteria 51
- diagnostic specificityW158
- Dietary supplement T116
- diffusionM106
- Diffusion tensor imaging T32, W194
- Diffusion Weighted Imaging. M60, T205, T219
- Digital Health Feedback System M200
- dimensions of psychosis.W192
- diphtheria toxin.W187
- Direct pathwayM137
- DISC1M228, W149, W193
- Disease prevalence.M143
- disease progressionM139
- disparities M2
- disruptive mood dysregulation disorderT29
- divergent transcription. T188
- DKI.M106
- DLPFC M196, T144, W165
- DNA Methylation.M197, W213
- DNA sequencing T163
- domesticate.W146
- Dopamine M28, M79, M165, M168, M176, M177, M178, M179, T192, M198, M212, M215, M217, M218, M226, M238, M248, M262, T31, T73, T135, T180, T207, T212, T227, T254, T258, W45, W69, W98, W106, W115, W171, W174, W181, W212, W217, W218, W257, W261, W262, 53
- Dopamine (D2, D3) receptors. M159, M175, M176, M177, M216, T239, W244, W247
- dopamine 2 receptorW170
- Dopamine 3 receptor imagingW128
- dopamine d4. W203
- dopamine transporterM232, T31, W73, W123, 57
- Dopaminergic system.T67, W58
- Dopamine T136
- Dopamine Receptors M48
- dorsal caudate T150, W177
- Dorsal striatumM137, M248, W69
- dorsolateral prefrontal cortexM42, M152, W84, W122
- dorsolateral striatum M211
- Dose-response AnalysesM55
- Down Syndrome W140
- downregulation W227
- DRD2 locus.T174, W151
- DREADD. M42, T218, T233, W15, W49
- DREADD Receptor. T214
- DREADDs. M23, T235
- drinkingW215
- drug abuse T252
- Drug Discovery - new approaches. 50
- drug discriminationM250
- DTI. M40, T176, W119
- duloxetine. W86
- Dup7. W28
- Dynorphin. T218

E

- Early intervention 6, W149
- Early life stressM32, M39, M87, T39, T110, T139, W69
- Early Phase Drug Development.W253
- early psychosis W206
- early sensory signal processing. T24
- early signs. 45

Eating disorder 5
 Eating Disorders M47, T48, W46, 36
 ecological momentary assessment M258
 ECT W76, W103
 Editorial 8
 education T133
 EEAT2 T64
 EEG M121, M164, M184, T155, W103, W193, W208
 EEG biomarkers. T146, T230, W68
 Effort W157
 Electroconvulsive therapy. M38, M68, T77, T107,
 T203, W55, W68, W90, W112
 electroencephalography M160
 Electronic cigarette (e-cigarette) M242
 electrophysiology. M131, M169, M186, T43, T88,
 T130, T142, T255, 37, W83
 emergence M121
 emotion T86
 Emotion Modulation T7
 Emotion Perception W12
 Emotion processing M66, M78, T12, T71, T228, W116
 emotion regulation. M32, T12, T164
 emotional response inhibition M152, T71
 Emotional stress M57
 Emotional Test Battery. M72
 endocannabinoid M15, T110
 Endocannabinoids W94, W147
 Endomicroscopy W211
 endophenotype T25, M112, M171, 13, T36, T84, 39
 endophenotypes. T45, T96, T108
 endurance training. M166
 energy homeostasis M49
 epidemiology. M45, T5, T231
 Epigenetic 3, 11, T144, W52, W243, 49
 Epigenetics M9, M35, M39, M214, T60, T64, T165,
 T201, W41, W96, W140, W213, W254
 epilepsy. M142, M144
 episodic memory. 41, W197, W207
 ErbB4 W160
 ERP 2, M184, T156, T230, W198
 ERPs. M160, W117
 Escitalopram M21, T80
 Esketamine M62, T91, T93, T106, W57
 eSource W150
 Estradiol M3, M4, M113, T118
 estrogen T66
 estrogen receptor. T11
 ethanol M251, W31
 ethics 35

evoked response potential M173
 Excitability. M243, W102
 executive function M67, M90, M135, M224, T2
 exercise. W133, W246
 exome. W148
 exome sequencing M37
 Exposure therapy. M10, M18
 extended reward network W134
 Extinction learning M245, 6
 Extinction memory recall W118
 extracellular matrix T251
 extrastriatal dopamine D2/3 receptors. W152

F

FAAH T256, W14
 FAAH inhibitor T256
 face perception M173
 face specific processing M173
 factor analysis W99
 familial risk. T5
 familiarity T193
 Fast-acting Antidepressant M111, T65, T70, W58, W96
 fatty acids 27, M118
 fear T14, W146
 Fear conditioning M6, M13, M20, M138, T6,
 T22, T172, W5, W13, W17, W20
 Fear extinction M138, T6, T19, T22, W7, W9, W13, W17
 fear generalization 10, 41
 fear processing 41
 FEAST. W103
 Feedback negativity T156
 Female M57
 Field trial M101
 first episode schizophrenia M163, T173, W184, W205
 First-episode psychosis T205, W168, W177, W197
 first-episode schizophrenia. T149, T155
 FKBP5. M39, W74
 flibanserin. T208
 Fluorescence-activated cell sorting T182
 fMRI. 2, M1, M3, M91, M98, M122, M132,
 M173, M224, M226, M246, M249, 17,
 T7, T17, T59, T117, T121, T125, T127,
 T128, T137, T172, T173, T257, W26,
 W37, W38, W47, W65, W102, W116,
 W118, W120, W137, W144, W157,
 W165, W235, W248
 fMRI faces paradigm T52
 fMRI Functional Connectivity. M19, M80, M95,
 T180, W133, W222

fMRI resting state M163, W10, W76
 fMRI, anxiety, threat W23
 fMRI/imaging genetics 19, T159, W1, W34, W218
 FMRP T167
 fNIR 2, W232
 Food Addiction W46, W244
 forced swim test T97, W97
 Fractional-anisotropy M106, T219, T240
 fronto-striatal networks W151
 Functional Capacity M170, T139
 Functional connectivity T69, T216, W179
 functional impairment W88
 functional magnetic resonance imaging . T66, W180, W207
 functional neuroimaging M7, M203, 21, T166,
 W106, W216
 functional outcome W189
 Functional Selectivity M165, M176, M261, W170
 Funding M124
 FXR1P M66

G

g protein signaling M261, 27
 G-protein W66
 GABA M74, M84, M178, T247
 GABAA T78, W149, W173
 GABAB M259
 GABAergic cells W187
 GABAergic circuitry W155
 GABAergic interneurons M31, T153, W183, W262
 Gabapentin W53
 GAD65/67 mRNA M48
 gait T25
 Galanin W258
 gamma oscillation T155, W185, W186
 gender M148, T90, T243, W38
 Gene environment interaction M228
 gene expression 11, T8, T10, T178, T182, T229, 42,
 W48, W70, W84, W143, W239, 49
 generalized anxiety disorder W12
 genes 48
 genetic M43, M183, 13, W79, W115
 genetic mouse model 7, T25, T57, T229, 32, W239
 genetics M120, M130, M171, M174, M219, M259,
 25, T127, T132, T157, 39, W78, W111,
 48
 Gene-environment interaction T48, W207
 genome editing M229
 Genomics M123, 34

geography and drug addiction T236
 Geometry T148
 Global Deterioration Scale T1
 Global outreach 26
 GLT-1 M243, T253, W220
 glucocorticoid M94, T246
 glucocorticoid receptor M255, W74, W97
 Glutamate M16, M30, M51, M86, M125, M175,
 M178, M222, M262, T64, T104,
 T127, T161, T178, T206, T207,
 T213, W96, W177, W220, W249, 29
 glutamate GABA M198, T43, T177, W44
 glutamate receptor activity M197
 glutamate transport T198
 glutamate/glutamine cycle M30
 glutamatergic synapses W204
 glutamatergic transmission W8
 Glutamine M30
 glutathione M22
 glycogen synthase kinase-3 W95
 glycosylation M207
 Glymphatic pathway 16
 Gonadal Hormones M105, T118, 36
 GPCR M79, 50
 GPHN W14
 Graph theory T99, W68
 GSK3 M66
 guanfacine M97
 guanylyl cyclase M205
 Gut Microbiome T40, T63, W126, W141
 GWAS M93, M181, 13, 22, W21, W78
 gyrification W28

H

habit M248, 22, T213
 hallucinogen W124, W178, 52
 haloperidol T178
 harm avoidance M8, T47
 Harm reduction W259
 hbA1c T139
 HDAC T179
 HDAC inhibitors W41
 head-to-head clinical trial T187, W154
 health-related quality of life T187, W154
 healthy individuals W122
 Heart Rate Variability M80, T15, T262
 Heroin M254
 heterogeneity W99

heterogeneity W77
 high fat diet 33
 high risk 12
 high risk psychosis M27, W182, W189
 Hippocampal Function. W1
 Hippocampus M11, M64, M182, T19, T57, T109,
 T110, T148, T178, T225, T235,
 T241, W107, W145, W211
 hiPSCs 32
 Histamine W30
 Histone T144, W96, W140
 Histone methylation. W237
 HIV M75, T138
 HIV-1 W73
 HMGB1 M64
 Hoarding Disorder. W24
 homer W249
 Hostility M187
 Hot Flashes M113
 HPA axis. M10, M39, M210, T224, W31
 Hsp90 W74
 HTR3B W14
 hub analysis T122
 Human Factors Testing M200
 human laboratory M216, M239, T222
 Human Neuroimaging M50, M134, M216, M236, M254,
 17, 19, T18, T89, T138, T143, T244,
 W18, W21, W23, W124, 44, 47, 51
 humans T8, T72
 hunger M49
 Huntington's Disease W139
 hypersexual disorder M210
 Hypothalamic development M126
 Hypothalamic-Pituitary-Adrenal axis. T21, T23, T84
 hypothalamus M105, T16
 Hypoxia T236

I

ibudilast W253
 imaging M249, M257, T142, T227
 imaging genetics T26, W42
 Immune M183, M188
 immune mechanisms 33, W153
 impulsiveness T89
 impulsivity M46, M51, M52, M53, M99, 13,
 T31, T53, T239, W49, W209, W245, 44
 in vitro cellular model T167
 In vivo Imaging. 1
 inbred mouse strains T124

Incentive motivation M218, W258
 incentive salience. W251
 inclusion and exclusion W216
 incubation. W240
 individual differences. M135, M252, T6, T125,
 W25, W126, W210, W251
 Induced pluripotent stem cells (iPSCs) T119, T167,
 W48, W130, 48
 infant M25, W25
 infertility. W16
 inflammation. M13, M64, M118, M120, M133,
 21, T105, T160, 27, W89, W106
 Inflammatory Markers M54, W61
 informatics T75
 infralimbic cortex T73, T213, W245
 Inhibition T61, W145
 Inhibitory control M260, T216, W50
 inhibitory synaptic transmission. W183
 innovative methods W169
 Insula T215, T243, W47, W179, W241
 Insula Connectivity W85
 Insulin M177, W8
 insulin resistance. M85, T83
 Insulin-like growth factor 1 T37
 intellectual disability W27
 Intelligence Quotient W119
 interleaved TMS/fMRI W102
 Interleukin-6 M13
 internal capsule. W136
 international W129
 internet. M52, M100, W24
 interneuron. T177
 Interoception. T14, T121, W47
 interpeduncular W252
 interpretation bias T29
 intracranial self-stimulation T183, T208, W108
 Intranasal T93
 Intranasal formulation T106
 intravenous administration. W224
 ion channel M157
 iPSC T126
 Irritability M107, T29, T59
 ITI-007 W174
 IV Alcohol. T262

K

Kalirin 1, M161
 kappa agonist M129

kappa opioid receptor M104, M256, T247,
W50, W62, W75, W255
KCa2 channels M245, W257
Ketamine M18, M61, M62, M73, M77, M160,
M208, 22, T74, T91, T94,
W78, W95, W108, W113, W114
kinases T65
Kynurenic acid T128, T131, 29
kynurenine T4, W195

L

Lactate W113
Large Scale Networks T34, W34, 56
Laser Capture W200
Late-life Depression T87, T113, T117
Lateral Habenula M79, T55, T73, W94, 59
Lateral Septum T235
Learning T136
learning and memory T49, T128, W107, W254
Leptin T20
lesion W144
leukocyte telomere length M85
levetiracetam W3
life stress M75
Linkage M118
lipid rafts W66
lipids M118
liquid chromatography/mass spectrometry M74
Lisdexamfetamine M46, M47
Lithium M143, W71
Lithium response M82
Locus coeruleus M33, W117
Locus coeruleus M209
long noncoding RNA M20, T52, W213
Long Term Potentiation T247
long-acting-antipsychotic T195
longitudinal M50, T234
LPS W81
LSD1 W237
lurasidone M55, T92, W172, W203
Luzindole T109

M

Machine learning M108, T96, W36
MADRS W150
Magnetic Resonance Imaging W18
magnetic resonance spectroscopy M16, M208, T157, W44

Magnetic seizure therapy M68, W68
magnetization transfer M141
maintenance treatment M235, T112
Major depression M56, M63, M78, M80, M86,
M92, 10, T58, T60, T83,
T95, T98, T105, T107, T118,
T121, W55, W72, W93, 46, 58
major depression history T103
major depression, post-traumatic stress disorder M95, W59
Major Depressive Disorder M55, M58, M68, M81,
M89, M100, M111, M188,
T74, W91
Major Depressive Disorder (MDD) M71, M117, T62,
T69, T82, T100, T114,
W61, W86
Major Psychiatric Disorders M202
mania W63, W71, W79, W192
marijuana T210, T244, T248
Maronutrient W258
mass spectrometry T198
Maternal M140
maternal separation T28
Matrix Metalloproteinase-9 (MMP-9) 18
MCH M140
MDD M70, M88, M107, W113
MDPV M250
mecamylamine M136
Medial frontal cortex M31
Medial Prefrontal Cortex M11, M23, M33, M78,
M182, M185, M2015, T99,
T102, T182, T206, T255,
T259, 36
Medication adherence W206
Medication Development T222
Medicinal Marijuana T249
mediodorsal thalamus W191
Medium Spiny Neuron M213, W228
Melatonin T109
memantine T151
Memory 18, T3, T42, T111, T191
Memory and Learning M24, M214, T150, T260, W82
Memory Consolidation and Extinction T19
Memory Encoding and Retrieval M3, M119, W82
menopause M3, M4, M87
mental health service use M2
Mentoring M124, 26
meta-analysis W61, W93, W175
metabolic safety M156
metabolic syndrome T185, T201
metabolism T20
Metabolomics M128

metabotropic glutamate receptor . . . M70, M123, T82, T159,
T221, W173

metals W159

Methamphetamine M234, M263, T236, T239,
T240, T241, W224, W249

Methionine T181

methods 60

Methylphenidate T13, T24

mGlu2/3 receptor M77

mGlu5-PAM W4

mglur5 W156

mGluR5 receptors M245

Mice M138, M202

microarray T197

Microdialysis M12, T207, W257, W261

microglia M64, 33

microglial activation W182

MicroRNA M102, T10, T124, T199

mild cognitive impairment due to AD M41

Mild Traumatic Brain Injury T140

minocycline T76

Minor Tobacco Alkaloids T237

Mismatch Negativity T152, T202, W198

missense mutations T163

Mitochondria T197, W185, W228

mitochondrial function W3

Mixed features T92

mobile health W206

Mobile phones M101

Mobile technology W105

moderators M253

molecular mechanisms M196, M209, T10, 50, 54

monkey M42, T252, W161

monkeys W244

Monoamine oxidase A M150, T116

monoamines T88, W83

Mood M66, T137

mood and addiction M246

mood and anxiety disorders M103, T84, W105

mood disorder M56, M116

mood disorders M109, T77, T89, T108, 30, W85

morphine M230, T225

morphological and resting state brain activity M237

motivated drug taking M231

motivation M125, M155, M238, T156, T212, W157, 21

motor stereotypies W33

mouse behavior M162, M230, W70, W196

mouse brain W194

mouse model T158, T185, T218, 45

Mouse models W170, W183

MPTP W138

MR spectroscopy M175, T100, T104, W163

MRI T25, M144, 16, T28, T41, T161

mRNA W252

MRS M22, M262, 12, W19

mTOR M230, W75

mu-opioid receptors M261, 58

multi-episode schizophrenia M166

Multiplex families T163

multivariate T189, W176

muscarinic acetylcholine receptor T65, W125, W173

myoinositol W19

N

N-acetylcysteine M241

Na⁺/H⁺ exchanger 57

NAcore W257

NADPH oxidase M92

Naltrexone M254

national representative sample W230

national study W230

Native American W215

Native Americans M53

natural history genomic studies W169

negative emotionality W255

Negative Symptoms M155, M158, M204, W188

neural activity T188

neural circuitry 23, T35, W80

neural circuits M119, M209, 14, 55

neural plasticity M189, T54

Neuregulin W138

Neuregulin-1 W160

neuregulin-3 T223

neuritogenesis M207

neuroactive steroid M74

neuroanatomy T36

neurobiology, stress, depression,
anxiety, adolescence M14, M32, W96

neurochemistry T200

neurocircuitry M40, 43

neurocognition M189, T108, T154, T164,
T175, W77, W189

neurodegeneration T141, W139

neurodegenerative T141

Neurodegenerative Disease M146

Neurodevelopment M146, M220, 34, 37, 42, W34,
W130, 48

Neurodevelopmental Disorders T32, W149, W196
 neuroeconomics W164
 Neuroendocrine M63
 Neuroendocrine system T246
 neuroendocrinology T66
 Neurofeedback 47
 Neurogenesis M138, T49, T109
 neurogranin T160
 Neuroimaging M150, T75, T96, T215, 34,
 W36, W55, W219, W226, 6
 neuroimmune M117, W253
 Neuroimmunology W204
 Neuroinflammation M89, M110, M188, 12, T76, 40,
 T205, W81, W107
 Neurological disorder M143
 Neuromodulation T191, W121
 Neuronal Epigenome W52
 neurons T126, W181
 neuropeptide Y M73
 Neuropeptides W59
 neurophysiological aspects of the origin of
 consciousness T134
 Neuropil W188
 Neuroplasticity 20, T211, W52, W210
 Neuropsychiatric Adverse Events M244
 neuropsychiatric inventory M145
 neuropsychology T186, T196, T260
 Neuroreceptor imaging T143, W45
 neurosurgery W18
 Neurotechnology W128
 neuroticism M236
 neurotransmitter co-release M125
 new targets W90
 nicotine M97, M136, M235, T129, T220,
 T243, T255, T257, W211,
 W235, W252
 nicotine addiction T237, W238
 Nicotine dependence M244, M249, T223, T248, W221
 nicotinic acetylcholine receptors M97, M136, M162,
 T212, T248, W238
 NIH 8
 nitric oxide T214, T251
 nitric oxide donor M205
 NMDA W199
 NMDA Antagonists M18, M160, T49
 NMDA channel blocker M212
 NMDA glycine-site receptor M158, W245
 NMDA Receptor 1, M62, M186, M212, T153, W2,
 W185, W196, 29
 NMDA Receptors T183, W167

non pharmacological interventions M100, 23, W205
 non-linear M121
 Non-Pharmacological Therapy M1, 45
 Nonhuman Primate Models M75, T261
 Nonhuman Primates M256, T237, W10, 56
 norepinephrine T11
 not just right experience M8
 Notch M126
 novel object recognition M214, W203
 novel therapeutics T169, W70
 NPSR1 M16
 Nucleus Accumbens M211, M213, T94, T214,
 T242, T253, W8, W13, W62, W84,
 W228, W234, 54
 Nucleus Accumbens Shell T213, W236, W257
 Nutrigenomics T48

O

Obesity T50, T58, T137, T246, 28, W8, W45,
 W46, W133, W134, W226
 Obsessive Compulsive Disorder M22, 22, T125, T142,
 T143, W11, W18, W19, W29
 Obsessive-Compulsive and Related Disorders M21
 occupancy W152
 OCD 7, M8, M18, M22, T22, W9, 56
 odor-related trauma M17
 older adults M2
 older patients W172
 Olfaction M36
 olfactory M17, M192
 Omega-3 Fatty Acid M69, M82
 open science W169
 opioid M257, T228
 Opioid dependence T217, W232
 Opioid system 4, T224
 opioids M238, M258
 OPRM1 A118G T224
 optogenetics 7, M76, M119, M137, M218, T19,
 T55, T158, T233, T259, W62, W117
 Orbitofrontal cortex T238, W9
 orexin W15
 organic cation transporters T61, 57
 oscillation M33
 ovarian steriods M116
 oxidative stress M22, M67, M194, T39
 OXTR W146
 oxytocin M122, M132, 24, T190, T226, T242, 27,
 W146, W164, W261

P

P300 W193
 p38 MAPK W50, W75
 P50 M25
 PACAP T20, T115, T120, W59
 Pain M142, M238
 pair bond W131
 Palatable food T49
 paliperidone T195
 paliperidone palmitate T187, W154
 panic T14, W15
 panic attacks M16
 PANSS T204, W150
 Parkinson's disease W138
 Parkinsonism 57
 parvalbumin M31, T160, T197, W183, 53
 parvalbumin interneurons M157, M169, T158, T199,
 W155, W234
 pathological gambling M223
 pathophysiology M178, M194, 30
 Pavlovian M218
 Pavlovian conditioning M242, W251
 PDE2 M92
 PDE4 M184, M228
 pediatric T22, W32
 penetrance W32
 Perimenopause M113
 perinatal W229
 perinatal anxiety T103
 perinatal depression T103
 Peripheral Nerve Stimulation W121
 personality W99, W122
 PET 2, M58, M70, M123, M144, M151, W156,
 M159, M226, T135, T150, T180, W174
 PET Imaging M146, T140, W42, W123
 PET study M227, 40
 PFC W173
 Pharmacodynamics W137
 pharmacogenetic W15
 Pharmacogenetics M59, M220, T127, T174, 60
 Pharmacogenomics M195, W86, W87, W168, 48
 Pharmacokinetics M34, T232
 Pharmacology T56, T132, T169, 50
 Pharmacotherapy M21, M239
 phase of illness T193
 phencyclidine W203
 Phenotype Screening 41

Phenotypes M201, W255
 Phosphodiesterase-4 (PDE4) T42
 Physical dependence M129
 physical exercise M189
 PKMzeta M225
 Placebo Response W86
 placebo-controlled trial M81
 Polygenic Risk Score M183, W1
 polymorphism T124
 POMC M126
 population -based T194
 positive allosteric modulators T206, W125
 Positron Emission Tomography M54, M134, M216,
 T107, T143, T221, T248,
 W10, W60, W182
 postmortem T198
 Postmortem Brain Tissue M147, M196, M197, T43, T179,
 W42, W153, W200
 postmortem human brain M207, W69
 postpartum M140
 Postpartum depression M74, T116, T66
 posttraumatic stress M7, T23
 Posttraumatic stress disorder M15, M26, M61, T12,
 T18, W88, 47
 poverty M40
 prairie voles W131
 Precision Medicine for Depression M108
 Preclinical M129
 Preclinical Trial Methodology T1
 precuneus T35
 prediction 19
 Predictive Models T166, W189
 Prefrontal cortex W149
 prefrontal circuit W65
 Prefrontal cortex M28, M96, M102, M162,
 M164, M165, M202, M221,
 T24, T28, T188, T207, T215,
 W2, W60, W217
 prefrontal-amygdala-connectivity M32
 Pregabalin W53
 pregnancy M25, M74, T79, T232
 prelimbic W214
 premenstrual dysphoric disorder M116, T78
 prenatal M44
 prenatal smoking W29
 prenatal stress M31, T40, 33
 Prepulse Inhibition W187
 Prescription drug abuse W230
 prevalence W24
 Prevention M112, T116, 45

Prevention of Alzheimer's disease. M43, T1
 primate model. W22
 probabilistic reasoning. T192
 Probabilistic reinforcement. W161
 Progesterone M113, T66, W246
 propranolol. T9
 protein aggregation T184
 Proteomics W200
 proteostasis. T184
 Pseudobulbar affect T145
 Psychiatric Comorbidity. M103, M148
 psychiatric disorders M194
 psychiatric genetics M181, M229
 psychiatry W136
 psychoeducation W40
 Psychoneuroimmunology M75, T100, W135
 psychophysiology. T15, T78
 psychosis. M174, M203, M212, T166, T186,
 T190, T204, W40, W162, W191
 psychosis continuum W159
 psychosis risk 37
 psychosocial stress. W135
 psychosomatic medicine. W135
 Psychostimulant T221, W261
 Psychotherapy M9, M10, T12
 psychotic disorders 30
 PTSD M6, M10, M17, M19, M23, M138, T8,
 T10, T15, 41, W17, W21, W23, W53,
 W74, W120, W147
 pyramidal neuron M185

Q

QTG M229
 QTL M219, M229
 Quantitative Electroencephalography (qEEG). T209

R

R-fmri. W63
 Rabies tracing M217
 Radiotracer M146
 raloxifene M152
 Raman spectroscopy T126
 Randomised clinical trial M47
 randomized clinical trial M100, W184
 raphe T55

Rapid Antidepressant. W57
 rare variation W33, W201
 Rat M46, M102, M129, T68, T238
 rat strains M136
 Rating scales W129
 Reappraisal Training M149
 reasons for change. W215
 recollection T193
 Recovery. W227
 Recurrence risk W56
 Redox modulation T39, 29
 Regeneration W123
 reinforcement T31
 Reinforcement learning M155, T89, W161, W262
 reinstatement. M243, T235, W231
 rejection W216
 relapse M235, M240, M252, W214, W248
 Relapse Prevention M21, T170, T195
 relatives M199
 Religion M127
 repetitive behavior. 7
 repetitive transcranial magnetic stimulation T112, 47
 Replication 8
 Reproducibility 8
 reproduction T20
 Research domain criteria (RDoC) M5, M7, M109, W158
 Resilience M11, M87, M209, W52, W145
 Resting state T18, T216
 resting state fMRI T34, T69
 Resting State Functional Connectivity. M5, M14, M135,
 M236, T26, T36, T99, T101,
 T125, T149, T234, T239, T240,
 T243, W44, W85, W90, W101,
 W192, W197, W202, W209, W222,
 W235, W244, 46
 Rett Syndrome. T37
 reversal learning T257
 Reward M122, M254, M260, T47, T50, T94,
 T171, T238, W108, W161, W250, W251
 reward neural circuitry. M105, T46, W37, W90
 reward pathwayd M238
 reward prediction error W13, W262
 reward processing M223, 21, T246, 36, 44
 reward system M132, T33
 Reward-based decision-making. T257, W79, W157
 RhoA T225
 RiboTag W228
 riluzole M86, M243
 Risk M87, M131, T194, T217
 risk taking behaviors M252

RNA binding protein M229
 RNA Sequencing M116, T57, T127, W30, W42
 RNA splicing T178
 RNA-seq M96, T54, W10
 ROC analysis M145
 rTMS M30

S

S-glutathionylation M133
 safety W172
 Saliency W117
 saliency network T18, W11, W222
 Satiety M72
 Schizophrenia 1, M27, M147, M152, M153, M154,
 M156, M157, M158, M159, M161, M164,
 M167, M170, M171, M172, M173, M174,
 M179, M180, M181, M183, M188,
 M189, M191, M192, M193, M195,
 M197, M198, M199, M201, M204,
 M205, M206, M208, M235, T131, T151,
 T152, T153, T154, T156, T157, T158,
 T159, T160, T161, T162, T163, T164,
 T168, T169, T170, T171, T172, T177,
 T179, T181, T183, T184, T188, T189,
 T193, T194, T195, T196, T197, T199,
 T200, T202, T203, T204, 32, 39, 42,
 W152, W153, W156, W159, W160,
 W161, W162, W163, W164, W165,
 W169, W171, W172, W174, W176,
 W179, W180, W182, W186, W194,
 W195, W196, W204, 29, 50, 53
 schizophrenia genetics M183, T192, W167,
 W175, W201
 schizophrenia prodrome M163, W190, W198
 Schizophrenia, Dopamine, Antipsychotics M151,
 M165, M168,
 M169, W166
 schizophrenia, moderators T175
 Schizophrenia-like Behavior M184, W170
 schizotypy W167
 Scopolamine T65, W58, W64
 Scoring Accuracy W150
 screening W199
 seasonal affective disorder W60
 selective estrogen receptor modulator M152
 Self-Administration M221, M231, M234, M240,
 T237, T242, T261, W225, W231, 54
 self-injury M38
 Sensitive Period 20, W35
 sensitization T221, T255, W250
 sensorimotor T45

sensory gating M184
 sensory processing M8
 septum M79
 sequencing 25, W148
 Serious Mental Illness M200, W132
 Serotonin M73, M77, M79, T72, 33, W5, W81,
 W116, W127, W178, W242
 Serotonin 1b receptor M58, T53
 serotonin 2A T182, T252
 Serotonin 5-HT_{2C} Receptor M134, W175
 Serotonin 5-HT₇ W236
 serotonin reuptake inhibitors T107
 Serotonin Transporter M12, M60, T229, W60, W123
 SERT W166
 sex difference M69, M97, M109, 9, 34, W6, W241
 Sex differences M12, M80, M251, T3, T6,
 T33, T60, W98, W118, W134, W219,
 W246
 Sexual Dimorphism 9, T98
 sexual dysfunction T114
 Sheehan Suicidality Tracking Scale M127
 short-acting Kappa opioid receptor antagonist M104
 sibling T194, W77
 sign-tracking W126
 Skin conductance response W118
 skull shape W28
 SLC6A4 W14
 sleep M114, M139, T34, T44, T128, T209, W110, W208
 sleep disturbance M226, W16
 sleep spindles T158, T191
 Slitrk5 22
 slow waves T44
 smartphone W206
 Smoking M259, T210, W156, W229
 Smoking Cessation T227, M244
 Smoking urge M242, T226
 SNP W167
 sociability M36
 Social T148, W247
 Social Anxiety T7, W12
 Social buffering W80
 social cognition M203, M254, 24, T154, 36
 Social Competence T176
 Social defeat stress M33, M57, M61, M230, T81,
 T118, T233, W59, W80, W108
 Social Functioning T111
 social interaction T115, W216
 social neuroscience M40, M122, T146
 social recognition memory T190, T193

Social Rhythms M115
 Social stimuli T228
 social stress 38, W38
 social subordination W244
 Source Localization M164
 SPECT W152
 Spice/K2 cannabinoids T250
 spines T225
 SSRI M186, T69, T80, T97, W93
 startle latency M171
 statistical methods T231, W111
 stereotypy M38
 stimulant T9
 Stimulant Abuse W249
 Stress M63, M64, M76, M94, M102, M249, T110,
 T120, W6, W22, W52, W94, W98,
 W214, 49
 Stress circuits T67
 stress response circuitry M109, 10
 striatum M27, M262, T33, T69, T135, W63
 Stroke T145
 structural covariance T26
 Structural MRI M24, M40, M181, M190, T41,
 T173, T189, 37
 Subcallosal Cingulate W76, 59
 Subclinical psychosis T41, T176, W190
 subgenual T86, T99
 Subjective Cognitive Impairment T1
 subjective effects T129, T220, W224
 Substance abuse M232, 17, T183
 Substance use W154
 substance use disorder 5
 Substance-related disorders T50, W233
 subthalamic nucleus W209
 Subtypes 46
 Suicide M83, M127, T5, T52, T56, W65, W69, W84
 Suicide Assessment T27, W57
 suicide behavior severity M93
 sunshine act 35
 sustained attention T24
 SV2A protein W3
 synapses T43
 synaptic connctions W155
 Synaptic Plasticity M137, M245, 18, T223, T251, 28,
 W4, W143, W234, W250, 49
 synaptic spine M205
 Synthesis T72
 systemic inflammation M110, W109, W135
 systems biology 3, 34

T

targeted cognitive training M180
 task-based functional connectivity M17
 tau T141
 Technology M115
 telemetry W208
 Telomere W233
 temperament W99
 Test Retest M72
 testosterone T11
 Thalamus T74, W188
 THC W7, W259
 threat T17
 Threat Conditioning W53
 Threat of Shock T9, W23
 thyroid T103
 tianeptine 58
 timing W178
 TMS M164, W102
 Tobacco Smoking M247
 Tolerability M193
 Tolerance W221
 Tourette syndrome 7, T143, W29
 toxoplasmosis M44
 trace amine-associated receptor 1 W231
 Tractography M60, M106, W100, 59
 Training M124, 26, T133
 Trajectories W36
 transcranial current stimulation T191
 Transcranial Magnetic Stimulation T27, T107, T168,
 T211, W112, W260
 transcription W183
 transcription factor T165, W243
 transcription factors 10, W143
 Transcriptomics 3, T54, W143
 transgenerational T40
 transgenic mice M76, M185
 TRANSGLUTAMINASE 2 M84
 translational imaging W260
 Translational Neuroscience M135, T133
 Transporters M130
 Trauma exposure 6, M5, W53, W109, W118, W120
 trauma history T103
 Traumatic Brain Injury T145
 Traumatic stress M246
 Treatment M224, M241, T217, 46, W78, W246
 Treatment Outcome Prediction M78, M237, T1, T254

treatment refractory. T82
 Treatment resistance T203, W162
 Treatment Resistant Depression M65, M103, T80, T85,
 T93, T97, T106, W100, W112, W114
 treatment response M195, 27, W168, W175
 TrkB M233, T102
 trust W164
 Tryptophan W141, W195
 Tryptophan depletion. T72
 TSPO T140
 TSPO and [11C]PBR-28 PET M89, M227, 12, W182
 twins. T200
 type 2 diabetes mellitus M141, T83, W109
 Type-2 Diabetes. W46

U

UCSD Performance-Based Skills Assessment (UPSA) . . M71
 ultra high-risk youth M163
 Unconditioned responses W120
 upregulation W227
 uptake 2 T61
 User-centered design M101, T133

V

Vagus Nerve Stimulation W121
 Varenicline M235, M253, T257
 ventral hippocampus M19, M96, T16, T81
 Ventral Striatum M182
 Ventral Tegmental Area M209
 Ventral tegmental area (VTA) . . M125, M217, M218, M230,
 T55, T247, W217, W262
 ventrolateral prefrontal cortex T104, W38
 Verbal Memory W82
 vesicular glutamate transporter (VGLUT) M125
 violence. T149
 Virtual Reality. W157

vmPFC W238
 voltammetry M232, M256, W58, W127
 Vortioxetine M71, W83
 voxel-based morphometry (VBM). T189, W18, W176
 VTA W80
 Vulnerability M231, 9, T21

W

wakefulness. W208
 wheel running W73
 White Matter. M106, M191, W194, W195
 Whole exome sequencing. M53, M116, W33, W201
 williams syndrome. W28
 Withdrawal M249, M252, M257,
 T256, W31
 women W219, W224
 Women's Mental Health. T79, W109
 work readiness T187
 working memory M42, M135, M198, M221, T165,
 T180, W2, W180, W187, W207
 Working Memory Capacity T9
 working memory fMRI. W151, W171

X

xCT W220

Y

Yoga M1, T162

Z

zebrafish T132
 ziprasidone M103
 ΔFosB. T81