LIPID MAPS Websites

Public website: <http://www.lipidmaps.org/>

Development website: [http://
dev.lipidmaps.org/](http://dev.lipidmaps.org/)

Bridge A: LIPID MAPS Networks

- **Reconstruct Proteomic Networks using integration of lipid data from lipidomics laboratories, transcriptional data from Genomic Technologies Laboratory and legacy knowledge.**
- **Develop methods for quantitative analysis of lipid-proteome networks**

Steps towards reconstruction

- Establish the parts lists database
 - lipid proteome database
 - lipids database
 - cell transcriptome database

Steps towards reconstruction

- Develop integration and analysis platforms
 - statistical analysis of data
 - transcriptome analysis
 - lipid network analysis

Steps towards reconstruction

- Develop interactive pathway building, editing and manipulating tools
 - pathway GUI and interaction system
 - Integration of GUI with data and databases
 - preliminary pathway analysis tools

Lipid Proteome Database Overview

- Protein List based on GO and KEGG
- Annotations derived from SWISSPROT, KEGG, GenBank
- Object-Relational Database (Oracle)

Lipid Proteome Database Schema

LIPID MAPS Protein Database

LM_CC			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
CATALYTIC_ACTIVITY	VARCHAR2	(2000)	
CAUTION	VARCHAR2	(600)	
COFACTOR	VARCHAR2	(600)	
DATABASE	VARCHAR2	(1000)	
DEVELOPMENTAL_STAGE	VARCHAR2	(400)	
DISEASE	VARCHAR2	(4000)	
DOMAIN	VARCHAR2	(800)	
ENZYME_REGULATION	VARCHAR2	(1200)	
FCI	VARCHAR2	(2000)	
INDUCTION	VARCHAR2	(1600)	
MASS_SPECTROMETRY	VARCHAR2	(400)	
MISCELLANEOUS	VARCHAR2	(2000)	
PATHWAY	VARCHAR2	(2400)	
PHARMACEUTICAL	VARCHAR2	(400)	
POLYMORPHISM	VARCHAR2	(2400)	
PTM	VARCHAR2	(2000)	
SIMILARITY	VARCHAR2	(2400)	
SUBCELLULAR_LOCATION	VARCHAR2	(2400)	
SUBUNIT	VARCHAR2	(2000)	
TISSUE_SPECIFICITY	VARCHAR2	(4000)	

LM_DR			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
DB	VARCHAR2	(128)	
DB_REF	VARCHAR2	(128)	

LM_GN			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
GENE_NAME	VARCHAR2	(800)	

LM_RX			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
DB	VARCHAR2	(128)	
DB_REF	VARCHAR2	(128)	

LM_SPEN_SPAC			
SP_ENTRY_NAME	VARCHAR2	(80)	<pk>
ACCESSION	VARCHAR2	(128)	<pk>

LM_PROTEIN			
LM_PID	NUMBER	(22)	<pk>
SP_ENTRY_NAME	VARCHAR2	(80)	
LENGTH	NUMBER	(22)	
DESCRIPTION	VARCHAR2	(4000)	
MOL_WT	VARCHAR2	(48)	
SEQUENCE	CLOB	(4000)	

LM_PROTEIN_SEQ			
LM_PID	NUMBER	(22)	<pk>
SEQUENCE	CLOB	(4000)	

LM_PROP			
LM_PID	NUMBER	(22)	<pk>
LENGTH	NUMBER	(22)	
DESCRIPTION	VARCHAR2	(4000)	
MOL_WT	VARCHAR2	(48)	

LM_PID_DBXREF			
LM_PID	NUMBER	(22)	<pk>
DB_CODE	VARCHAR2	(512)	
DB_REF	VARCHAR2	(512)	

LM_EXTDB_CODE_LOOKUP			
DBCODE	VARCHAR2	(48)	
DESCRIPTION	VARCHAR2	(4000)	

LM_GO_AC			
SP_ENTRY_NAME	VARCHAR2	(128)	<pk>
GO_ACCESSION	VARCHAR2	(800)	<pk>

LM_GO_AC_GO_TERM			
GO_ACCESSION	VARCHAR2	(128)	<pk>
GO_TERM	VARCHAR2	(800)	

LM_LIPID_CLASS			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
LIPID_CLASS_CODE	VARCHAR2	(800)	<pk>

LM_LIPID_CLASS_LOOKUP			
LIPID_CLASS_CODE	VARCHAR2	(8)	<pk>
DESCRIPTION	VARCHAR2	(400)	

LM_KEGG			
LM_PID	NUMBER	(22)	<pk,f>
SOURCE_DB	VARCHAR2	(48)	
SOURCE_DB_XREF	VARCHAR2	(48)	
SP_ENTRY_NAME	VARCHAR2	(80)	
PROCESS	VARCHAR2	(4000)	
LIPID_CLASS	VARCHAR2	(8)	

LM_GB			
LM_PID	NUMBER	(22)	<pk,f>
SP_ENTRY_NAME	VARCHAR2	(80)	
GENBANK_GI	VARCHAR2	(48)	
REF_PROT_ID	VARCHAR2	(48)	
REF_IRNA_ID	VARCHAR2	(48)	
LOCUSLINK_ID	VARCHAR2	(48)	

LM_EC			
LM_PID	NUMBER	(22)	<pk>
SP_ENTRY_NAME	VARCHAR2	(80)	
EC_NUMBER	VARCHAR2	(48)	<pk>

LM_EC_NAME_RX			
EC_NUMBER	VARCHAR2	(48)	<pk>
NAME	VARCHAR2	(48)	
RX	VARCHAR2	(4000)	

LM_EC_PRODUCT			
EC_NUMBER	VARCHAR2	(48)	<pk,f>
PRODUCT	VARCHAR2	(4000)	

LM_EC_SUBSTRATE			
EC_NUMBER	VARCHAR2	(48)	<pk,f>
SUBSTRATE	VARCHAR2	(4000)

Lipid Proteome Database Statistics

Total proteins	1460
Mouse	690
Human	771
Annotated with Lipid class association	760
Annotated with KEGG Pathway	760
KEGG Pathways represented	109

Lipid Proteome Database

Associated Lipid Categories

Fatty Acids / Eicosanoids	84
Glycolipids	12
Glycerophospholipids	42
Isoprenoids	4
Lipid Metabolism	121
Neutral Lipids	14
Sphingolipids	37
Sterols	85

Lipid Proteome Database

Access to Development Version

<http://dev.lipidmaps.org/cgi-bin/protein.cgi>

Username “ personnel”
Password “ LM5001”

LIPID MAPS -- LIPID Metabolites And Pathways Strategy - Microsoft Internet Explorer provided by SDSC

File Edit View Favorites Tools Help

Back Forward Stop Home Search Favorites

Address <http://dev.lipidmaps.org/> Go Links »

Google Search Web 3 blocked AutoFill Options

LIPID Metabolites And Pathways Strategy

About Data Protocols Home

Lipid Categories

- Fatty Acyls
- Glycerolipids
- Glycerophospholipids
- Sphingolipids
- Sterol Lipids
- Prenol Lipids
- Saccharolipids
- Polyketides

[Site Map](#)
[Contact](#)

LIPID MAPS Goals

Separate and detect all of the lipids in a specific cell and discover and characterize any novel lipids that may be present.

Quantitate each of the lipid metabolites present and quantitate the changes in their levels and location during cellular function.

Define the biochemical pathways for each lipid and develop lipid maps which define the interaction networks.

Browse and Search LIPID MAPS Databases

LIPID MAPS is funded by an [National Institute of General Medical Sciences](#) (NIGMS) [Glue Grant](#)

[NIGMS Press Release](#)

[Participating Institutions and Researchers](#)

[UCSD Press Release](#)

W3C HTML 4.01 ✓ W3C CSS ✓

LIPID MAPS Personnel (Restricted Access)

<http://dev.lipidmaps.org/data/index.html> Internet

LIPID MAPS

Lipid Proteome GUI Overview

LIPID Metabolites And Pathways Strategy

About

Data

Protocols

[Home](#)

Lipid Proteome Database

[Browse](#)

Advanced Search

☐ Limit search to proteins associated with the lipid class

Display: 5000 records per page.

Reset

Cancel

-- Please Select --

-- Please Select --

Fatty acids/Eicosanoids (FA)

Glycolipids (GL)

Glycerophospholipids (GP)

Isoprenoids (IP)

Lipid metabolism (LM)

Neutral Lipids (NL)

Sphingolipids (SP)

Sterols (ST)

[LIPID MAPS Personnel](#)
(Restricted Access)

Advanced Search

[Basic Search](#)Include data from: ☐ human ☐ mouse ☒ both mouse and human☐ Limit search to proteins associated with the lipid class -- Please Select --☐ Limit search to proteins records

containing ANY of the words (case insensitive)

in any of the search fields selected below

Sequence Properties

☒ LMPID ☒ Description ☒ Length ☒ MW

SwissProt Annotations

☒ SwissProt Entry Name ☒ Function ☒ Post Translational Modification☒ Description ☒ Length ☒ Subcellular Location☒ Domain ☒ Pathway

KEGG Annotations

☒ KEGG Pathway

Enzymes, Substrates, Products, Reactions

☒ EC Number ☒ Substrate ☒ Product ☒ Reaction ☒ Reaction Name

*Fields to display in results summary

☒ LMPID	☐ Function	☐ EC Number
☒ Species	☐ Length	☐ Substrate
☒ Lipid Category	☐ MW	☐ KEGG Pathway
☒ SwissProt Entry Name	☐ Post Translational Modification	☐ Product
☒ Description	☐ Subcellular Location	☐ Reaction
☐ Domain	☐ Pathway	☐ Reaction Name

(* Full record details are accessible from the summary page)

Display: 5000 records per page.

LIPID Metabolites And Pathways Strategy

[About](#)[Data](#)[Protocols](#)[Home](#)

Lipid Proteome Database

Records 1 - 1460 of 1460

[New Search](#)Sort by: LMPID (☒ ascending ☐ descending)

LMPID	Species	Lipid Category legend	SwissProt Entry Name	Description
☐ 1	human		143Z_HUMAN	14-3-3 protein zeta/delta (Protein kinase C inhibitor protein-1) (KCIP-1) (Factor activating exoenzyme S) (FAS)
☐ 2	human	SP	2AAA_HUMAN	Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDA protein)
☐ 3	human	SP	2AAB_HUMAN	Serine/threonine protein phosphatase 2A, 65 kDa regulatory subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subunit A, R1-beta isoform)
☐ 4	human	ST	3BH1_HUMAN	3 beta-hydroxysteroid dehydrogenase/delta 5-->4-isomerase type I (3Beta-HSD I) (Trophoblast antigen FDO161G) [Includes: 3-beta-hydroxy- delta(5)-steroid dehydrogenase (EC 1.1.1.145) (3-beta-hydroxy-5-ene steroid dehydrogenase) (Progesterone reductase); Steroid delta- isomerase (EC 5.3.3.1) (Delta-5-3-ketosteroid isomerase)]
☐ 5	human	ST	3BH2_HUMAN	3 beta-hydroxysteroid dehydrogenase/delta 5-->4-isomerase type II (3Beta-HSD II) [Includes: 3-beta-hydroxy-delta(5)-steroid dehydrogenase (EC 1.1.1.145) (3-beta-hydroxy-5-ene steroid dehydrogenase) (Progesterone reductase); Steroid delta-isomerase (EC 5.3.3.1) (Delta-5-3-ketosteroid isomerase)]
☐ 6	human	SP	A4GT_HUMAN	Lactosylceramide 4-alpha-galactosyltransferase (EC 2.4.1.228) (Alpha- 1,4- galactosyltransferase) (UDP-galactose:beta-D-galactosyl-beta1-R 4- alpha-D- galactosyltransferase) (Alpha-1,4-N- acetylglucosaminyltransferase) (Alpha4Gal-T1) (Globotriaosylceramide synthase) (Gb3 synthase) (CD77 synthase) (P1/Pk synthase)
☐ 7	human	LM	A8B1_HUMAN	Potential phospholipid-transporting ATPase IC (EC 3.6.3.1) (Familial intrahepatic cholestasis type 1) (ATPase class I type 8B member 1)
☐ 8	human		AAAD_HUMAN	Arylacetamide deacetylase (EC 3.1.1.-) (AADAC)
☐ 9	human	LM	AACT_HUMAN	Alpha-1-antichymotrypsin precursor (ACT)
☐ 10	human	FA	AAFA_HUMAN	Alpha-1-antifactor D-inhibitor precursor (AFDI)

Advanced Search

[Basic Search](#)Include data from: ☐ human ☐ mouse ☒ both mouse and human☐ Limit search to proteins associated with the lipid class -- Please Select --☒ Limit search to proteins recordscontaining the PHRASE (case insensitive)containing ANY of the words
containing ALL of the words
containing the PHRASE☒ LMPID ☒ Description ☒ Length ☒ MW**SwissProt Annotations**☒ SwissProt Entry Name ☒ Function ☒ Post Translational Modification☒ Description ☒ Length ☒ Subcellular Location☒ Domain ☒ Pathway**KEGG Annotations**☒ KEGG Pathway**Enzymes, Substrates, Products, Reactions**☒ EC Number ☒ Substrate ☒ Product ☒ Reaction ☒ Reaction Name***Fields to display in results summary**

☒ LMPID	☒ Function	☒ EC Number
☒ Species	☒ Length	☒ Substrate
☒ Lipid Category	☒ MW	☒ KEGG Pathway
☒ SwissProt Entry Name	☒ Post Translational Modification	☒ Product
☒ Description	☒ Subcellular Location	☒ Reaction
☒ Domain	☒ Pathway	☒ Reaction Name

(* Full record details are accessible from the summary page)

LIPID Metabolites And Pathways Strategy

Lipid Proteome Database

Records 1 - 8 of 8

Sort by: LMPID (ascending descending) Sort

Display selected records
Display sequences in FASTA format

LMPID	Species	Length	Substrate	Lipid Category legend	MW	KEGG Pathway	SwissProt Entry Name	Post Translational Modification	Product	Description
☐ 2	human	588		SP	65092	ceramide metabolism	2AAA_HUMAN			Serine/threonine protein phosphatase 65 kDa regulatory subunit A isoform (subunit A alpha isoform) (PP2A, subunit R1-alpha) (Medium-chain antigen-associated protein) KDA protein
☐ 3	human	601		SP	66201	ceramide metabolism	2AAB_HUMAN			Serine/threonine protein phosphatase 65 kDa regulatory subunit A isoform (subunit A beta isoform)

Nature Precedings : doi:10.1038/npre.2007.23.1 : Posted 23 Jan 2007

Advanced Search

[Basic Search](#)Include data from: ☐ human ☐ mouse ☒ both mouse and human☐ Limit search to proteins associated with the lipid class -- Please Select --☒ Limit search to proteins recordscontaining the PHRASE (case insensitive)

in any of the search fields selected below

Sequence Properties

☒ LMPID ☒ Description ☒ Length ☒ MW

SwissProt Annotations

☒ SwissProt Entry Name ☒ Function ☒ Post Translational Modification☒ Description ☒ Length ☒ Subcellular Location☒ Domain ☒ Pathway

KEGG Annotations

☒ KEGG Pathway

Enzymes, Substrates, Products, Reactions

☒ EC Number ☒ Substrate ☒ Product ☒ Reaction ☒ Reaction Name

*Fields to display in results summary

☒ LMPID	☐ Function	☒ EC Number
☒ Species	☐ Length	☒ Substrate
☒ Lipid Category	☐ MW	☒ KEGG Pathway
☒ SwissProt Entry Name	☐ Post Translational Modification	☒ Product
☒ Description	☒ Subcellular Location	☒ Reaction
☐ Domain	☐ Pathway	☐ Reaction Name

(* Full record details are accessible from the summary page)

Display: records per page.

LIPID Metabolites And Pathways Strategy

About

Data

Protocols

Home

Lipid Proteome Database

Records 1 - 8 of 8

[New Search](#)

Sort by: LMPID (ascending descending) <input type="button" value="Sort"/>									
<div> <input type="button" value="Display selected records"/> <input type="button" value="Display sequences in FASTA format"/> </div>									
LMPID	Substrate	Lipid Category legend	KEGG Pathway	SwissProt Entry Name	Product	Description	Subcellular Location	Reaction	
☒ 2		SP	ceramide metabolism	2AAA_HUMAN		Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDA protein)			
☒ 3	human	SP	ceramide metabolism	2AAB_HUMAN		Serine/threonine protein phosphatase 2A, 65 kDa regulatory subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subunit A, R1-beta isoform)			
☒ 72	3.5.1.23 human	H2O N-acylsphingosine	FA SP	ceramide metabolism	ASAH_HUMAN	carboxylate sphingosine	Lysosomal	N-acylsphingosine + H2O = a carboxylate + sphingosine	
☐ 124	2.7.1.138 human	ATP ceramide	SP	ceramide metabolism	CEK1_HUMAN	ADP ceramide 1-phosphate	Cytoplasmic and membrane-associated	ATP + ceramide = ADP + ceramide 1-phosphate	
						Protein FAN (Factor associated with N-EMase

LIPID Metabolites And Pathways Strategy

About

Data

Protocols

Home

Lipid Proteome Database

Records 1 - 8 of 8

[New Search](#)

Sort by: LMPID (ascending descending) Sort

Display selected records

Display sequences in FASTA format

LMPID	EC Number	Species	Substrate	Lipid Category legend	KEGG Pathway	SwissProt Entry Name	Product	Description	Subcellular Location	Reaction
☒ 2		human		SP	ceramide metabolism	2AAA_HUMAN		Serine/threonine protein phosphatase 2A, 65 KDa regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDa protein)		
☒ 3		human		SP	ceramide metabolism	2AAB_HUMAN		Serine/threonine protein phosphatase 2A, 65 kDa regulatory subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subunit A, R1-beta isoform)		
☒ 72	3.5.1.23	human	H2O N-acylsphingosine	FA SP	ceramide metabolism	ASAH_HUMAN	carboxylate sphingosine	Acid ceramidase precursor (EC 3.5.1.23) (Acylsphingosine deacylase) (N-acylsphingosine amidohydrolase) (AC) (Putative 32 KDa heart protein) (PHP32)	Lysosomal	N-acylsphingosine + H2O = a carboxylate + sphingosine
☐ 124	2.7.1.138	human	ATP ceramide	SP	ceramide metabolism	CEK1_HUMAN	ADP ceramide 1-phosphate	Ceramide kinase (EC 2.7.1.138) (Acylsphingosine kinase) (hCERK) (Lipid kinase 4) (LK4)	Cytoplasmic and membrane-associated	ATP + ceramide = ADP + ceramide 1-phosphate
								Protein FAN (Factor

LIPID Metabolites And Pathways Strategy

[About](#)
[Data](#)
[Protocols](#)
[Home](#)

Lipid Proteome Database

Selected complete database records:

[New Search](#)

LMPID	Description
2	Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDA protein)
3	Serine/threonine protein phosphatase 2A, 65 kDa regulatory subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subunit A, R1-beta isoform)
72	Acid ceramidase precursor (EC 3.5.1.23) (Acylsphingosine deacylase) (N-acylsphingosine amidohydrolase) (AC) (Putative 32 KDA heart protein) (PHP32)

LMPID 2

Record Overview

LMPID	2
Species	human
Description	Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDA protein)
Lipid Category	Sphingolipids (SP)
EC Number	
MW	65092
Length	588
Sequence	
<view>	

SWISS PROT Annotations

SwissProt Entry Name	2AAA_HUMAN
Catalytic Activity	

Cofactor

Database

Developmental
Stage

Disease

Defects in ASAH1 are the cause of Farber disease [MIM:228000]; also known as Farber lipogranulomatosis. This sphingolipid disease is characterized by subcutaneous lipid-loaded nodules, excruciating pain in the joints and extremities, marked accumulation of ceramide in lysosomes, and death by three years of age

Domain

Enzyme
Regulation

Function

Hydrolyzes the sphingolipid ceramide into sphingosine and free fatty acid

Induction

Mass
Spectrometry

Miscellaneous

Pathway

Pharmaceutical

Polymorphism

Post
Translational
Modification

N-glycosylated

Similarity

Belongs to the acid ceramidase family

Subcellular
Location

Lysosomal

Subunit

Heterodimer of one alpha and one beta subunit

Tissue

Broadly expressed with highest expression in heart

Gene Name

ASAH1
ASAH

KEGG AnnotationsDatabase Cross
References

[KEGG:00600](#)
[GO:0006672](#)
[GO:0006631](#)

KEGG Pathway

Sphingoglycolipid metabolism
ceramide metabolism
fatty acid metabolism

GenBank Annotations

LIPID Metabolites And Pathways Strategy

About

Data

Protocols

Home

Lipid Proteome Database

Records 1 - 8 of 8

[New Search](#)

Sort by: LMPID (☒ ascending ☐ descending) <input type="button" value="Sort"/>									
Display selected records <input type="button" value="Display sequences in FASTA format"/>									
LMPID	Substrate	Lipid Category legend	KEGG Pathway	SwissProt Entry Name	Product	Description	Subcellular Location	Reaction	
☒ 2		SP	ceramide metabolism	2AAA_HUMAN		Serine/threonine protein phosphatase 2A, 65 KDA regulatory subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, subunit A, R1-alpha isoform) (Medium tumor antigen-associated 61 KDA protein)			
☒ 3	human	SP	ceramide metabolism	2AAB_HUMAN		Serine/threonine protein phosphatase 2A, 65 kDa regulatory subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subunit A, R1-beta isoform)			
☒ 72	3.5.1.23 human	H2O N-acylsphingosine	FA SP	ceramide metabolism	ASAH_HUMAN	carboxylate sphingosine	Lysosomal	N-acylsphingosine + H2O = a carboxylate + sphingosine	
☐ 124	2.7.1.138 human	ATP ceramide	SP	ceramide metabolism	CEK1_HUMAN	ADP ceramide 1-phosphate	Cytoplasmic and membrane-associated	ATP + ceramide = ADP + ceramide 1-phosphate	
						Protein FAN (Factor associated with N. S. Mac...

LIPID Metabolites And Pathways Strategy

About

Data

Protocols

[Home](#)

Lipid Proteome Database

>LM:2|2AAA_HUMAN|Serine/threonine protein phosphatase 2A, 65 KDA regulatory
; subunit A, alpha isoform (PP2A, subunit A, PR65-alpha isoform) (PP2A, sub
AAADGDDSLYP IAVLIDELRNEDVQLRLNSIKKLSITIALALGVERTSELLPFLDTITDYDEVLLALAEQLGTF
TTLVGGPEYVHCLLPDESILATVEETVVRDKAVESLRASHEHSPDLAEHFVPLVKRLAGGDWFTSRTSACGLF
SVCYPRVSSAAEKLQRYFRNLCSDDTPMVRRAAASKLGEFAKVLDELNVKSEIIPMFSNLASDEQDSVRLLEAE
ACVNIAQLLPQEDLEALVMPITLRQAAEDKSWAVRYMVADKFTELQKAVGPEITKTDLPVAFQNLMKDCEAEVRAA
ASHKVKEFCENLSADCRENVIMSQILPCIKELVSDANQHVKSALASVINGLSPILGKDNTIEHLLPLFLAQLKDE
CPEVRLNIISNLDVNEVIGIRKQLSQSLPAIVELAEADAKWRVRLAIIEYMPFLLAGQGVFFDEKLNSLCMAWL
VDHVHIAERAAATSNLKKLVKFGKEWAHATIIPKVLAMSGDPNYLHRMTTLFACINLSEVCGQDITTKHMLPTVL
RMAGDPVAVNRFNVAKSLQKIGPILDNSTLOSEVKEPILKELTODODVDVKYFAOEALTVLSLA

>LM:3|2AAB_HUMAN|Serine/threonine protein phosphatase 2A, 65 kDa regulatory
: subunit A, beta isoform (PP2A, subunit A, PR65-beta isoform) (PP2A, subun
MAGASELGTGPGAAGGDGDDSLYPIAVLIDELRNEDVQLRLNSIKKLSTIALALGVERTSELLPFLTDITYDED
EVLLALAEQLGNFTGLVGGPDFAHCLLPPLLENLVEETTVVRDKAVESLRQISQEHTPVALEAYFVPLVKRLASG
DWFTSRTSACGLFVSCYCPRASNAVKAETRQFSLSCDDTPMVRRAASLKGDFAKVLDESVKSEIVPLFTLSA
SEQDSVRLALLAVEACVSIQAQLSQQDLLETIVMPTLRQAADDKMSURVRYMADFSELSLQKAMGPKITLNDLIPAFQ
NLLKDCEAEVRAAAAHKVKELGENLPIDRETIIMNQILPYIKELVSDTNQHVKSALASVIMGLSTILGKENTIE
HLLPLFLAQLKDECPDVRNLNIISNLDCVNEVIGIRQLSQSLPAIVELAEADAKWRVRLAIIEYMPLLAGQLGVEF
FDEKLNLSLCMAWLVDHVYAIREAATNNMLKLVQKFGTEWAQNTIVPKVLVMANDPNYLHRMTTLFCINALSEACG
QEITTKQMLPIVLKMGDQVANVRFNVAKSLQKIGPILDTNALQGEVKPVLQKLQGDDEMDVKYFAQEAISVLAL
A

>LM:72|ASA_HUMAN|Acid ceramidase precursor (EC 3.5.1.23) (Acylsphingosine
;deacylase) (N-acylsphingosine amidohydrolase) (AC) (Putative 32 kDa heart
MPGRSCVALVLLAAAVSCAQAQHAPPWTECRKSTYPPSGPYTYRGAVPWYITINLDPYKRWHLMLDKAPMLKV
IVNSLKNMINTFVPSGKVMQVDEKLPGLLGNFPGFEEEMKGLAAVDIPLGEIISFNIFYELFTICTISVAED
KKGHLIHGRNMDFGVFLGWNINNDTWVITEQLKPLTVNLDFQRNKNKTVFKASSFAGYVGMLTGFKPLFSLTLNE
RFSINGGYLGILEWILGKQDAMWIGFLTRTVLENSTSYEEAKNLLTKTKILAPAYFILGGNQSGEGCVITRDRKE
SLDVYELDAKQGRWVVVQTNWYDRWKHPFLDDRRTPAKMCLNRTSQENISFETHYDVLSTKPVNLKLTVYTTLLID
VTKGOFETYLRLDCPDPCIGW

LIPID MAPS Personnel
(Restricted Access)