

Renn Annotation-based Meta-analysis of Microarray Experiments

Jie Zheng, Junmin Liu, Elisabetta Manduchi, Christian J. Stoeckert, Jr. Center for Bioinformatics, Department of Genetics, University of Pennsylvania School of Medicine, Philadelphia, USA

ABSTRACT

We are developing software applications to perform meta-analysis of microarray experiments based on standardized experiment annotations aiming to identify similar experiments and cluster experiments. The applications were tested on files obtained from the ArrayExpress public repository. Annotation terms covering the biological intent and context of experiments were used to compute dissimilarity measures between experiments. Our applications will categorize the experiments resulting from keyword search based on experimental annotation information. These applications may motivate efforts of bench biologists to better annotate experiments.

Meta-analysis software applications contain three components. The first software component extracts annotations from appropriate fields in MAGE-TAB files. The second module computes dissimilarity measures between pairs of experiments using extracted annotations. Given a set of keywords, the third software module will categorize the experiments containing given keywords using the dissimilarity matrix generated by the second software module.

Methods

Source Of Experiments

Experiments in ArrayExpress1 which are in MAGE-TAB format2 and typically contain some annotations using the MGED ontology (MO)3

- Annotation Components Used And Scores
 - StudyName (free-text)
 - ExperimentDesignType (MO terms) (scored 1 if annotated, otherwise scored 0)
 - ExperimentFactorType (MO terms) (scored 1 if annotated, otherwise scored 0)
 - ExperimentFactorValue (free-text or measurement or ontology terms)
 - Organism (ontology terms) (scored 1 if annotated, otherwise scored 0)
 - BiomaterialCharacteristics (types are ontology terms, values are free-text or ontology terms) (scored as # of characteristic types annotated)
 - ProtocolType (MO terms) (score 1 if annotated, otherwise scored 0)

How well an experiment annotated was evaluated by the sum of the scores of the various annotation components. The higher scores indicate richer annotation.

Dissimilarity Measures Using Jaccard Or Kulczynski Distance

For each annotation component, let A and B be the sets of annotation terms for the two experiments, respectively.

Jaccard Distance = 1 - |A \cap B| / |A U B|

Kulczynski Distance = 1-1/2 ($|A \cap B|/A + |A \cap B|/B$)

The dissimilarity between two experiments was defined as the weighted average of their component-wise distances.

Experiments Clustering

Based on dissimilarity matrix, automatically generate a hierarchical tree.

- Generate clusters of varying sizes n
- Assess clusters using silhouette scores and select the best cluster size

Gold Standards For Meta-analysis

- A list of experiments about glucose responsive genes and insulin secretion in
- A list of experiments about genes involved in organismal lifespan alteration generated based on keyword searches in ArrayExpress
- Term Harmonization

Annotation terms were harmonized using Unified Medical Language System (UMLS)

Our goal is to develop software applications that can identify similar experiments to a guery experiment and group the experiments resulting from keyword search into various categories based on experimental annotations.







Cluster experiments containing given keywords

Annotation Information Of Experiments

The first software module to retrieve annotations from MAGE-ML or MAGE-TAB files has been developed. Experimental annotations were successfully extracted from 5632 experiments. According to the scores of annotation components, around 50% of the experiments were not well annotated (scores < 2), most coming from GEOD. We focused on a total of 2435 experiments with all considered components annotated in the following meta-analyses.



Experimental Annotation-based Clusters (2)




- Experimental IDs in red are the experiments in the list of gold standard (total 8 experiments)
- Most of the experiments in the gold standard list were categorized in one group for two different sets of keyword searches.
- We obtained similar results by using either the Jaccard or the Kulczynski distance to compute dissimilarity measures between pairs of experiments.

Experimental Annotation-based Clusters (1)

Two sets of keywords searches were performed

- keywords: insulin or glucose found in 76 experiments
- keywords; aging, longevity, or lifespan found in 88 experiments

Clustering of 76 Experiments (containing "insulin" or "glucose")



Conclusion and Future Directions

- Meta-analyses based on annotation can help to identify closely related experiments. The richly annotated experiments gave better results.
- To further improve the comparison of annotation terms, we will apply ontological relationships to refine the dissimilarity measures.
- In the future, we will expand keyword search results based on dissimilarity matrix if necessary.

Funding: NHGRI grant R21 HG004521

References:

- 1. Parkinson et al., Nucleic Acids Res. 2007;35 (Database issue):D747
- 2. Rayner et al., BMC Bioinformatics 7:489.
- 3. Whetzel et al., Bioinformatics. 2006; 22(7): 866.