ERRATUM

From stem cell to T cell: one route or many?

Avinash Bhandoola and Arivazhagan Sambandam

Nature Reviews Immunology 6, 117–126 (2006); doi:10.1038/nri1778

When published, the fifth row of Table 1 contained incorrect information and the eighth row was incorrectly aligned. The corrected table is shown below.

Table 1 | Early haematopoietic progenitors in the bone marrow and thymus

Progenitor	Cell-surface phenotype	Additional information	References
Multipotent, self-renewing HSC	Lin [−] SCA1 ⁺ KIT ^{hi} FLT3 [−] (LSKFLT3 [−])	<ul style="list-style-type: none"> Found in the bone marrow IL-7Rα⁺CD34⁺CD44^{hi} (long-term HSCs) IL-7Rα⁺CD34⁺CD44^{hi} (short-term HSCs) 	17–20,56
MPP (also known as LMPP and CMLP)	Lin [−] SCA1 ⁺ KIT ^{hi} FLT3 ⁺ (LSKFLT3 ⁺)	<ul style="list-style-type: none"> Found in the bone marrow IL-7Rα⁺CD44^{hi}VCAM1⁺ and IL-7Rα^{low}CD44^{hi}VCAM1[−] subsets 	19,20,56, 68,69
ELP	Lin [−] SCA1 ⁺ KIT ^{hi} FLT3 ⁺ (LSKFLT3 ⁺)	<ul style="list-style-type: none"> Found in the bone marrow A lymphoid-specified subset of MPPs that are RAG⁺CD44^{hi} and GFP⁺ in RAG–GFP reporter mice 	74,75
L-selectin-expressing MPP (LSP)	Lin [−] SCA1 ⁺ KIT ^{hi} L-selectin-expressing and THY1.1 [−] in THY1.1 strains of mice	<ul style="list-style-type: none"> Found in the bone marrow An L-selectin-expressing subset of MPPs that are FLT3⁺CD44^{hi} 	78
CLP	Lin [−] SCA1 ^{low} AA4 ⁺ IL-7Rα ⁺ KIT ^{low}	<ul style="list-style-type: none"> Found in the bone marrow FLT3⁺CD44^{hi} 	22,23
CLP-2 (also known as pre-pro-B cell)	IL-7Rα ⁺ B220 ⁺ CD19 [−] KIT ^{low} and human CD25 ⁺ in pTα-reporter mice	<ul style="list-style-type: none"> Found in the bone marrow FLT3⁺CD43⁺CD44^{hi} 	27,57
ETP	Lin ^{low} KIT ^{hi} CD25 [−]	<ul style="list-style-type: none"> Found in the thymus IL-7Rα^{low}CD4^{low}CD44^{hi}SCA1⁺ FLT3⁺ and FLT3[−] subsets CD24[−] (also known as DN1a) and CD24⁺ (also known as DN1b) subsets 	25,46–50, 52,55
DN2 cell	Lin ^{low} CD25 ⁺ KIT ^{hi}	<ul style="list-style-type: none"> Found in the thymus IL-7Rα⁺CD4^{low}CD44^{hi} 	33,34,124

CLP, common lymphoid progenitor; CMLP, common myelo-lymphoid progenitor; DN2, double-negative 2; ELP, early lymphoid progenitor; ETP, early T-cell progenitor; FLT3, fms-related tyrosine kinase 3; GFP, green fluorescent protein; HSC, haematopoietic stem cell; IL-7Rα, interleukin-7 receptor α-chain; Lin, lineage; LMPP, lymphoid-primed multipotent progenitor; L-selectin, lymphocyte selectin; MPP, multipotential progenitor; pTα, pre-T-cell receptor α-chain; pTα-reporter mice, mice that express human CD25 under the control of locus control elements of the gene encoding pTα. RAG, recombination-activating gene; SCA1, stem-cell antigen 1; VCAM1, vascular cell-adhesion molecule 1.

ONLINE CORRESPONDENCE

Nature Reviews Immunology publishes items of correspondence online. Such contributions are published at the discretion of the Editors and can be subject to peer review. Correspondence should be no longer than 500 words with up to 15 references and should represent a scholarly attempt to comment on a specific Review or Perspective article that has been published in the journal. To view correspondence, please go to our homepage and select the link to Correspondence, or use the URL indicated below.

The following correspondence has recently been published:

Promoting the learning of immunology in the developing countries: shaping the vision into a mission to alleviate human suffering worldwide

Ajit Singh

<http://www.nature.com/nri/archive/correspondence.html>

This correspondence relates to the article:

Promoting the learning of immunology in developing countries

Jean-Jacques Fournié, Frédérique Gaits and Marc Bonneville

Nature Reviews Immunology 5, 893–898 (2005)