ERRATUM

Safety and efficacy of resistance exercise in prostate cancer patients with bone metastases

P Cormie, RU Newton, N Spry, D Joseph, DR Taaffe and DA Galvão

Prostate Cancer and Prostatic Disease (2015) 18, 196; doi:10.1038/pcan.2015.6

Correction to: *Prostate Cancer and Prostatic Diseases* (2013) 16, 328–335; doi:10.1038/pcan.2013.22

Following publication of the above article, the authors noticed that in Table 5, the column labels under 12 weeks were reversed. The corrected table appears below. The publisher regrets the errors.

Table 5. Absolute and change values for patient reported outcomes of fatigue, quality of life and psychological distress

Measure	Baseline				12 Weeks				Adjusted group differences in mean change over 12 weeks ^a			
	Exercise		Usual care		Exercise		Usual care		Mean	95% CI	P	
	Mean	s.d.	Mean	s.d.	Mean	s.d.	Mean	s.d.				
Fatigue (MFSI-SF)												
Total (score)	5.2	16.8	6.0	12.3	3.8	13.7	8.8	24.9	−4.2	−17.6	9.2	0.521
General (score)	7.0	6.2	7.1	4.8	6.1	3.3	9.1	7.4	−2.9	−7.6	1.7	0.199
Physical (score)	3.1	3.0	3.4	2.5	2.3	1.7	2.4	2.7	0.0	−1.8	1.9	0.961
Emotional (score)	3.5	3.7	3.3	3.0	4.2	4.2	3.4	6.5	0.5	−3.1	4.1	0.772
Mental (score)	4.3	3.2	4.6	3.8	4.8	2.6	6.7	6.5	−1.5	−4.3	1.3	0.261
Vigor (score)	12.7	4.5	12.4	2.5	13.3	5.5	13.1	5.7	−0.1	−3.4	3.2	0.931
Quality of life (SF-36)												
Physical functioning (NBS)	44.2	9.0	45.0	11.4	45.8	7.8	46.5	9.4	0.0	−4.2	4.2	0.996
Role physical (NBS)	42.9	11.5	40.7	10.8	44.7	8.1	43.4	11.1	0.0	−7.2	7.2	0.998
Bodily pain (NBS)	48.8	8.8	49.7	10.7	45.4	8.7	48.8	8.7	−2.8	−9.1	3.5	0.356
General health (NBS)	45.6	10.0	42.4	8.6	44.5	9.8	41.7	8.6	1.9	−4.1	7.9	0.508
Vitality (NBS)	45.8	12.7	49.3	11.3	46.1	9.1	44.5	11.9	3.7	−3.7	11.1	0.303
Social functioning (NBS)	41.1	7.5	38.1	9.4	43.5	5.4	40.2	10.3	2.2	−5.3	9.7	0.550
Role emotional (NBS)	37.8	8.9	36.6	9.0	34.8	10.3	37.2	11.5	−3.2	−12.3	5.8	0.461
Mental health (NBS)	50.6	10.4	50.6	7.9	52.9	8.1	50.7	13.7	2.2	−6.1	10.6	0.578
Physical health composite	45.2	11.2	45.1	10.2	45.8	8.5	45.9	9.1	−0.1	−4.6	4.4	0.957
Mental health composite	44.1	10.1	43.5	7.2	43.9	11.4	42.6	12.9	2.8	−5.3	11.0	0.475
Psychological distress (BSI-18)												
Depression (score)	2.9	4.0	1.4	2.1	3.7	6.1	3.7	5.7	−2.3	−5.2	0.6	0.107
Anxiety (score)	1.7	1.8	1.5	2.0	2.7	3.2	3.3	5.5	−1.0	−3.8	1.8	0.471
Somatization (score)	2.3	2.4	2.3	3.2	2.8	2.5	1.9	2.0	1.0	−1.1	3.0	0.346
Global severity index (score)	6.9	6.2	5.2	5.6	9.2	11.4	9.2	12.8	−3.0	−9.2	3.1	0.311

Abbreviations: BSI-18, brief symptom inventory; MFSI-SF, multidimensional fatigue symptom inventory-short form; NBS, norm-based score; SF-36, medical outcomes study 36-item short-form health survey. ^aBetween group change by ANCOVA adjusted for baseline values.