peripheral tissue metabolic response to endotoxin in humans. J Clin Invest 85:1896-1904

- Bonavida B, Mencia-Huerta J-M, Braquet P 1989 Effect of platelet activating factor on monocyte activation and production of tumor necrosis factor. Int Arch Allergy Appl Immunol 88:157-160
- 33. Camussi G, Bussolino F, Salvidio G, Baglioni C 1987 Tumor necrosis factor/

cachectin stimulates peritoneal macrophages, polymorphonuclear neutrophils, and vascular endothelial cells to synthesize and release platelet-activating factor. J Exp Med 166:1390-1404

 Kriegler M, Perez C, DeFay K, Albert I, Lu SD 1988 A novel form of TNF/ cachectin is a cell surface cytotoxic transmembrane protein: ramifications for the complex physiology of TNF. Cell 53:45-53

## Announcement

## The 5th International Workshop on Developmental Renal Physiology

The 5th International Workshop on Developmental Renal Physiology will be held in Tremezzo, Italy, August 26–28, 1992. The proceedings will focus on cellular and molecular aspects of nephrogenesis, transduction or hormonal and neural signals during development, molecular mechanisms of blood pressure control, the role of the kidney in mineral metabolism during growth, the ontogeny of the concentrating mechanism and of acid-base homoeostasis, and pathophysiology of the developing kidney. *For further information, contact:* Congress Studio Int. srl, Piazza dei Volontari 4, 20145 Milano, Italy, phone 02-33604949, FAX 02-33604939.