Correction to: The association of patient preferences and attitudes with trial of labor after cesarean

Anjali J. Kaimal¹ · William A. Grobman² · Allison Bryant¹ · Cinthia Blat³ · Peter Bacchetti⁴ · Juan Gonzalez³ · Mari-Paule Thiet³ · Yamilee Bermingham⁵ · Miriam Kuppermann⁶

Published online: 10 October 2019
© Springer Nature America, Inc. 2019

Correction to: Journal of Perinatology

<https://doi.org/10.1038/s41372-019-0399-5>
published online 3 July 2019

Since publication of this Article, the authors noted an error in the first paragraph of the results. The correct text is provided below:

Two hundred and ninety-eligible women were approached for participation; 249 participants enrolled (85.8%).

All participants completed the interview and had chart review information regarding clinical history, demographics, and outcomes available. Fifteen participants were noted to have a contraindication to TOLAC at the time of chart review (persistent breech presentation or placenta previa at the time of delivery) and three women were excluded as information regarding delivery approach (TOLAC or ERCD) was not available, leaving data from 231 participants for analysis.

The original article can be found online at <https://doi.org/10.1038/s41372-019-0399-5>.

✉ Anjali J. Kaimal
akaimal@partners.org

¹ Department of Obstetrics and Gynecology, Massachusetts General Hospital, Boston, MA, USA

² Department of Obstetrics and Gynecology, Feinberg School of Medicine, Northwestern University, Chicago, IL, USA

³ Department of Obstetrics, Gynecology & Reproductive Sciences, University of California, San Francisco, San Francisco, CA, USA

⁴ Department of Epidemiology & Biostatistics, University of California, San Francisco, San Francisco, CA, USA

⁵ Marin Community Clinic, San Rafael, CA, USA

⁶ Departments of Obstetrics, Gynecology & Reproductive Sciences and Epidemiology & Biostatistics, University of California, San Francisco, San Francisco, CA, USA