## RESEARCH HIGHLIGHT

Open Access

## Discrimination of circular polarized light

Guangbo Qu<sup>1,2,3,4</sup> and Guibin Jiang<sup>1,2,3,4</sup>⊠

Nature Nanotechnology **17**, 408–416 (2022) https://doi.org/10.1038/s41565-022-01079-3

The polarization control of light opens numerous explorations like information communication or three-dimensional displays. However, because the difference between number of left-handed and right-handed photons in the free electromagnetic field is less than a percent, there is still a great challenge to measure the difference.

Researchers from Jiangnan University, together with their international collaborators present a versatile method to recognize the polarization state of light by using chiral gold nanoparticle film deposited onto anodized aluminum oxide substrates. In integrated photonic devices, the photocurrent is directly related to the polarization state of light with 2.41-fold difference between

right-handed circularly polarized and left-handed circularly polarized light, which provides advantages over their inorganic or organic chiral film counterparts by 1-2 orders of magnitude. The concept is clarified referring to the wave-guided chiroplasmonic modes propagating along the film surface and charge entrapment in phenylalanine on gold nanoparticles.

## **Author details**

<sup>1</sup> State Key Laboratory of Environmental Chemistry and Ecotoxicology, Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, 100085 Beijing, China. <sup>2</sup> School of Environment, Hangzhou Institute for Advanced Study, University of Chinese Academy of Sciences, 310024 Hangzhou, China. <sup>3</sup> Institute of Environment and Health, Jianghan University, 430056 Wuhan, China. <sup>4</sup> University of Chinese Academy of Sciences, 100049 Beijing, China

Received: 5 May 2022 Accepted: 6 May 2022 Published online: 30 May 2022

Correspondence: Guibin Jiang (gbjiang@rcees.ac.cn)

© The Author(s) 2022

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/.

<sup>&</sup>lt;sup>1</sup>State Key Laboratory of Environmental Chemistry and Ecotoxicology, Research Center for Eco-Environmental Sciences, Chinese Academy of Sciences, 100085 Beijing, China

<sup>&</sup>lt;sup>2</sup>School of Environment, Hangzhou Institute for Advanced Study, University of Chinese Academy of Sciences, 310024 Hangzhou, China Full list of author information is available at the end of the article