



**CORRECTION**

# Correction: Incidence of neonatal hypertension from a large multicentre study [Assessment of Worldwide Acute Kidney Injury Epidemiology in Neonates—AWAKEN]

Emily J. Kraut<sup>1</sup>, Louis J. Boohaker<sup>2</sup>, David J. Askenazi<sup>2</sup>, Jeffery Fletcher<sup>1,3</sup> and Alison L. Kent<sup>1,4</sup> on behalf of the Neonatal Kidney Collaborative (NKC)

*Pediatric Research* (2018) 84:314; <https://doi.org/10.1038/s41390-018-0107-8>

Correction to: *Pediatric Research* <https://doi.org/10.1038/s41390-018-0018-8>; published online 23 May 2018

The PDF and HTML versions of the paper have been modified accordingly.

The original version of this Article omitted the NKC Contributors author, Jonathon Swanson MD, from the University of Virginia Children's Hospital, Charlottesville, Virginia, USA.

---

<sup>1</sup>Australian National University Medical School, Canberra, ACT 2601, Australia; <sup>2</sup>Department of Pediatrics, Division of Nephrology, University of Alabama, Birmingham, AL, USA; <sup>3</sup>Department of Pediatrics, Centenary Hospital for Women and Children, Woden, ACT 2606, Australia and <sup>4</sup>Department of Neonatology, Centenary Hospital for Women and Children, Woden, ACT 2606, Australia  
Correspondence: Alison L. Kent ([alison.kent@act.gov.au](mailto:alison.kent@act.gov.au))

Published online: 8 August 2018