CORRECTION

Author Correction: 5-Hydroxymethylcytosine signatures in circulating cell-free DNA as diagnostic biomarkers for human cancers

Wenshuai Li¹, Xu Zhang², Xingyu Lu^{3,4}, Lei You⁵, Yanqun Song⁴, Zhongguang Luo¹, Jun Zhang¹, Ji Nie³, Wanwei Zheng¹, Diannan Xu¹, Yaping Wang⁶, Yuanqiang Dong⁶, Shulin Yu⁷, Jun Hong⁶, Jianping Shi⁸, Hankun Hao⁶, Fen Luo⁶, Luchun Hua⁶, Peng Wang⁷, Xiaoping Qian⁹, Fang Yuan^{10,11}, Lianhuan Wei¹¹, Ming Cui⁵, Taiping Zhang⁵, Quan Liao⁵, Menghua Dai⁵, Ziwen Liu⁵, Ge Chen⁵, Katherine Meckel¹², Sarbani Adhikari¹², Guifang Jia^{11,13}, Marc B Bissonnette¹², Xinxiang Zhang^{10,11}, Yupei Zhao⁵, Wei Zhang¹⁴, Chuan He^{3,10} and Jie Liu^{1,15}

Cell Research (2019) 29:599; <https://doi.org/10.1038/s41422-019-0182-3>

Correction to: *Cell Research* (2017) 27:1243–1257 <https://doi.org/10.1038/cr.2017.121>, published online 19 September 2017

In the initial published version of this article, there was a mistake in the *P* value for the correlation between gene-expression changes and 5 hmC changes in tumors. The correct

P value should be same as the *P* value shown in Fig. S6A: 9.8×10^{-6} (mistakenly shown as “ 9.8×10^6 ” in the main text). This correction does not affect the description of results or the conclusions of this study, since the range of *P* value is between 0 and 1.

¹Department of Digestive Diseases, Huashan Hospital, Fudan University, Shanghai 200040, China; ²Section of Hematology/Oncology, Department of Medicine, University of Illinois, Chicago, IL 60612, USA; ³Department of Chemistry, Department of Biochemistry and Molecular Biology, and Institute for Biophysical Dynamics, Howard Hughes Medical Institute, The University of Chicago, Chicago, IL 60637, USA; ⁴Shanghai Epican Genetech, Co. Ltd., Zhangjiang Hi-Tech Park, Shanghai 201203, China; ⁵Department of General Surgery, Peking Union Medical College Hospital, Chinese Academy of Medical Sciences, Beijing 100730, China; ⁶Department of General Surgery, Huashan Hospital, Fudan University, Shanghai 200040, China; ⁷Department of Integrative Oncology, Shanghai Cancer Center, Fudan University, Shanghai 200032, China; ⁸Department of Digestive Diseases, Pudong Hospital, Fudan University, Shanghai 201399, China; ⁹Department of Oncology, Nanjing Drum Tower Hospital, Nanjing University Medical School, Nanjing 210008, China; ¹⁰Beijing National Laboratory for Molecular Sciences, College of Chemistry, Peking University, Beijing 100871, China; ¹¹Key Laboratory of Bioorganic Chemistry and Molecular Engineering of Ministry of Education, Peking University, Beijing 100871, China; ¹²Department of Medicine, The University of Chicago, Chicago, IL 60637, USA; ¹³Department of Chemical Biology, Structure and Function Biomolecules Center, College of Chemistry and Molecular Engineering, Peking University, Beijing 100871, China; ¹⁴Department of Preventive Medicine and The Robert H. Lurie Comprehensive Cancer Center, Northwestern University Feinberg School of Medicine, Chicago, IL 60611, USA and ¹⁵Department of Immunology, State Key Laboratory of Genetic Engineering, Institutes of Biomedical Sciences, Fudan University, Shanghai 200433, China

Correspondence: Wei Zhang (wei.zhang1@northwestern.edu) or Chuan He (chuanhe@uchicago.edu) or Jie Liu (jieliu@fudan.edu.cn)

These authors contributed equally: Wenshuai Li, Xu Zhang, Xingyu Lu, Lei You.