



Correction: Educational delay and attainment in persons with neurofibromatosis 1 in Denmark

Karoline Doser¹ · Line Kenborg² · Elisabeth Wreford Andersen¹ · Pernille Envold Bidstrup¹ · Anja Kroyer² · Hanne Hove³ · John Østergaard⁴ · Sven Asger Sørensen⁵ · Christoffer Johansen^{1,6} · John Mulvihill⁷ · Jeanette Falck Winther^{2,8} · Susanne Oksbjerg Dalton¹

Published online: 22 March 2019
© European Society of Human Genetics 2019

Correction to: Eur J Hum Genet

<https://doi.org/10.1038/s41431-019-0359-8>
published online 28 Feb 2019

‘Autism^s’ and the ‘Autism/ADHD’ rows had been erroneously interchanged in Table 3. The updated table can be found below. This has now been updated in the HTML and PDF of the original article.

Since the publication of the article, the authors noticed that ‘NFI cohort’ and ‘NFI-free cohort’ columns in the

These authors contributed equally: Jeanette Falck Winther, Susanne Oksbjerg Dalton

The original article can be found online at <https://doi.org/10.1038/s41431-019-0359-8>.

✉ Karoline Doser
kdoser@cancer.dk

- ¹ Survivorship Unit, Danish Cancer Society Research Center, Copenhagen, Denmark
- ² Childhood Cancer Research Group, Danish Cancer Society Research Center, Copenhagen, Denmark
- ³ The RAREDIS Database, Centre for Rare Diseases, Copenhagen University Hospital and Aarhus University, Aarhus, Denmark
- ⁴ Center for Rare Disease, Aarhus University Hospital, Aarhus, Denmark
- ⁵ Copenhagen University, Copenhagen, Denmark
- ⁶ Oncology Clinic, Finsen Center, Rigshospitalet, 5073 Copenhagen, Denmark
- ⁷ University of Oklahoma Health Sciences Center, Oklahoma City, OK, USA
- ⁸ Department of Clinical Medicine, Faculty of Health, Aarhus University, Aarhus, Denmark

Table 3 Descriptive characteristics of the 1065 Danish persons with NF1 and the 8791 NF1-free persons, born 1965–2000, graduated from grade 9 in Denmark 1981–2015

	NF1 cohort				NF1-free cohort			
	N	%	Grad.	Person-years	N	%	Grad.	Person-years
Total	1,065		932	2,734	8,791		7,962	19,274
Gender								
Male	529	50	454	1,416	4,426	50	3,897	10,216
Female	536	50	478	1,318	4,365	50	4,065	9,058
Pearson $\chi^2(1) = 0.17$ Pr. = 0.68								
Birth year								
1965–1969	107	10	102	260	960	11	916	2,187
1970–1974	151	14	144	341	1,248	14	1,208	2,687
1975–1979	136	13	128	351	1,025	12	996	2,278
1980–1984	133	13	119	412	907	10	869	2,082
1985–1989	128	12	115	384	934	10	890	2,249
1990–1994	164	15	153	465	1,375	16	1,314	3,330
1995–2002	246	23	171	520	2,342	27	1,769	4,461
Pearson $\chi^2(6) = 12.20$ Pr = 0.058								
Mother's education								
Short	343	32	298	891	2,234	25	2,003	5,381
Medium	502	47	439	1,317	4,273	49	3,914	9,199
Long	189	18	168	434	2,097	24	1,896	4,211
Missing	31	3			187	2		
Pearson $\chi^2(3) = 35.11$ Pr = 0.000								
Cancer ^a								
Yes	57	5	50	148	49	1	48	102
Pearson $\chi^2(1) = 205.26$ Pr = 0.000								
Diseases of bone, joints and soft tissue ^b								
	76	7	70	192	137	2	126	306
Pearson $\chi^2(1) = 139.77$ Pr = 0.000								
Diseases of nervous system ^c								
	155	15	126	479	468	5	406	1,136
Pearson $\chi^2(1) = 136.68$ Pr = 0.000								
Diseases of circulatory system ^d								
	25	2	19	62	34	0	32	72
Pearson $\chi^2(1) = 61.37$ Pr = 0.000								
Other medical diseases ^e								
	533	50	461	1,442	3,071	35	2,746	6,938
Pearson $\chi^2(1) = 93.54$ Pr = 0.000								
Anxiety ^f								
	7	1	5	17	48	1	42	123
Pearson $\chi^2(1) = 0.21$ Pr = 0.645								
Autism ^g								
	23	2	15	92	92	1	75	295
Pearson $\chi^2(1) = 10.21$ Pr = 0.001								
ADHD ^h								
	50	5	39	114	114	1	94	324
Pearson $\chi^2(1) = 67.03$ Pr = 0.000								
Autism/ADHD								
	69	7	50	198	199	2	163	601
Pearson $\chi^2(1) = 63.81$ Pr = 0.000								
Depression and other psychiatric diseases ⁱ								
	172	16	128	499	497	6	405	1,432
Pearson $\chi^2(1) = 165.42$ Pr = 0.000								

Table 3 (continued)

	NF1 cohort				NF1-free cohort			
	<i>N</i>	%	Grad.	Person-years	<i>N</i>	%	Grad.	Person-years
Age at graduation (years)								
14–15			10	1,047			46	8,622
15–15.5			44	501			579	4,090
15.5–16			278	413			3,189	3,074
16–16.5			348	235			3,250	1,260
16.5–17			170	110			703	345
17–18			77	83			186	315
18–20			5	346			9	1,568

^aCancer; malignant (ICD-10): C00–C43, C46–C96, B21.0, D30.1–D30.9, D32–D33, D35.2–D35.4, D41.4, D42–D43, D44.3–D44.5, benign (ICD-8): 210–221, 223.0, 224, 225.5–225.6, 226.0–226.1, 226.4–228

^bDiseases of bone, joints soft tissue (ICD-8): 720–738, 274, 710–718

^cDiseases of nervous system (ICD-8): 290, 320–324, 340–342, 344–347, 349–358, 360–389

^dDiseases of circulatory system (ICD-8): 390–398, 400–404, 410–414, 420–438, 440–448, 450–458

^eOther medical diseases (ICD-8): 000–136, 240–242, 244–269, 275.4–276, 278–279, 606, 626–628, 280–281, 283–289, 460–519, 520–543, 550–577, 580–605, 607–625, 629, 700–709, 680–686, 690–698, 274, 710–718, 720–738

^fAnxiety (ICD-10): F41, Depression (ICD-10): F32

^gAutism (ICD-10): F84

^hADHD (ICD-10): F90

ⁱDepression and other psychiatric disease (ICD-10): F01–99, excluding F41, F84, F90