Correction to: Effectiveness and tolerability of lidocaine 5% spray in the treatment of lifelong premature ejaculation patients: a randomized single-blind placebo-controlled clinical trial

Mohammed Abu El-Hamd

Published online: 22 January 2020

© The Author(s), under exclusive licence to Springer Nature Limited 2020

Correction to: International Journal of Impotence Research <https://doi.org/10.1038/s41443-019-0225-9>

In the published article the following incorrect statement appeared in the Patients and methods section:

Group 1 ($n = 75$); was given on demand lidocaine 5% spray for 8 weeks (One to two applications (1–2 ml) of lidocaine 5% sprays; contain 5–10 mg of lidocaine, in a metered-dose aerosol-delivery system) (Lidocaine topical aerosol U.S.P. 38, The Arab Drug Co, Cairo, Egypt). Group 2 ($n = 75$); was given placebo in the form on demand alcohol spray for 8 weeks (One to two applications (1–2 ml) of alcohol 40% sprays).

The statement should read as follows:

Group 1 ($n = 75$); was given on demand lidocaine 5% spray for 8 weeks (One to two applications (0.1–0.2 ml) of lidocaine 5% sprays; contain 5–10 mg of lidocaine, in a metered-dose aerosol-delivery system) (Lidocaine topical aerosol U.S.P. 38, The Arab Drug Co, Cairo, Egypt). Group 2 ($n = 75$); was given placebo in the form on demand alcohol spray for 8 weeks (One to two applications (0.1–0.2 ml) of alcohol 40% sprays).

This has been corrected in both the PDF and HTML versions of the Article.