



---

## Publisher Correction: Enantioselective Cu-catalyzed double hydroboration of alkynes to access chiral gem-diborylalkanes

---

Correction to: *Nature Communications*  
<https://doi.org/10.1038/s41467-022-31234-2>  
published online 20 June 2022

Shengnan Jin, Jinxia Li, Kang Liu, Wei-Yi Ding, Shuai Wang, Xiujuan Huang, Xue Li, Peiyuan Yu  & Qiuling Song 

---


<https://doi.org/10.1038/s41467-022-32433-7>

The original version of this Article contained an error in Fig. 6, in which the labelling of Int-1 and its relative energy are unclear.

---

Published online: 22 August 2022

---

 Check for updates



---

# Corrections & amendments

---

This has been corrected in both the PDF and HTML versions of the Article.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2022